

Project Name: One Lord Street BRE Project No.: 2375 Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon											
Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
St Chads Church											
Ground	R1	Pastoral	12.83	138.13	11.85	127.51	0.92	11.74	0.11	1.14	0.99
	R2	Pastoral	18.67	200.96	17.19	185.03	0.92	16.86	0.33	3.55	0.98
	R3	Pastoral	34.04	366.42	33.95	365.49	1.00	33.95	0.01	0.08	1.00
First	R1	Pastoral	23.49	252.88	23.49	252.87	1.00	23.49	0.00	0.00	1.00
	R2	Pastoral	12.83	138.13	12.83	138.13	1.00	12.83	0.00	0.00	1.00
	R3	Pastoral	18.67	200.96	18.31	197.09	0.98	18.31	0.00	0.00	1.00
Britton House											
Ground	R1	LKD	26.05	280.41	26.04	280.32	1.00	25.70	0.34	3.67	0.99
	R2	Bedroom	11.06	119.04	10.82	116.49	0.98	7.56	3.26	35.11	0.70
	R3	Bedroom	10.79	116.16	9.73	104.72	0.90	2.78	6.95	74.80	0.29
	R4	LKD	24.53	264.00	24.17	260.14	0.99	15.39	8.78	94.53	0.64
	R5	Bedroom	9.18	98.79	1.93	20.74	0.21	1.93	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	5.14	55.38	0.47	4.16	0.99	10.61	0.81
	R7	LKD	12.92	139.04	5.15	55.47	0.40	3.63	1.52	16.39	0.70
	R8	Bedroom	10.61	114.25	4.65	50.10	0.44	4.43	0.23	2.46	0.95
	R9	LKD	22.89	246.35	14.44	155.44	0.63	13.06	1.38	14.85	0.90
	R10	LKD	25.28	272.07	12.22	131.49	0.48	11.68	0.54	5.79	0.96
	R11	Bedroom	9.41	101.34	7.22	77.75	0.77	7.22	0.00	0.01	1.00
	R12	LKD	16.40	176.49	8.76	94.33	0.53	8.64	0.12	1.31	0.99
	R13	Bedroom	5.98	64.39	5.08	54.69	0.85	5.08	0.00	0.00	1.00
First	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.15	0.75	8.02	0.97
	R2	Bedroom	11.23	120.87	11.01	118.50	0.98	7.67	3.34	35.97	0.70
	R3	Bedroom	10.98	118.17	9.97	107.32	0.91	2.48	7.49	80.64	0.25
	R4	LKD	24.53	264.00	24.21	260.59	0.99	20.56	3.65	39.26	0.85
	R5	Bedroom	9.18	98.79	2.06	22.14	0.22	2.06	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	5.24	56.43	0.48	4.29	0.95	10.21	0.82
	R7	LKD	13.34	143.54	4.33	46.60	0.32	4.15	0.18	1.94	0.96
	R8	Bedroom	10.29	110.73	4.43	47.73	0.43	4.25	0.18	1.96	0.96
	R9	LKD	22.89	246.35	14.27	153.60	0.62	12.88	1.39	14.96	0.90
	R10	LKD	25.28	272.07	13.06	140.59	0.52	12.54	0.52	5.60	0.96
	R11	Bedroom	9.41	101.34	7.24	77.88	0.77	7.23	0.00	0.01	1.00
	R12	LKD	16.40	176.49	9.54	102.68	0.58	9.37	0.17	1.87	0.98
	R13	Bedroom	5.98	64.39	5.10	54.87	0.85	5.10	0.00	0.00	1.00
Second	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.15	0.74	8.01	0.97
	R2	Bedroom	11.24	120.94	11.02	118.65	0.98	7.67	3.35	36.05	0.70
	R3	Bedroom	10.98	118.17	9.97	107.35	0.91	2.27	7.70	82.89	0.23
	R4	LKD	24.53	264.00	24.23	260.79	0.99	20.56	3.67	39.47	0.85
	R5	Bedroom	9.18	98.79	2.16	23.28	0.24	2.16	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	5.35	57.60	0.49	4.47	0.88	9.53	0.83
	R7	LKD	13.34	143.54	4.52	48.62	0.34	4.34	0.18	1.91	0.96
	R8	Bedroom	10.29	110.73	4.50	48.47	0.44	4.35	0.15	1.66	0.97
	R9	LKD	22.89	246.35	14.41	155.13	0.63	13.08	1.33	14.32	0.91
	R10	LKD	25.28	272.07	14.45	155.49	0.57	13.94	0.51	5.49	0.96
	R11	Bedroom	9.41	101.34	7.29	78.48	0.77	7.29	0.00	0.05	1.00
	R12	LKD	16.40	176.49	10.42	112.19	0.64	10.17	0.25	2.72	0.98
	R13	Bedroom	5.98	64.39	5.13	55.19	0.86	5.13	0.00	0.00	1.00
Third	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.20	0.70	7.56	0.97
	R2	Bedroom	11.23	120.87	11.02	118.59	0.98	7.68	3.33	35.89	0.70
	R3	Bedroom	10.98	118.17	9.97	107.37	0.91	2.27	7.70	82.89	0.23
	R4	LKD	24.53	264.00	24.23	260.79	0.99	20.57	3.66	39.37	0.85
	R5	Bedroom	9.18	98.79	2.27	24.46	0.25	2.27	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	5.44	58.50	0.50	4.63	0.81	8.70	0.85
	R7	LKD	13.34	143.54	4.58	49.26	0.34	4.41	0.17	1.80	0.96
	R8	Bedroom	10.29	110.73	4.52	48.63	0.44	4.39	0.13	1.37	0.97
	R9	LKD	22.89	246.35	14.55	156.64	0.64	13.33	1.22	13.17	0.92
	R10	LKD	25.28	272.07	16.58	178.48	0.66	16.03	0.55	5.92	0.97
	R11	Bedroom	9.41	101.34	7.35	79.15	0.78	7.34	0.01	0.15	1.00
	R12	LKD	16.40	176.49	10.76	115.82	0.66	10.41	0.35	3.75	0.97
	R13	Bedroom	5.98	64.39	5.14	55.35	0.86	5.14	0.00	0.00	1.00
Fourth	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.20	0.70	7.53	0.97
	R2	Bedroom	11.23	120.87	11.01	118.53	0.98	7.67	3.34	35.92	0.70

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.28	7.69	82.82	0.23
	R4	LKD	24.53	264.00	24.23	260.79	0.99	20.60	3.63	39.10	0.85
	R5	Bedroom	9.18	98.79	2.43	26.20	0.27	2.43	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	5.68	61.17	0.52	4.96	0.72	7.77	0.87
	R7	LKD	13.34	143.54	4.66	50.21	0.35	4.50	0.16	1.74	0.97
	R8	Bedroom	10.29	110.73	4.60	49.52	0.45	4.47	0.13	1.37	0.97
	R9	LKD	22.89	246.35	14.65	157.70	0.64	13.49	1.16	12.44	0.92
	R10	LKD	25.28	272.07	19.43	209.11	0.77	18.98	0.44	4.76	0.98
	R11	Bedroom	9.41	101.34	7.52	80.91	0.80	7.50	0.02	0.18	1.00
	R12	LKD	16.40	176.49	11.07	119.20	0.68	10.66	0.41	4.41	0.96
	R13	Bedroom	5.98	64.39	5.19	55.91	0.87	5.19	0.00	0.00	1.00
Fifth	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.24	0.66	7.06	0.98
	R2	Bedroom	11.23	120.87	11.02	118.61	0.98	7.70	3.32	35.77	0.70
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.28	7.69	82.80	0.23
	R4	LKD	24.53	264.00	24.23	260.85	0.99	20.96	3.28	35.27	0.86
	R5	Bedroom	9.18	98.79	2.59	27.92	0.28	2.59	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	5.89	63.38	0.54	5.26	0.62	6.72	0.89
	R7	LKD	13.34	143.54	4.77	51.30	0.36	4.61	0.16	1.70	0.97
	R8	Bedroom	10.29	110.73	4.71	50.74	0.46	4.59	0.12	1.32	0.97
	R9	LKD	22.89	246.35	14.69	158.07	0.64	13.61	1.08	11.63	0.93
	R10	LKD	25.28	272.07	21.51	231.48	0.85	21.03	0.47	5.10	0.98
	R11	Bedroom	9.41	101.34	7.68	82.70	0.82	7.66	0.02	0.19	1.00
	R12	LKD	16.40	176.49	11.42	122.95	0.70	10.94	0.48	5.17	0.96
	R13	Bedroom	5.98	64.39	5.20	55.98	0.87	5.20	0.00	0.00	1.00
Sixth	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.28	0.62	6.66	0.98
	R2	Bedroom	11.23	120.87	11.01	118.54	0.98	7.73	3.28	35.33	0.70
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.28	7.69	82.79	0.23
	R4	LKD	24.53	264.00	24.23	260.79	0.99	21.61	2.62	28.20	0.89
	R5	Bedroom	9.18	98.79	2.75	29.56	0.30	2.75	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	6.19	66.66	0.57	5.68	0.52	5.55	0.92
	R7	LKD	13.34	143.54	4.95	53.29	0.37	4.82	0.14	1.46	0.97
	R8	Bedroom	10.29	110.73	4.90	52.71	0.48	4.80	0.09	1.02	0.98
	R9	LKD	22.89	246.35	14.74	158.70	0.64	13.69	1.06	11.37	0.93
	R10	LKD	25.28	272.07	23.05	248.16	0.91	22.43	0.62	6.72	0.97
	R11	Bedroom	9.41	101.34	7.87	84.68	0.84	7.85	0.02	0.19	1.00
	R12	LKD	16.40	176.49	11.53	124.13	0.70	11.09	0.44	4.78	0.96
	R13	Bedroom	5.98	64.39	5.20	56.02	0.87	5.20	0.00	0.00	1.00
Seventh	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.29	0.61	6.58	0.98
	R2	Bedroom	11.23	120.87	11.02	118.61	0.98	7.79	3.23	34.80	0.71
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.29	7.68	82.70	0.23
	R4	LKD	24.53	264.00	24.23	260.79	0.99	23.09	1.13	12.20	0.95
	R5	Bedroom	9.18	98.79	3.05	32.79	0.33	3.05	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	6.69	72.02	0.62	6.26	0.43	4.58	0.94
	R7	LKD	13.34	143.54	5.23	56.28	0.39	5.09	0.13	1.44	0.97
	R8	Bedroom	10.29	110.73	5.18	55.74	0.50	5.10	0.08	0.89	0.98
	R9	LKD	22.89	246.35	14.76	158.89	0.64	13.79	0.97	10.48	0.93
	R10	LKD	25.28	272.07	23.55	253.52	0.93	22.98	0.57	6.17	0.98
	R11	Bedroom	9.41	101.34	8.07	86.81	0.86	8.05	0.02	0.19	1.00
	R12	LKD	16.40	176.49	11.56	124.48	0.71	11.13	0.44	4.69	0.96
	R13	Bedroom	5.98	64.39	5.21	56.11	0.87	5.21	0.00	0.00	1.00
Eighth	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.30	0.60	6.49	0.98
	R2	Bedroom	11.23	120.87	11.01	118.54	0.98	7.81	3.20	34.47	0.71
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.29	7.68	82.68	0.23
	R4	LKD	24.53	264.00	24.23	260.80	0.99	23.92	0.31	3.32	0.99
	R5	Bedroom	9.18	98.79	3.60	38.79	0.39	3.60	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	7.46	80.34	0.69	7.15	0.31	3.39	0.96
	R7	LKD	13.34	143.54	5.68	61.12	0.43	5.55	0.13	1.43	0.98
	R8	Bedroom	10.29	110.73	5.71	61.44	0.55	5.64	0.07	0.76	0.99
	R9	LKD	22.89	246.35	15.06	162.11	0.66	14.26	0.80	8.60	0.95
	R10	LKD	25.28	272.07	23.65	254.56	0.94	23.12	0.53	5.67	0.98
	R11	Bedroom	9.41	101.34	8.16	87.82	0.87	8.14	0.02	0.19	1.00
	R12	LKD	16.40	176.49	11.60	124.86	0.71	11.17	0.43	4.66	0.96

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R13	Bedroom	5.98	64.39	5.22	56.15	0.87	5.22	0.00	0.00	1.00
Ninth	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.30	0.60	6.48	0.98
	R2	Bedroom	11.23	120.87	11.01	118.54	0.98	7.81	3.20	34.43	0.71
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.29	7.68	82.68	0.23
	R4	LKD	24.53	264.00	24.24	260.88	0.99	23.98	0.25	2.72	0.99
	R5	Bedroom	9.18	98.79	4.17	44.93	0.45	4.17	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	8.50	91.48	0.78	8.23	0.27	2.93	0.97
	R7	LKD	13.34	143.54	6.35	68.35	0.48	6.22	0.13	1.40	0.98
	R8	Bedroom	10.29	110.73	6.52	70.18	0.63	6.45	0.07	0.75	0.99
	R9	LKD	22.89	246.35	16.43	176.90	0.72	16.12	0.32	3.40	0.98
	R10	LKD	25.28	272.07	23.72	255.30	0.94	23.21	0.51	5.50	0.98
	R11	Bedroom	9.41	101.34	8.25	88.85	0.88	8.23	0.02	0.24	1.00
	R12	LKD	16.40	176.49	11.64	125.29	0.71	11.21	0.43	4.61	0.96
	R13	Bedroom	5.98	64.39	5.22	56.16	0.87	5.22	0.00	0.00	1.00
Tenth	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.30	0.60	6.45	0.98
	R2	Bedroom	11.23	120.87	11.02	118.61	0.98	7.83	3.19	34.36	0.71
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.31	7.67	82.55	0.23
	R4	LKD	24.53	264.00	24.39	262.53	0.99	24.36	0.03	0.29	1.00
	R5	Bedroom	9.18	98.79	4.60	49.54	0.50	4.60	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	8.71	93.75	0.80	8.53	0.18	1.92	0.98
	R7	LKD	13.34	143.54	7.14	76.84	0.54	7.01	0.13	1.36	0.98
	R8	Bedroom	10.29	110.73	6.81	73.33	0.66	6.74	0.07	0.75	0.99
	R9	LKD	22.89	246.35	19.65	211.54	0.86	19.65	0.00	0.02	1.00
	R10	LKD	25.28	272.07	23.99	258.19	0.95	23.45	0.53	5.74	0.98
	R11	Bedroom	9.41	101.34	8.36	90.04	0.89	8.35	0.02	0.20	1.00
	R12	LKD	16.40	176.49	11.65	125.42	0.71	11.23	0.42	4.57	0.96
	R13	Bedroom	5.98	64.39	5.22	56.17	0.87	5.22	0.00	0.00	1.00
Eleventh	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.30	0.60	6.43	0.98
	R2	Bedroom	11.23	120.87	11.01	118.54	0.98	7.82	3.19	34.37	0.71
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.31	7.66	82.49	0.23
	R4	LKD	24.53	264.00	24.51	263.82	1.00	24.51	0.00	0.00	1.00
	R5	Bedroom	9.18	98.79	4.54	48.92	0.50	4.54	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	8.71	93.75	0.80	8.51	0.20	2.15	0.98
	R7	LKD	13.34	143.54	7.39	79.59	0.55	7.27	0.12	1.31	0.98
	R8	Bedroom	10.29	110.73	6.95	74.77	0.68	6.88	0.07	0.71	0.99
	R9	LKD	22.89	246.35	21.22	228.41	0.93	21.22	0.00	0.02	1.00
	R10	LKD	25.28	272.07	24.15	259.97	0.96	23.65	0.50	5.35	0.98
	R11	Bedroom	9.41	101.34	8.40	90.39	0.89	8.38	0.02	0.19	1.00
	R12	LKD	16.40	176.49	11.66	125.56	0.71	11.24	0.42	4.56	0.96
	R13	Bedroom	5.98	64.39	5.23	56.30	0.87	5.23	0.00	0.00	1.00
Twelfth	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.31	0.59	6.30	0.98
	R2	Bedroom	11.23	120.87	11.02	118.61	0.98	7.81	3.21	34.52	0.71
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.34	7.64	82.24	0.23
	R4	LKD	24.53	264.00	24.53	264.00	1.00	24.53	0.00	0.00	1.00
	R5	Bedroom	9.18	98.79	4.72	50.76	0.51	4.72	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	8.77	94.37	0.81	8.58	0.19	2.06	0.98
	R7	LKD	13.34	143.54	7.63	82.09	0.57	7.51	0.12	1.27	0.98
	R8	Bedroom	10.29	110.73	7.03	75.68	0.68	6.97	0.06	0.68	0.99
	R9	LKD	22.89	246.35	21.47	231.11	0.94	21.47	0.00	0.02	1.00
	R10	LKD	25.28	272.07	24.50	263.67	0.97	24.25	0.24	2.63	0.99
	R11	Bedroom	9.41	101.34	8.41	90.48	0.89	8.38	0.02	0.23	1.00
	R12	LKD	16.40	176.49	11.71	126.05	0.71	11.29	0.42	4.57	0.96
	R13	Bedroom	5.98	64.39	5.26	56.61	0.88	5.26	0.00	0.00	1.00
Thirteenth	R1	LKD	26.91	289.70	26.90	289.53	1.00	26.47	0.43	4.58	0.98
	R2	Bedroom	11.23	120.87	11.03	118.69	0.98	7.85	3.18	34.19	0.71
	R3	Bedroom	10.98	118.17	9.98	107.38	0.91	2.36	7.62	82.03	0.24
	R4	LKD	24.53	264.00	24.53	264.00	1.00	24.53	0.00	0.00	1.00
	R5	Bedroom	9.18	98.79	5.02	54.00	0.55	5.02	0.00	0.00	1.00
	R6	Bedroom	10.85	116.83	8.91	95.87	0.82	8.73	0.18	1.94	0.98
	R7	LKD	13.34	143.54	7.81	84.07	0.59	7.69	0.12	1.26	0.99
	R8	Bedroom	10.29	110.73	7.11	76.57	0.69	7.05	0.06	0.66	0.99
	R9	LKD	22.89	246.35	21.64	232.97	0.95	21.64	0.00	0.02	1.00

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R10	LKD	25.28	272.07	24.54	264.19	0.97	24.19	0.36	3.85	0.99
	R11	Bedroom	9.41	101.34	8.40	90.39	0.89	8.37	0.03	0.30	1.00
	R12	LKD	16.40	176.49	11.81	127.12	0.72	11.38	0.43	4.64	0.96
	R13	Bedroom	5.98	64.39	5.33	57.38	0.89	5.33	0.00	0.00	1.00
Fourteenth	R1	Unknown	19.59	210.85	19.59	210.85	1.00	19.21	0.37	4.02	0.98
	R2	LKD	24.14	259.88	23.59	253.93	0.98	23.19	0.40	4.34	0.98
	R3	Bedroom	8.18	88.03	8.09	87.06	0.99	7.89	0.20	2.11	0.98
	R4	LKD	10.55	113.59	9.89	106.48	0.94	9.87	0.02	0.26	1.00
	R5	Bedroom	9.71	104.52	9.16	98.61	0.94	9.15	0.01	0.14	1.00
	R6	LKD	20.82	224.06	18.16	195.49	0.87	18.16	0.00	0.01	1.00
	R7	LKD	12.93	139.21	10.73	115.50	0.83	10.60	0.13	1.39	0.99
	R8	Bedroom	8.08	87.00	7.83	84.26	0.97	7.79	0.03	0.37	1.00
Fifteenth	R1	Bedroom	8.08	87.00	7.86	84.60	0.97	7.81	0.05	0.49	0.99
Sixteenth	R1	Bedroom	8.08	87.00	7.86	84.60	0.97	7.81	0.04	0.48	0.99
Jefferson PI											
Lower Ground	R1	Unknown	29.56	318.18	18.79	202.27	0.64	7.81	10.98	118.23	0.42
Ground	R1	Unknown	53.15	572.08	52.38	563.80	0.99	49.92	2.46	26.44	0.95
First	R1	Unknown	29.65	319.14	17.19	185.06	0.58	11.03	6.16	66.31	0.64
	R2	Unknown	28.95	311.65	22.40	241.06	0.77	17.30	5.09	54.84	0.77
	R3	Unknown	11.36	122.29	8.68	93.39	0.76	7.92	0.75	8.12	0.91
	R4	Unknown	5.50	59.18	0.00	0.00	0.00	0.00	0.00	0.00	1.00
	R5	Unknown	39.67	426.97	39.64	426.66	1.00	39.53	0.11	1.21	1.00
	R6	Unknown	13.33	143.51	9.96	107.23	0.75	9.34	0.62	6.69	0.94
	R7	Unknown	8.13	87.51	7.16	77.12	0.88	6.30	0.86	9.29	0.88
	R8	Unknown	25.99	279.79	24.86	267.62	0.96	20.03	4.83	52.00	0.81
	R9	Unknown	11.67	125.61	9.81	105.64	0.84	8.08	1.74	18.69	0.82
	R10	Unknown	25.25	271.78	21.30	229.31	0.84	14.98	6.32	68.01	0.70
	R11	Unknown	27.56	296.70	24.25	261.00	0.88	18.42	5.83	62.76	0.76
	R12	Unknown	10.50	112.97	8.69	93.58	0.83	7.45	1.25	13.42	0.86
	R13	Unknown	10.08	108.52	9.40	101.22	0.93	7.56	1.85	19.87	0.80
	R14	Unknown	24.75	266.45	21.02	226.24	0.85	17.56	3.46	37.21	0.84
	R15	Unknown	26.36	283.70	23.57	253.73	0.89	17.29	6.29	67.65	0.73
	R16	Unknown	7.96	85.64	5.17	55.68	0.65	4.66	0.51	5.50	0.90
	R17	Unknown	12.80	137.75	10.15	109.29	0.79	7.73	2.42	26.07	0.76
	R18	Unknown	11.30	121.66	11.15	120.00	0.99	9.94	1.20	12.96	0.89
	R19	Unknown	7.90	85.02	5.63	60.59	0.71	4.71	0.92	9.86	0.84
	R20	Unknown	25.11	270.25	18.90	203.48	0.75	9.55	9.36	100.70	0.51
	R21	Unknown	12.36	133.02	3.69	39.72	0.30	2.71	0.98	10.56	0.73
	R22	Unknown	8.40	90.45	3.13	33.71	0.37	2.59	0.54	5.79	0.83
	R23	Unknown	25.06	269.76	17.96	193.36	0.72	17.96	0.00	0.00	1.00
Second	R1	Unknown	29.65	319.14	17.29	186.10	0.58	11.16	6.13	65.99	0.65
	R2	Unknown	28.39	305.58	22.50	242.16	0.79	17.16	5.33	57.41	0.76
	R3	Unknown	22.02	237.05	21.81	234.78	0.99	19.31	2.50	26.90	0.89
	R4	Unknown	11.03	118.78	9.72	104.66	0.88	7.33	2.39	25.73	0.75
	R5	Unknown	5.62	60.50	5.11	54.98	0.91	4.44	0.66	7.15	0.87
	R6	Unknown	20.46	220.27	20.28	218.28	0.99	20.25	0.03	0.30	1.00
	R7	Unknown	8.99	96.75	5.63	60.63	0.63	5.43	0.21	2.23	0.96
	R8	Unknown	10.69	115.09	7.02	75.58	0.66	6.25	0.77	8.27	0.89
	R9	Unknown	13.33	143.51	9.97	107.29	0.75	9.04	0.93	10.04	0.91
	R10	Unknown	8.13	87.51	7.17	77.15	0.88	6.31	0.86	9.27	0.88
	R11	Unknown	25.99	279.79	24.86	267.58	0.96	20.12	4.73	50.96	0.81
	R12	Unknown	11.67	125.61	9.83	105.78	0.84	8.10	1.72	18.56	0.82
	R13	Unknown	25.27	271.96	23.48	252.77	0.93	15.52	7.97	85.74	0.66
	R14	Unknown	27.56	296.70	26.18	281.79	0.95	18.73	7.45	80.17	0.72
	R15	Unknown	10.50	112.97	8.74	94.07	0.83	7.51	1.23	13.24	0.86
	R16	Unknown	10.08	108.52	9.44	101.58	0.94	7.61	1.83	19.66	0.81
	R17	Unknown	24.75	266.45	21.41	230.49	0.87	17.62	3.79	40.79	0.82
	R18	Unknown	26.36	283.70	24.76	266.53	0.94	17.50	7.26	78.16	0.71
	R19	Unknown	7.96	85.64	5.14	55.34	0.65	4.57	0.57	6.19	0.89
	R20	Unknown	12.80	137.75	10.28	110.68	0.80	7.99	2.29	24.65	0.78
	R21	Unknown	11.30	121.66	11.10	119.52	0.98	9.86	1.24	13.35	0.89
	R22	Unknown	7.90	85.02	5.63	60.59	0.71	4.72	0.91	9.80	0.84

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R23	Unknown	25.11	270.25	18.86	203.04	0.75	9.76	9.10	97.94	0.52
	R24	Unknown	19.79	213.00	14.65	157.67	0.74	8.07	6.57	70.77	0.55
	R25	Unknown	12.36	133.02	3.64	39.17	0.29	2.68	0.96	10.37	0.74
	R26	Unknown	8.40	90.45	3.28	35.32	0.39	2.74	0.54	5.80	0.84
	R27	Unknown	25.06	269.76	19.97	214.96	0.80	19.97	0.00	0.00	1.00
Third	R1	Unknown	29.65	319.14	17.35	186.77	0.59	11.28	6.07	65.34	0.65
	R2	Unknown	28.39	305.58	22.57	242.93	0.79	17.17	5.40	58.07	0.76
	R3	Unknown	22.02	237.05	21.92	235.90	1.00	19.41	2.51	27.02	0.89
	R4	Unknown	11.03	118.78	9.75	104.95	0.88	7.41	2.34	25.19	0.76
	R5	Unknown	5.62	60.50	5.11	54.99	0.91	4.47	0.64	6.90	0.87
	R6	Unknown	20.46	220.27	20.29	218.42	0.99	20.24	0.06	0.60	1.00
	R7	Unknown	8.99	96.75	5.74	61.75	0.64	5.55	0.19	2.01	0.97
	R8	Unknown	10.70	115.13	7.10	76.48	0.66	6.44	0.67	7.20	0.91
	R9	Unknown	13.33	143.51	10.01	107.78	0.75	9.12	0.89	9.58	0.91
	R10	Unknown	8.13	87.51	7.16	77.07	0.88	6.20	0.96	10.37	0.87
	R11	Unknown	25.99	279.79	24.78	266.78	0.95	19.99	4.80	51.66	0.81
	R12	Unknown	11.67	125.61	9.88	106.37	0.85	8.32	1.57	16.86	0.84
	R13	Unknown	25.73	276.94	24.12	259.63	0.94	16.36	7.76	83.57	0.68
	R14	Unknown	27.56	296.70	26.20	281.97	0.95	18.79	7.41	79.71	0.72
	R15	Unknown	10.50	112.97	8.73	94.01	0.83	7.50	1.24	13.31	0.86
	R16	Unknown	10.08	108.52	9.40	101.23	0.93	7.59	1.82	19.55	0.81
	R17	Unknown	24.75	266.45	21.59	232.41	0.87	17.91	3.69	39.67	0.83
	R18	Unknown	26.36	283.70	24.80	266.96	0.94	17.55	7.25	78.02	0.71
	R19	Unknown	7.96	85.64	5.23	56.33	0.66	4.73	0.50	5.42	0.90
	R20	Unknown	12.80	137.75	10.20	109.78	0.80	7.87	2.33	25.10	0.77
	R21	Unknown	11.30	121.66	11.15	120.05	0.99	9.98	1.17	12.60	0.90
	R22	Unknown	7.90	85.02	5.59	60.21	0.71	4.60	0.99	10.71	0.82
	R23	Unknown	25.11	270.25	18.76	201.92	0.75	9.63	9.13	98.27	0.51
	R24	Unknown	19.90	214.20	14.81	159.44	0.74	8.30	6.51	70.10	0.56
	R25	Unknown	12.36	133.02	3.76	40.47	0.30	2.85	0.91	9.83	0.76
	R26	Unknown	8.40	90.45	3.18	34.26	0.38	2.68	0.51	5.46	0.84
	R27	Unknown	25.06	269.76	21.28	229.07	0.85	21.28	0.00	0.00	1.00
Fourth	R1	Unknown	29.65	319.14	17.38	187.04	0.59	11.37	6.00	64.61	0.65
	R2	Unknown	28.39	305.58	22.95	247.06	0.81	17.59	5.37	57.77	0.77
	R3	Unknown	22.02	237.05	21.92	235.91	1.00	19.42	2.49	26.82	0.89
	R4	Unknown	11.03	118.78	9.79	105.42	0.89	7.51	2.29	24.62	0.77
	R5	Unknown	5.62	60.50	5.11	54.99	0.91	4.48	0.63	6.79	0.88
	R6	Unknown	20.46	220.27	20.30	218.52	0.99	20.25	0.05	0.52	1.00
	R7	Unknown	8.99	96.75	5.87	63.18	0.65	5.72	0.15	1.64	0.97
	R8	Unknown	10.70	115.13	7.20	77.49	0.67	6.62	0.58	6.28	0.92
	R9	Unknown	13.33	143.51	10.02	107.85	0.75	9.13	0.89	9.60	0.91
	R10	Unknown	8.13	87.51	7.16	77.08	0.88	6.22	0.94	10.16	0.87
	R11	Unknown	25.99	279.79	24.83	267.30	0.96	20.01	4.82	51.87	0.81
	R12	Unknown	11.67	125.61	9.90	106.52	0.85	8.35	1.55	16.65	0.84
	R13	Unknown	25.27	271.96	23.69	255.04	0.94	15.96	7.74	83.26	0.67
	R14	Unknown	27.56	296.70	26.20	281.99	0.95	18.79	7.41	79.76	0.72
	R15	Unknown	10.50	112.97	8.78	94.52	0.84	7.56	1.22	13.14	0.86
	R16	Unknown	10.08	108.52	9.42	101.43	0.93	7.64	1.78	19.16	0.81
	R17	Unknown	24.75	266.45	21.59	232.44	0.87	17.93	3.67	39.49	0.83
	R18	Unknown	26.36	283.70	24.80	266.99	0.94	17.57	7.24	77.91	0.71
	R19	Unknown	7.96	85.64	5.26	56.59	0.66	4.75	0.50	5.41	0.90
	R20	Unknown	12.80	137.75	10.22	110.05	0.80	7.96	2.26	24.35	0.78
	R21	Unknown	11.30	121.66	11.16	120.10	0.99	9.99	1.17	12.54	0.90
	R22	Unknown	7.90	85.02	5.59	60.21	0.71	4.63	0.96	10.33	0.83
	R23	Unknown	25.11	270.25	18.77	202.09	0.75	9.69	9.08	97.76	0.52
	R24	Unknown	19.90	214.20	14.85	159.87	0.75	8.41	6.44	69.33	0.57
	R25	Unknown	12.36	133.02	3.80	40.88	0.31	2.94	0.86	9.25	0.77
	R26	Unknown	8.40	90.45	3.20	34.47	0.38	2.72	0.48	5.16	0.85
	R27	Unknown	25.06	269.76	22.68	244.11	0.90	22.68	0.00	0.01	1.00
Fifth	R1	Unknown	29.65	319.14	17.42	187.56	0.59	11.45	5.97	64.28	0.66
	R2	Unknown	28.39	305.58	23.26	250.35	0.82	18.01	5.24	56.45	0.77
	R3	Unknown	22.02	237.05	21.84	235.10	0.99	19.31	2.53	27.23	0.88

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R4	Unknown	11.03	118.78	9.84	105.96	0.89	7.64	2.20	23.68	0.78
	R5	Unknown	5.62	60.50	5.11	54.99	0.91	4.50	0.61	6.57	0.88
	R6	Unknown	20.46	220.27	20.33	218.81	0.99	20.29	0.03	0.36	1.00
	R7	Unknown	8.99	96.75	6.03	64.89	0.67	5.89	0.14	1.52	0.98
	R8	Unknown	10.70	115.13	7.35	79.09	0.69	6.82	0.53	5.67	0.93
	R9	Unknown	13.33	143.51	10.02	107.88	0.75	9.13	0.89	9.62	0.91
	R10	Unknown	8.13	87.51	7.16	77.08	0.88	6.25	0.91	9.78	0.87
	R11	Unknown	25.99	279.79	24.95	268.55	0.96	20.14	4.81	51.73	0.81
	R12	Unknown	11.67	125.61	9.92	106.78	0.85	8.45	1.47	15.87	0.85
	R13	Unknown	25.27	271.96	23.71	255.18	0.94	15.96	7.75	83.40	0.67
	R14	Unknown	27.56	296.70	26.20	282.04	0.95	18.80	7.40	79.69	0.72
	R15	Unknown	10.50	112.97	8.90	95.80	0.85	7.70	1.20	12.93	0.86
	R16	Unknown	10.08	108.52	9.51	102.41	0.94	7.78	1.73	18.62	0.82
	R17	Unknown	24.75	266.45	21.43	230.66	0.87	17.67	3.76	40.46	0.82
	R18	Unknown	26.36	283.70	24.81	267.05	0.94	17.56	7.25	78.07	0.71
	R19	Unknown	7.96	85.64	5.27	56.70	0.66	4.75	0.52	5.62	0.90
	R20	Unknown	12.80	137.75	10.48	112.77	0.82	8.31	2.16	23.30	0.79
	R21	Unknown	11.30	121.66	11.12	119.71	0.98	9.93	1.19	12.85	0.89
	R22	Unknown	7.90	85.02	5.59	60.21	0.71	4.67	0.93	9.97	0.83
	R23	Unknown	25.11	270.25	18.86	203.01	0.75	9.81	9.05	97.46	0.52
	R24	Unknown	19.90	214.20	14.86	159.97	0.75	8.51	6.35	68.37	0.57
	R25	Unknown	12.36	133.02	3.82	41.10	0.31	2.99	0.83	8.88	0.78
	R26	Unknown	8.40	90.45	3.33	35.80	0.40	2.86	0.47	5.04	0.86
	R27	Unknown	25.06	269.76	23.13	248.92	0.92	23.13	0.00	0.00	1.00
Sixth	R1	Unknown	29.65	319.14	17.57	189.16	0.59	11.68	5.89	63.44	0.66
	R2	Unknown	28.39	305.58	23.35	251.33	0.82	18.09	5.26	56.66	0.77
	R3	Unknown	22.02	237.05	21.92	235.91	1.00	19.43	2.49	26.82	0.89
	R4	Unknown	11.03	118.78	9.97	107.27	0.90	7.81	2.16	23.23	0.78
	R5	Unknown	5.62	60.50	5.11	54.99	0.91	4.51	0.60	6.42	0.88
	R6	Unknown	20.46	220.27	20.38	219.37	1.00	20.37	0.01	0.06	1.00
	R7	Unknown	8.99	96.75	6.13	65.97	0.68	6.04	0.08	0.91	0.99
	R8	Unknown	10.70	115.13	7.42	79.88	0.69	6.94	0.48	5.14	0.94
	R9	Unknown	13.33	143.51	9.99	107.54	0.75	9.04	0.95	10.22	0.90
	R10	Unknown	8.13	87.51	7.17	77.20	0.88	6.47	0.70	7.52	0.90
	R11	Unknown	25.99	279.79	25.06	269.78	0.96	20.41	4.65	50.07	0.81
	R12	Unknown	11.67	125.61	9.91	106.68	0.85	8.36	1.55	16.67	0.84
	R13	Unknown	25.27	271.96	23.53	253.32	0.93	15.70	7.84	84.37	0.67
	R14	Unknown	27.56	296.70	26.20	282.04	0.95	18.83	7.38	79.40	0.72
	R15	Unknown	10.50	112.97	9.08	97.79	0.87	7.93	1.15	12.40	0.87
	R16	Unknown	10.08	108.52	9.58	103.14	0.95	7.99	1.59	17.14	0.83
	R17	Unknown	24.75	266.45	21.46	231.00	0.87	17.68	3.78	40.68	0.82
	R18	Unknown	26.36	283.70	24.83	267.30	0.94	17.66	7.17	77.19	0.71
	R19	Unknown	7.96	85.64	5.51	59.36	0.69	5.09	0.42	4.54	0.92
	R20	Unknown	12.80	137.75	10.40	111.92	0.81	8.20	2.20	23.66	0.79
	R21	Unknown	11.30	121.66	11.17	120.24	0.99	10.05	1.12	12.10	0.90
	R22	Unknown	7.90	85.02	5.63	60.59	0.71	4.86	0.77	8.24	0.86
	R23	Unknown	25.11	270.25	18.78	202.13	0.75	9.80	8.98	96.68	0.52
	R24	Unknown	19.90	214.20	14.87	160.04	0.75	8.62	6.25	67.27	0.58
	R25	Unknown	12.36	133.02	3.96	42.64	0.32	3.19	0.77	8.32	0.80
	R26	Unknown	8.40	90.45	3.21	34.57	0.38	2.78	0.43	4.67	0.86
	R27	Unknown	25.06	269.76	23.41	252.03	0.93	23.41	0.00	0.00	1.00
Seventh	R1	Unknown	29.65	319.14	17.64	189.90	0.60	11.87	5.77	62.09	0.67
	R2	Unknown	28.39	305.58	23.47	252.61	0.83	18.26	5.21	56.04	0.78
	R3	Unknown	22.02	237.05	21.92	235.91	1.00	19.43	2.49	26.82	0.89
	R4	Unknown	11.03	118.78	10.06	108.28	0.91	7.98	2.08	22.37	0.79
	R5	Unknown	5.62	60.50	5.11	54.99	0.91	4.59	0.52	5.55	0.90
	R6	Unknown	20.46	220.27	20.38	219.38	1.00	20.38	0.00	0.00	1.00
	R7	Unknown	8.99	96.75	6.42	69.07	0.71	6.34	0.08	0.85	0.99
	R8	Unknown	10.70	115.13	7.67	82.55	0.72	7.24	0.43	4.59	0.94
	R9	Unknown	13.33	143.51	9.99	107.55	0.75	9.05	0.94	10.13	0.91
	R10	Unknown	8.13	87.51	7.18	77.27	0.88	6.52	0.66	7.14	0.91
	R11	Unknown	25.99	279.79	25.06	269.80	0.96	20.42	4.65	50.04	0.81

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R12	Unknown	11.67	125.61	9.96	107.23	0.85	8.52	1.44	15.50	0.86
	R13	Unknown	25.27	271.96	23.55	253.49	0.93	15.75	7.80	83.94	0.67
	R14	Unknown	27.56	296.70	26.20	282.04	0.95	18.84	7.36	79.24	0.72
	R15	Unknown	10.50	112.97	9.21	99.12	0.88	8.12	1.09	11.70	0.88
	R16	Unknown	10.08	108.52	9.62	103.53	0.95	8.13	1.49	16.01	0.85
	R17	Unknown	24.75	266.45	21.45	230.91	0.87	17.72	3.73	40.20	0.83
	R18	Unknown	26.36	283.70	24.85	267.49	0.94	17.63	7.22	77.74	0.71
	R19	Unknown	7.96	85.64	5.61	60.43	0.71	5.21	0.40	4.35	0.93
	R20	Unknown	12.80	137.75	10.51	113.12	0.82	8.40	2.11	22.74	0.80
	R21	Unknown	11.30	121.66	11.17	120.26	0.99	10.09	1.09	11.70	0.90
	R22	Unknown	7.90	85.02	5.63	60.59	0.71	4.92	0.71	7.62	0.87
	R23	Unknown	25.11	270.25	18.78	202.13	0.75	9.81	8.96	96.49	0.52
	R24	Unknown	19.90	214.20	14.86	159.95	0.75	8.75	6.11	65.79	0.59
	R25	Unknown	12.36	133.02	4.06	43.67	0.33	3.32	0.74	7.95	0.82
	R26	Unknown	8.40	90.45	3.22	34.67	0.38	2.84	0.38	4.10	0.88
	R27	Unknown	25.06	269.76	23.58	253.82	0.94	23.57	0.01	0.10	1.00
Eighth	R1	Unknown	29.65	319.14	17.78	191.34	0.60	12.15	5.62	60.51	0.68
	R2	Unknown	28.39	305.58	23.62	254.29	0.83	18.52	5.10	54.95	0.78
	R3	Unknown	22.02	237.05	21.92	235.91	1.00	19.43	2.49	26.82	0.89
	R4	Unknown	11.03	118.78	10.15	109.25	0.92	8.20	1.95	21.02	0.81
	R5	Unknown	5.62	60.50	5.11	54.99	0.91	4.61	0.50	5.38	0.90
	R6	Unknown	20.46	220.27	20.44	219.97	1.00	20.44	0.00	0.00	1.00
	R7	Unknown	8.99	96.75	6.84	73.58	0.76	6.78	0.06	0.65	0.99
	R8	Unknown	10.70	115.13	7.83	84.30	0.73	7.44	0.39	4.25	0.95
	R9	Unknown	13.33	143.51	10.00	107.59	0.75	9.05	0.95	10.21	0.91
	R10	Unknown	8.13	87.51	7.21	77.61	0.89	6.62	0.59	6.30	0.92
	R11	Unknown	25.99	279.79	25.07	269.82	0.96	20.44	4.63	49.85	0.82
	R12	Unknown	11.67	125.61	10.02	107.90	0.86	8.73	1.30	13.94	0.87
	R13	Unknown	25.27	271.96	23.58	253.80	0.93	15.74	7.84	84.35	0.67
	R14	Unknown	27.56	296.70	26.20	282.04	0.95	18.86	7.34	79.01	0.72
	R15	Unknown	10.50	112.97	9.43	101.55	0.90	8.43	1.01	10.82	0.89
	R16	Unknown	10.08	108.52	9.63	103.69	0.96	8.22	1.41	15.23	0.85
	R17	Unknown	24.75	266.45	21.49	231.27	0.87	17.76	3.73	40.10	0.83
	R18	Unknown	26.36	283.70	24.85	267.49	0.94	17.64	7.21	77.65	0.71
	R19	Unknown	7.96	85.64	5.80	62.47	0.73	5.44	0.36	3.87	0.94
	R20	Unknown	12.80	137.75	10.73	115.46	0.84	8.69	2.03	21.90	0.81
	R21	Unknown	11.30	121.66	11.17	120.27	0.99	10.11	1.07	11.50	0.90
	R22	Unknown	7.90	85.02	5.64	60.70	0.71	5.01	0.63	6.80	0.89
	R23	Unknown	25.11	270.25	18.80	202.40	0.75	9.98	8.83	95.01	0.53
	R24	Unknown	19.90	214.20	14.87	160.02	0.75	8.91	5.96	64.15	0.60
	R25	Unknown	12.36	133.02	4.13	44.44	0.33	3.43	0.70	7.52	0.83
	R26	Unknown	8.40	90.45	3.28	35.26	0.39	2.93	0.34	3.68	0.90
	R27	Unknown	25.06	269.76	23.75	255.69	0.95	23.71	0.04	0.45	1.00
Ninth	R1	Unknown	29.65	319.14	17.93	193.03	0.60	12.56	5.38	57.87	0.70
	R2	Unknown	28.39	305.58	23.84	256.57	0.84	18.95	4.88	52.54	0.80
	R3	Unknown	22.02	237.05	21.92	235.91	1.00	19.43	2.49	26.82	0.89
	R4	Unknown	11.03	118.78	10.20	109.74	0.92	8.40	1.79	19.31	0.82
	R5	Unknown	5.62	60.50	5.11	54.99	0.91	4.63	0.48	5.19	0.91
	R6	Unknown	20.46	220.27	20.46	220.22	1.00	20.46	0.00	0.00	1.00
	R7	Unknown	8.99	96.75	7.30	78.56	0.81	7.21	0.09	0.98	0.99
	R8	Unknown	10.70	115.13	8.07	86.85	0.75	7.76	0.31	3.33	0.96
	R9	Unknown	13.33	143.51	10.01	107.75	0.75	9.11	0.90	9.72	0.91
	R10	Unknown	8.13	87.51	7.24	77.95	0.89	6.81	0.43	4.59	0.94
	R11	Unknown	25.99	279.79	25.07	269.83	0.96	20.48	4.59	49.37	0.82
	R12	Unknown	11.67	125.61	10.12	108.95	0.87	8.92	1.20	12.96	0.88
	R13	Unknown	25.27	271.96	23.65	254.57	0.94	15.81	7.84	84.34	0.67
	R14	Unknown	27.56	296.70	26.20	282.04	0.95	18.92	7.28	78.38	0.72
	R15	Unknown	10.50	112.97	9.62	103.50	0.92	8.69	0.93	9.97	0.90
	R16	Unknown	10.08	108.52	9.63	103.70	0.96	8.32	1.32	14.16	0.86
	R17	Unknown	24.75	266.45	21.54	231.81	0.87	17.81	3.72	40.05	0.83
	R18	Unknown	26.36	283.70	24.85	267.44	0.94	17.69	7.15	76.98	0.71
	R19	Unknown	7.96	85.64	6.06	65.28	0.76	5.78	0.29	3.11	0.95

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R20	Unknown	12.80	137.75	10.91	117.42	0.85	8.97	1.94	20.85	0.82
	R21	Unknown	11.30	121.66	11.17	120.27	0.99	10.19	0.98	10.58	0.91
	R22	Unknown	7.90	85.02	5.67	61.08	0.72	5.10	0.57	6.18	0.90
	R23	Unknown	25.11	270.25	18.78	202.16	0.75	10.12	8.66	93.26	0.54
	R24	Unknown	19.90	214.20	14.86	160.00	0.75	9.11	5.76	61.98	0.61
	R25	Unknown	12.36	133.02	4.28	46.07	0.35	3.64	0.64	6.92	0.85
	R26	Unknown	8.40	90.45	3.38	36.35	0.40	3.08	0.29	3.16	0.91
	R27	Unknown	25.06	269.76	23.84	256.65	0.95	23.73	0.12	1.27	1.00
Tenth	R1	Unknown	29.65	319.14	18.29	196.85	0.62	13.37	4.92	52.92	0.73
	R2	Unknown	28.39	305.58	24.16	260.10	0.85	19.67	4.50	48.39	0.81
	R3	Unknown	22.02	237.05	21.92	235.91	1.00	19.41	2.51	27.01	0.89
	R4	Unknown	11.03	118.78	10.21	109.89	0.93	8.56	1.65	17.72	0.84
	R5	Unknown	5.62	60.50	5.11	54.99	0.91	4.65	0.46	4.99	0.91
	R6	Unknown	20.46	220.27	20.46	220.24	1.00	20.46	0.00	0.00	1.00
	R7	Unknown	8.99	96.75	7.62	82.03	0.85	7.57	0.05	0.50	0.99
	R8	Unknown	10.69	115.09	8.33	89.68	0.78	8.07	0.26	2.85	0.97
	R9	Unknown	13.33	143.51	10.03	108.01	0.75	9.17	0.86	9.31	0.91
	R10	Unknown	8.13	87.51	7.34	78.96	0.90	7.00	0.34	3.64	0.95
	R11	Unknown	25.99	279.79	25.09	270.03	0.97	20.55	4.54	48.87	0.82
	R12	Unknown	11.67	125.61	10.18	109.54	0.87	9.14	1.03	11.11	0.90
	R13	Unknown	25.27	271.96	23.73	255.40	0.94	15.89	7.84	84.36	0.67
	R14	Unknown	27.56	296.70	26.20	282.04	0.95	18.94	7.26	78.13	0.72
	R15	Unknown	10.50	112.97	9.77	105.13	0.93	8.95	0.82	8.80	0.92
	R16	Unknown	10.08	108.52	9.64	103.72	0.96	8.46	1.17	12.61	0.88
	R17	Unknown	24.75	266.45	21.69	233.42	0.88	17.96	3.73	40.14	0.83
	R18	Unknown	26.36	283.70	24.84	267.33	0.94	17.71	7.12	76.67	0.71
	R19	Unknown	7.96	85.64	6.37	68.61	0.80	6.13	0.24	2.63	0.96
	R20	Unknown	12.80	137.75	11.10	119.44	0.87	9.28	1.82	19.59	0.84
	R21	Unknown	11.30	121.66	11.17	120.28	0.99	10.25	0.93	9.98	0.92
	R22	Unknown	7.90	85.02	5.78	62.23	0.73	5.28	0.50	5.37	0.91
	R23	Unknown	25.11	270.25	18.81	202.42	0.75	10.30	8.50	91.51	0.55
	R24	Unknown	19.90	214.20	14.93	160.73	0.75	9.38	5.56	59.80	0.63
	R25	Unknown	12.36	133.02	4.59	49.41	0.37	3.99	0.60	6.42	0.87
	R26	Unknown	8.40	90.45	3.68	39.64	0.44	3.45	0.24	2.54	0.94
	R27	Unknown	25.06	269.76	24.02	258.50	0.96	23.77	0.25	2.69	0.99
Eleventh	R1	Unknown	29.65	319.14	18.78	202.16	0.63	14.60	4.18	45.00	0.78
	R2	Unknown	28.39	305.58	24.73	266.19	0.87	20.93	3.80	40.86	0.85
	R3	Unknown	22.02	237.05	21.92	235.91	1.00	19.97	1.95	21.00	0.91
	R4	Unknown	11.03	118.78	10.21	109.92	0.93	8.72	1.49	16.08	0.85
	R5	Unknown	5.62	60.50	5.11	55.01	0.91	4.71	0.40	4.31	0.92
	R6	Unknown	20.46	220.27	20.46	220.25	1.00	20.46	0.00	0.00	1.00
	R7	Unknown	8.99	96.75	7.96	85.63	0.89	7.92	0.03	0.34	1.00
	R8	Unknown	10.69	115.09	8.54	91.95	0.80	8.26	0.28	3.06	0.97
	R9	Unknown	13.33	143.51	10.14	109.13	0.76	9.34	0.79	8.55	0.92
	R10	Unknown	8.13	87.51	7.27	78.27	0.89	6.57	0.70	7.54	0.90
	R11	Unknown	25.99	279.79	25.23	271.60	0.97	20.63	4.60	49.52	0.82
	R12	Unknown	11.67	125.61	11.11	119.56	0.95	10.63	0.47	5.10	0.96
	R13	Unknown	25.27	271.96	24.01	258.42	0.95	16.19	7.82	84.14	0.67
	R14	Unknown	27.56	296.70	26.36	283.72	0.96	19.19	7.17	77.13	0.73
	R15	Unknown	10.50	112.97	10.27	110.58	0.98	10.03	0.24	2.64	0.98
	R16	Unknown	10.08	108.52	9.82	105.71	0.97	9.67	0.15	1.65	0.98
	R17	Unknown	24.75	266.45	22.27	239.77	0.90	18.55	3.73	40.11	0.83
	R18	Unknown	26.36	283.70	25.02	269.33	0.95	18.03	6.99	75.27	0.72
	R19	Unknown	7.96	85.64	6.66	71.69	0.84	6.41	0.25	2.70	0.96
	R20	Unknown	12.80	137.75	11.30	121.60	0.88	9.59	1.71	18.38	0.85
	R21	Unknown	11.30	121.66	11.17	120.28	0.99	10.40	0.77	8.32	0.93
	R22	Unknown	7.90	85.02	6.15	66.18	0.78	5.71	0.44	4.76	0.93
	R23	Unknown	25.11	270.25	18.77	202.06	0.75	10.59	8.18	88.09	0.56
	R24	Unknown	19.90	214.20	15.10	162.49	0.76	9.76	5.34	57.46	0.65
	R25	Unknown	12.36	133.02	5.38	57.88	0.44	4.77	0.61	6.58	0.89
	R26	Unknown	8.40	90.45	4.28	46.07	0.51	4.07	0.21	2.28	0.95
	R27	Unknown	25.06	269.76	24.44	263.06	0.98	24.44	0.00	0.03	1.00

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
Twelfth	R1	Unknown	29.65	319.14	19.90	214.21	0.67	17.02	2.88	31.02	0.86
	R2	Unknown	28.39	305.58	25.86	278.36	0.91	22.98	2.88	31.03	0.89
	R3	Unknown	22.02	237.05	21.85	235.14	0.99	20.88	0.97	10.40	0.96
	R4	Unknown	11.03	118.78	10.21	109.94	0.93	8.85	1.37	14.70	0.87
	R5	Unknown	5.62	60.50	5.21	56.10	0.93	4.86	0.35	3.81	0.93
	R6	Unknown	20.46	220.27	20.44	219.97	1.00	20.43	0.01	0.07	1.00
	R7	Unknown	8.99	96.75	8.33	89.68	0.93	8.31	0.03	0.29	1.00
	R8	Unknown	10.69	115.09	8.75	94.16	0.82	8.57	0.18	1.96	0.98
	R9	Unknown	13.33	143.51	11.34	122.06	0.85	10.43	0.91	9.76	0.92
	R10	Unknown	27.10	291.65	26.86	289.12	0.99	22.49	4.37	46.99	0.84
	R11	Unknown	8.91	95.96	8.63	92.91	0.97	7.88	0.76	8.14	0.91
	R12	Unknown	13.70	147.44	13.15	141.58	0.96	11.73	1.42	15.31	0.89
	R13	Unknown	22.45	241.61	21.83	234.92	0.97	17.47	4.35	46.85	0.80
	R14	Unknown	24.70	265.89	24.15	259.94	0.98	18.66	5.49	59.11	0.77
	R15	Unknown	12.30	132.40	11.86	127.69	0.96	10.49	1.37	14.76	0.88
	R16	Unknown	11.83	127.36	11.40	122.67	0.96	9.72	1.68	18.10	0.85
	R17	Unknown	21.97	236.46	20.41	219.66	0.93	17.73	2.68	28.84	0.87
	R18	Unknown	23.60	254.00	22.61	243.35	0.96	18.33	4.28	46.03	0.81
	R19	Unknown	7.96	85.64	6.86	73.82	0.86	6.62	0.24	2.57	0.97
	R20	Unknown	12.80	137.75	11.19	120.44	0.87	9.86	1.33	14.30	0.88
	R21	Unknown	11.30	121.66	10.53	113.36	0.93	8.96	1.57	16.95	0.85
	R22	Unknown	7.90	85.02	6.95	74.85	0.88	6.49	0.47	5.03	0.93
	R23	Unknown	25.11	270.25	19.69	211.95	0.78	11.97	7.72	83.13	0.61
	R24	Unknown	19.90	214.20	15.40	165.73	0.77	10.21	5.18	55.79	0.66
	R25	Unknown	21.49	231.34	21.41	230.41	1.00	21.41	0.00	0.00	1.00
Thirteenth	R1	Unknown	15.36	165.35	5.22	56.20	0.34	5.20	0.02	0.18	1.00
	R2	Unknown	15.71	169.15	13.95	150.19	0.89	13.95	0.00	0.04	1.00
	R3	Unknown	13.00	139.88	12.66	136.24	0.97	11.35	1.31	14.12	0.90
	R4	Unknown	5.50	59.23	4.97	53.46	0.90	4.32	0.65	6.97	0.87
	R5	Unknown	22.20	238.94	21.62	232.68	0.97	19.84	1.78	19.15	0.92
	R6	Unknown	11.33	122.00	10.99	118.27	0.97	10.36	0.63	6.74	0.94
	R7	Unknown	20.60	221.74	19.93	214.53	0.97	17.46	2.47	26.56	0.88
	R8	Unknown	22.87	246.18	22.17	238.67	0.97	18.36	3.81	41.06	0.83
	R9	Unknown	10.50	112.97	10.05	108.20	0.96	9.36	0.69	7.47	0.93
	R10	Unknown	10.08	108.52	9.64	103.72	0.96	8.52	1.12	12.00	0.88
	R11	Unknown	20.15	216.92	19.20	206.63	0.95	17.36	1.84	19.81	0.90
	R12	Unknown	21.47	231.15	20.59	221.59	0.96	17.70	2.88	31.02	0.86
	R13	Unknown	6.48	69.78	5.99	64.43	0.92	5.87	0.11	1.24	0.98
	R14	Unknown	11.07	119.11	10.17	109.51	0.92	9.37	0.80	8.60	0.92
	R15	Unknown	7.70	82.91	7.13	76.74	0.93	6.96	0.17	1.78	0.98
	R16	Unknown	4.36	46.96	4.27	45.98	0.98	4.26	0.01	0.08	1.00
	R17	Unknown	17.27	185.94	16.56	178.25	0.96	14.10	2.46	26.52	0.85
	R18	Unknown	19.90	214.20	15.80	170.04	0.79	11.36	4.43	47.72	0.72
	R19	Unknown	21.49	231.34	21.35	229.81	0.99	21.35	0.00	0.02	1.00
Fourteenth	R1	Unknown	15.36	165.35	6.70	72.07	0.44	6.70	0.00	0.01	1.00
	R2	Unknown	15.71	169.15	14.32	154.14	0.91	14.31	0.01	0.10	1.00
	R3	Unknown	26.73	287.73	25.84	278.10	0.97	24.34	1.49	16.08	0.94
	R4	Unknown	6.54	70.42	6.45	69.41	0.99	6.44	0.01	0.06	1.00
	R5	Unknown	16.73	180.12	13.12	141.19	0.78	12.68	0.43	4.65	0.97
	R6	Unknown	5.56	59.87	5.01	53.92	0.90	4.65	0.36	3.86	0.93
	R7	Unknown	17.44	187.78	17.08	183.86	0.98	16.47	0.61	6.54	0.96
	R8	Unknown	8.08	86.94	7.75	83.43	0.96	7.59	0.16	1.73	0.98
	R9	Unknown	18.85	202.95	18.43	198.42	0.98	16.97	1.46	15.74	0.92
	R10	Unknown	16.19	174.24	15.84	170.53	0.98	13.52	2.32	25.01	0.85
	R11	Unknown	9.48	102.06	8.79	94.59	0.93	8.62	0.16	1.75	0.98
	R12	Unknown	9.31	100.22	8.89	95.69	0.95	8.77	0.12	1.35	0.99
	R13	Unknown	18.39	197.90	17.97	193.46	0.98	16.57	1.40	15.05	0.92
	R14	Unknown	17.91	192.75	17.73	190.87	0.99	15.93	1.81	19.43	0.90
	R15	Unknown	5.08	54.69	4.63	49.89	0.91	4.63	0.00	0.00	1.00
	R16	Unknown	8.93	96.12	8.59	92.48	0.96	8.42	0.17	1.84	0.98
	R17	Unknown	10.55	113.58	9.93	106.87	0.94	9.60	0.33	3.54	0.97
	R18	Unknown	22.22	239.21	21.92	236.00	0.99	19.57	2.36	25.36	0.89

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R19	Unknown	19.78	212.93	16.59	178.54	0.84	13.65	2.94	31.65	0.82
	R20	Unknown	21.49	231.34	21.38	230.18	0.99	21.38	0.00	0.02	1.00
Fifteenth	R1	Unknown	21.54	231.89	21.51	231.48	1.00	21.45	0.05	0.56	1.00
	R2	Unknown	7.96	85.71	7.61	81.96	0.96	4.91	2.70	29.09	0.65
	R3	Unknown	14.51	156.21	13.73	147.81	0.95	10.26	3.47	37.38	0.75
	R4	Unknown	6.54	70.42	6.54	70.42	1.00	6.54	0.00	0.00	1.00
	R5	Unknown	16.73	180.12	13.12	141.20	0.78	12.90	0.22	2.37	0.98
	R6	Unknown	5.56	59.87	5.05	54.38	0.91	4.87	0.18	1.96	0.96
	R7	Unknown	17.44	187.78	16.99	182.84	0.97	16.58	0.41	4.37	0.98
	R8	Unknown	8.08	86.94	7.73	83.20	0.96	7.59	0.14	1.46	0.98
	R9	Unknown	18.85	202.95	18.40	198.04	0.98	17.26	1.14	12.24	0.94
	R10	Unknown	16.19	174.24	15.92	171.41	0.98	14.26	1.67	17.93	0.90
	R11	Unknown	9.48	102.06	8.82	94.89	0.93	8.69	0.12	1.31	0.99
	R12	Unknown	9.31	100.22	8.85	95.31	0.95	8.69	0.16	1.74	0.98
	R13	Unknown	18.37	197.71	17.89	192.58	0.97	16.78	1.11	11.94	0.94
	R14	Unknown	17.91	192.75	17.70	190.56	0.99	16.33	1.38	14.81	0.92
	R15	Unknown	5.08	54.69	4.58	49.34	0.90	4.57	0.01	0.14	1.00
	R16	Unknown	8.93	96.12	8.52	91.74	0.95	8.29	0.23	2.46	0.97
	R17	Unknown	10.55	113.58	9.92	106.81	0.94	9.68	0.24	2.61	0.98
	R18	Unknown	19.98	215.11	19.40	208.86	0.97	13.43	5.97	64.28	0.69
	R19	Unknown	15.97	171.92	15.90	171.13	1.00	15.71	0.18	1.98	0.99
Sixteenth	R1	Unknown	21.54	231.89	21.41	230.40	0.99	21.36	0.05	0.53	1.00
	R2	Unknown	7.96	85.71	7.55	81.30	0.95	4.87	2.68	28.88	0.64
	R3	Unknown	14.51	156.21	13.79	148.42	0.95	10.40	3.39	36.47	0.75
	R4	Unknown	6.54	70.42	6.45	69.45	0.99	6.45	0.01	0.06	1.00
	R5	Unknown	16.73	180.12	13.13	141.30	0.78	12.93	0.20	2.15	0.98
	R6	Unknown	5.56	59.87	5.06	54.45	0.91	4.95	0.11	1.13	0.98
	R7	Unknown	17.44	187.78	16.99	182.93	0.97	16.71	0.28	3.01	0.98
	R8	Unknown	10.70	115.22	10.19	109.70	0.95	10.03	0.16	1.74	0.98
	R9	Unknown	8.17	87.95	7.87	84.70	0.96	7.87	0.00	0.02	1.00
	R10	Unknown	27.80	299.20	27.76	298.85	1.00	27.76	0.00	0.03	1.00
	R11	Unknown	15.97	171.92	15.92	171.40	1.00	15.92	0.01	0.08	1.00
Seventeenth	R1	Unknown	21.54	231.89	21.39	230.21	0.99	21.33	0.06	0.60	1.00
	R2	Unknown	7.96	85.71	7.55	81.31	0.95	5.00	2.56	27.51	0.66
	R3	Unknown	14.51	156.21	13.79	148.44	0.95	10.49	3.30	35.52	0.76
	R4	Unknown	6.54	70.42	6.44	69.35	0.98	6.44	0.01	0.07	1.00
	R5	Unknown	13.57	146.08	13.06	140.55	0.96	12.73	0.33	3.56	0.97
Eighteenth	R1	Unknown	21.54	231.89	21.47	231.12	1.00	21.44	0.03	0.34	1.00
	R2	Unknown	7.98	85.94	7.63	82.13	0.96	5.27	2.36	25.42	0.69
	R3	Unknown	13.83	148.82	13.53	145.64	0.98	13.32	0.21	2.23	0.98
	R4	Unknown	10.46	112.59	10.27	110.53	0.98	10.01	0.25	2.73	0.98
	R5	Unknown	10.68	114.94	10.28	110.61	0.96	9.26	1.01	10.89	0.90
	R6	Unknown	13.21	142.15	11.53	124.10	0.87	8.74	2.79	30.03	0.76
	R7	Unknown	13.57	146.08	13.06	140.62	0.96	12.74	0.33	3.53	0.97
The Hallmark											
Ground	R1	Unknown	71.71	771.91	66.89	720.00	0.93	60.84	6.05	65.14	0.91
First	R1	Unknown	8.23	88.63	8.07	86.87	0.98	7.68	0.39	4.17	0.95
	R2	Unknown	20.56	221.26	20.19	217.30	0.98	19.02	1.17	12.58	0.94
	R3	Unknown	9.36	100.73	6.88	74.04	0.74	6.40	0.48	5.13	0.93
	R4	Unknown	24.63	265.08	2.47	26.55	0.10	2.47	0.00	0.00	1.00
	R5	Unknown	12.48	134.29	0.20	2.15	0.02	0.20	0.00	0.00	1.00
	R6	Unknown	9.66	103.99	5.98	64.36	0.62	5.02	0.96	10.32	0.84
	R7	Unknown	19.80	213.16	18.04	194.19	0.91	15.31	2.73	29.36	0.85
	R8	Unknown	11.26	121.21	10.45	112.48	0.93	9.57	0.88	9.46	0.92
	R9	Unknown	9.58	103.09	8.94	96.18	0.93	8.37	0.56	6.06	0.94
	R10	Unknown	19.05	205.00	18.60	200.18	0.98	17.68	0.92	9.92	0.95
Second	R1	Unknown	8.23	88.63	8.07	86.87	0.98	7.72	0.35	3.81	0.96
	R2	Unknown	20.56	221.26	20.19	217.27	0.98	19.02	1.17	12.55	0.94
	R3	Unknown	9.36	100.73	7.23	77.79	0.77	6.75	0.48	5.12	0.93
	R4	Unknown	24.63	265.08	2.50	26.89	0.10	2.50	0.00	0.00	1.00
	R5	Unknown	12.48	134.29	0.34	3.68	0.03	0.34	0.00	0.00	1.00
	R6	Unknown	9.66	103.99	5.98	64.42	0.62	5.00	0.99	10.64	0.83

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R7	Unknown	19.80	213.16	18.48	198.95	0.93	15.72	2.76	29.74	0.85
	R8	Unknown	11.26	121.21	10.08	108.53	0.90	9.17	0.91	9.78	0.91
	R9	Unknown	9.58	103.09	8.86	95.39	0.93	8.46	0.40	4.34	0.95
	R10	Unknown	19.05	205.00	18.58	199.98	0.98	17.37	1.21	13.05	0.93
Third	R1	Unknown	8.23	88.63	8.07	86.87	0.98	7.74	0.33	3.51	0.96
	R2	Unknown	20.56	221.26	20.18	217.26	0.98	19.02	1.17	12.56	0.94
	R3	Unknown	9.36	100.73	7.55	81.28	0.81	7.07	0.48	5.17	0.94
	R4	Unknown	24.63	265.08	2.89	31.13	0.12	2.89	0.00	0.00	1.00
	R5	Unknown	12.48	134.29	0.50	5.40	0.04	0.50	0.00	0.00	1.00
	R6	Unknown	9.66	103.99	6.24	67.21	0.65	5.28	0.96	10.35	0.85
	R7	Unknown	19.80	213.16	18.56	199.74	0.94	15.80	2.76	29.67	0.85
	R8	Unknown	11.26	121.21	10.08	108.54	0.90	9.18	0.90	9.70	0.91
	R9	Unknown	9.58	103.09	8.96	96.49	0.94	8.57	0.39	4.22	0.96
	R10	Unknown	19.05	205.00	18.58	199.99	0.98	17.37	1.21	12.98	0.94
Fourth	R1	Unknown	8.23	88.63	8.01	86.17	0.97	7.39	0.62	6.65	0.92
	R2	Unknown	20.56	221.26	20.18	217.24	0.98	19.02	1.16	12.50	0.94
	R3	Unknown	9.36	100.73	8.62	92.75	0.92	8.11	0.51	5.47	0.94
	R4	Unknown	24.63	265.08	3.77	40.58	0.15	3.77	0.00	0.00	1.00
	R5	Unknown	12.48	134.29	0.76	8.21	0.06	0.76	0.00	0.00	1.00
	R6	Unknown	9.66	103.99	6.53	70.27	0.68	5.65	0.88	9.46	0.87
	R7	Unknown	19.80	213.16	18.61	200.34	0.94	15.86	2.75	29.65	0.85
	R8	Unknown	11.26	121.21	10.08	108.54	0.90	9.20	0.89	9.55	0.91
	R9	Unknown	9.58	103.09	9.04	97.29	0.94	8.67	0.37	4.00	0.96
	R10	Unknown	19.05	205.00	18.58	200.00	0.98	17.38	1.20	12.89	0.94
Fifth	R1	Unknown	8.23	88.63	8.02	86.29	0.97	7.43	0.59	6.30	0.93
	R2	Unknown	20.56	221.26	20.18	217.25	0.98	19.03	1.16	12.45	0.94
	R3	Unknown	9.36	100.73	8.77	94.42	0.94	8.32	0.45	4.85	0.95
	R4	Unknown	24.63	265.08	4.44	47.84	0.18	4.41	0.04	0.41	0.99
	R5	Unknown	12.48	134.29	1.19	12.78	0.10	1.19	0.00	0.00	1.00
	R6	Unknown	9.66	103.99	6.77	72.88	0.70	5.97	0.80	8.62	0.88
	R7	Unknown	19.80	213.16	18.08	194.64	0.91	15.33	2.75	29.62	0.85
	R8	Unknown	11.26	121.21	10.46	112.62	0.93	9.64	0.82	8.81	0.92
	R9	Unknown	9.58	103.09	8.93	96.09	0.93	8.50	0.43	4.61	0.95
	R10	Unknown	19.05	205.00	18.60	200.20	0.98	17.66	0.94	10.14	0.95
Sixth	R1	Unknown	8.23	88.63	8.02	86.28	0.97	7.50	0.51	5.52	0.94
	R2	Unknown	20.56	221.26	20.18	217.24	0.98	19.04	1.15	12.34	0.94
	R3	Unknown	9.36	100.73	8.90	95.79	0.95	8.48	0.42	4.52	0.95
	R4	Unknown	24.63	265.08	5.35	57.62	0.22	5.23	0.12	1.34	0.98
	R5	Unknown	12.48	134.29	1.75	18.88	0.14	1.75	0.00	0.05	1.00
	R6	Unknown	9.66	103.99	6.95	74.78	0.72	6.19	0.76	8.17	0.89
	R7	Unknown	19.80	213.16	18.11	194.89	0.91	15.36	2.75	29.60	0.85
	R8	Unknown	11.26	121.21	10.47	112.70	0.93	9.69	0.78	8.45	0.93
	R9	Unknown	9.58	103.09	8.94	96.22	0.93	8.52	0.42	4.52	0.95
	R10	Unknown	19.05	205.00	18.61	200.29	0.98	17.67	0.94	10.12	0.95
Seventh	R1	Unknown	8.23	88.63	8.07	86.87	0.98	7.88	0.19	2.05	0.98
	R2	Unknown	20.56	221.26	20.18	217.27	0.98	19.06	1.12	12.06	0.94
	R3	Unknown	9.36	100.73	8.63	92.90	0.92	8.31	0.32	3.50	0.96
	R4	Unknown	24.63	265.08	5.90	63.50	0.24	5.66	0.24	2.61	0.96
	R5	Unknown	12.48	134.29	2.58	27.72	0.21	2.57	0.00	0.02	1.00
	R6	Unknown	9.66	103.99	7.18	77.29	0.74	6.50	0.68	7.27	0.91
	R7	Unknown	19.80	213.16	18.13	195.11	0.92	15.38	2.74	29.53	0.85
	R8	Unknown	11.26	121.21	10.47	112.65	0.93	9.75	0.72	7.74	0.93
	R9	Unknown	9.58	103.09	8.93	96.11	0.93	8.55	0.38	4.13	0.96
	R10	Unknown	19.05	205.00	18.64	200.62	0.98	17.70	0.94	10.12	0.95
Eighth	R1	Unknown	8.23	88.63	8.07	86.87	0.98	7.89	0.18	1.94	0.98
	R2	Unknown	20.56	221.26	20.18	217.27	0.98	19.08	1.10	11.85	0.95
	R3	Unknown	9.36	100.73	8.77	94.44	0.94	8.50	0.27	2.92	0.97
	R4	Unknown	24.63	265.08	7.41	79.74	0.30	7.05	0.36	3.89	0.95
	R5	Unknown	12.48	134.29	3.64	39.18	0.29	3.64	0.00	0.04	1.00
	R6	Unknown	9.66	103.99	7.45	80.14	0.77	6.78	0.66	7.12	0.91
	R7	Unknown	19.80	213.16	18.78	202.19	0.95	16.08	2.71	29.16	0.86
	R8	Unknown	11.26	121.21	10.08	108.54	0.90	9.34	0.75	8.02	0.93

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R9	Unknown	9.58	103.09	9.11	98.09	0.95	8.88	0.23	2.46	0.97
	R10	Unknown	19.05	205.00	18.64	200.64	0.98	17.44	1.20	12.92	0.94
Ninth	R1	Unknown	8.23	88.63	8.07	86.92	0.98	7.92	0.15	1.66	0.98
	R2	Unknown	20.56	221.26	20.19	217.27	0.98	19.11	1.08	11.60	0.95
	R3	Unknown	9.36	100.73	8.84	95.10	0.94	8.60	0.23	2.49	0.97
	R4	Unknown	24.63	265.08	9.91	106.66	0.40	9.37	0.54	5.80	0.95
	R5	Unknown	12.48	134.29	5.63	60.55	0.45	5.62	0.00	0.03	1.00
	R6	Unknown	9.66	103.99	7.74	83.33	0.80	7.14	0.61	6.52	0.92
	R7	Unknown	19.80	213.16	18.79	202.29	0.95	16.19	2.60	28.03	0.86
	R8	Unknown	11.26	121.21	10.08	108.54	0.90	9.44	0.65	6.96	0.94
	R9	Unknown	9.58	103.09	9.11	98.07	0.95	8.95	0.16	1.76	0.98
	R10	Unknown	19.05	205.00	18.67	201.01	0.98	17.47	1.20	12.93	0.94
Tenth	R1	Unknown	8.23	88.63	8.02	86.32	0.97	7.68	0.34	3.68	0.96
	R2	Unknown	20.56	221.26	20.18	217.21	0.98	19.17	1.01	10.88	0.95
	R3	Unknown	9.36	100.73	9.00	96.88	0.96	8.74	0.26	2.83	0.97
	R4	Unknown	24.63	265.08	15.27	164.42	0.62	14.40	0.87	9.39	0.94
	R5	Unknown	12.48	134.29	9.28	99.85	0.74	9.27	0.00	0.03	1.00
	R6	Unknown	9.66	103.99	8.02	86.38	0.83	7.49	0.53	5.73	0.93
	R7	Unknown	19.80	213.16	18.81	202.42	0.95	16.40	2.40	25.88	0.87
	R8	Unknown	11.26	121.21	10.08	108.55	0.90	9.52	0.56	6.08	0.94
	R9	Unknown	9.58	103.09	9.12	98.18	0.95	9.01	0.12	1.24	0.99
	R10	Unknown	19.05	205.00	18.69	201.14	0.98	17.50	1.18	12.75	0.94
Eleventh	R1	Unknown	8.23	88.63	8.02	86.28	0.97	7.96	0.06	0.62	0.99
	R2	Unknown	20.56	221.26	20.19	217.27	0.98	19.24	0.95	10.20	0.95
	R3	Unknown	9.36	100.73	9.00	96.91	0.96	8.75	0.25	2.74	0.97
	R4	Unknown	24.63	265.08	23.80	256.13	0.97	22.73	1.06	11.44	0.96
	R5	Unknown	12.48	134.29	11.93	128.39	0.96	11.93	0.00	0.02	1.00
	R6	Unknown	9.66	103.99	8.22	88.47	0.85	7.79	0.43	4.58	0.95
	R7	Unknown	19.80	213.16	18.13	195.18	0.92	15.82	2.32	24.92	0.87
	R8	Unknown	11.26	121.21	10.47	112.70	0.93	9.98	0.49	5.27	0.95
	R9	Unknown	9.58	103.09	8.93	96.15	0.93	8.77	0.16	1.74	0.98
	R10	Unknown	19.05	205.00	18.70	201.29	0.98	17.79	0.91	9.81	0.95
Twelfth	R1	Unknown	8.99	96.75	8.63	92.94	0.96	8.47	0.16	1.75	0.98
	R2	Unknown	28.91	311.15	28.62	308.04	0.99	28.17	0.44	4.78	0.98
	R3	Unknown	9.54	102.73	9.37	100.87	0.98	9.36	0.01	0.13	1.00
	R4	Unknown	7.21	77.58	7.04	75.79	0.98	7.04	0.00	0.00	1.00
Thirteenth	R1	Unknown	8.23	88.63	8.02	86.38	0.97	8.02	0.00	0.02	1.00
	R2	Unknown	28.91	311.15	28.74	309.36	0.99	28.44	0.30	3.22	0.99
	R3	Unknown	9.54	102.73	9.22	99.27	0.97	9.17	0.05	0.59	0.99
	R4	Unknown	7.21	77.58	7.04	75.79	0.98	7.04	0.00	0.00	1.00
Fourteenth	R1	Unknown	8.23	88.63	8.07	86.82	0.98	8.06	0.00	0.02	1.00
	R2	Unknown	28.91	311.15	28.77	309.71	1.00	28.50	0.27	2.94	0.99
	R3	Unknown	9.54	102.73	9.23	99.31	0.97	9.17	0.05	0.56	0.99
	R4	Unknown	7.21	77.58	7.04	75.79	0.98	7.04	0.00	0.00	1.00
Fifteenth	R1	Unknown	11.32	121.89	10.96	117.98	0.97	10.87	0.09	1.00	0.99
	R2	Unknown	12.33	132.74	12.19	131.19	0.99	11.96	0.23	2.48	0.98
	R3	Unknown	9.54	102.73	9.23	99.33	0.97	9.18	0.05	0.55	0.99
	R4	Unknown	7.21	77.58	7.04	75.79	0.98	7.04	0.00	0.00	1.00
Barton Place											
First	R1	Unknown	20.56	221.34	19.53	210.26	0.95	12.35	7.18	77.28	0.63
	R2	Unknown	11.14	119.96	5.05	54.39	0.45	1.76	3.29	35.42	0.35
	R3	Unknown	14.85	159.82	6.22	66.98	0.42	1.73	4.50	48.39	0.28
	R4	Unknown	11.29	121.48	3.22	34.71	0.29	1.60	1.62	17.45	0.50
	R5	Unknown	9.12	98.20	2.35	25.31	0.26	1.78	0.57	6.18	0.76
	R6	Unknown	24.62	264.97	6.41	68.98	0.26	1.90	4.51	48.52	0.30
	R7	Unknown	9.13	98.32	1.97	21.22	0.22	1.75	0.22	2.34	0.89
	R8	Unknown	9.13	98.32	1.67	18.03	0.18	1.62	0.06	0.62	0.97
Second	R1	Unknown	25.18	271.02	22.37	240.80	0.89	13.58	8.79	94.58	0.61
	R2	Unknown	11.14	119.96	5.17	55.60	0.46	1.99	3.18	34.23	0.38
	R3	Unknown	14.85	159.82	6.33	68.10	0.43	1.92	4.40	47.40	0.30
	R4	Unknown	11.29	121.48	3.32	35.73	0.29	1.74	1.58	17.03	0.52
	R5	Unknown	9.12	98.20	2.43	26.20	0.27	1.89	0.54	5.83	0.78

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R6	Unknown	24.62	264.97	6.61	71.17	0.27	2.48	4.13	44.48	0.38
	R7	Unknown	9.13	98.32	2.05	22.12	0.22	1.87	0.18	1.94	0.91
	R8	Unknown	9.13	98.32	1.78	19.15	0.19	1.73	0.05	0.52	0.97
Third	R1	Unknown	25.18	271.02	22.71	244.40	0.90	14.13	8.57	92.26	0.62
	R2	Unknown	11.14	119.96	5.28	56.88	0.47	2.17	3.11	33.47	0.41
	R3	Unknown	14.85	159.82	6.45	69.44	0.43	2.22	4.24	45.59	0.34
	R4	Unknown	11.29	121.48	3.44	37.05	0.30	1.91	1.53	16.48	0.56
	R5	Unknown	9.12	98.20	2.54	27.30	0.28	2.04	0.50	5.39	0.80
	R6	Unknown	24.62	264.97	6.79	73.06	0.28	3.01	3.78	40.71	0.44
	R7	Unknown	9.13	98.32	2.17	23.35	0.24	2.01	0.16	1.70	0.93
	R8	Unknown	9.13	98.32	1.91	20.53	0.21	1.86	0.04	0.47	0.98
Fourth	R1	Unknown	25.18	271.02	23.02	247.75	0.91	14.85	8.17	87.92	0.65
	R2	Unknown	11.14	119.96	5.43	58.46	0.49	2.46	2.97	31.95	0.45
	R3	Unknown	14.85	159.82	6.61	71.20	0.45	2.48	4.13	44.47	0.38
	R4	Unknown	11.29	121.48	3.56	38.32	0.32	2.09	1.47	15.81	0.59
	R5	Unknown	9.12	98.20	2.64	28.42	0.29	2.17	0.47	5.11	0.82
	R6	Unknown	24.62	264.97	6.92	74.47	0.28	3.51	3.41	36.70	0.51
	R7	Unknown	9.13	98.32	2.29	24.60	0.25	2.14	0.15	1.58	0.94
	R8	Unknown	9.13	98.32	2.04	21.96	0.22	2.00	0.04	0.43	0.98
Fifth	R1	Unknown	25.18	271.02	23.19	249.62	0.92	16.24	6.95	74.85	0.70
	R2	Unknown	11.14	119.96	5.57	59.94	0.50	2.73	2.84	30.55	0.49
	R3	Unknown	14.85	159.82	6.79	73.05	0.46	2.80	3.98	42.87	0.41
	R4	Unknown	11.29	121.48	3.77	40.54	0.33	2.35	1.41	15.19	0.63
	R5	Unknown	9.12	98.20	2.82	30.32	0.31	2.37	0.45	4.81	0.84
	R6	Unknown	24.62	264.97	7.20	77.46	0.29	4.22	2.98	32.08	0.59
	R7	Unknown	9.13	98.32	2.44	26.26	0.27	2.30	0.14	1.47	0.94
	R8	Unknown	9.13	98.32	2.22	23.92	0.24	2.19	0.04	0.39	0.98
Sixth	R1	Unknown	25.18	271.02	23.31	250.88	0.93	19.06	4.24	45.67	0.82
	R2	Unknown	11.14	119.96	5.73	61.65	0.51	3.04	2.69	28.93	0.53
	R3	Unknown	14.85	159.82	7.01	75.45	0.47	3.18	3.83	41.25	0.45
	R4	Unknown	11.29	121.48	3.94	42.40	0.35	2.62	1.32	14.23	0.66
	R5	Unknown	9.12	98.20	2.98	32.05	0.33	2.57	0.41	4.41	0.86
	R6	Unknown	24.62	264.97	7.51	80.87	0.31	4.93	2.59	27.86	0.66
	R7	Unknown	9.13	98.32	2.64	28.42	0.29	2.52	0.13	1.35	0.95
	R8	Unknown	9.13	98.32	2.48	26.69	0.27	2.45	0.03	0.32	0.99
Seventh	R1	Unknown	25.18	271.02	23.35	251.30	0.93	23.29	0.06	0.61	1.00
	R2	Unknown	11.14	119.96	5.89	63.43	0.53	3.31	2.58	27.79	0.56
	R3	Unknown	14.85	159.82	7.29	78.52	0.49	3.68	3.61	38.89	0.50
	R4	Unknown	11.29	121.48	4.17	44.92	0.37	2.93	1.24	13.37	0.70
	R5	Unknown	9.12	98.20	3.19	34.36	0.35	2.82	0.37	3.97	0.88
	R6	Unknown	24.62	264.97	7.91	85.18	0.32	5.72	2.20	23.64	0.72
	R7	Unknown	9.13	98.32	2.90	31.22	0.32	2.79	0.11	1.23	0.96
	R8	Unknown	9.13	98.32	2.75	29.62	0.30	2.73	0.02	0.20	0.99
Eighth	R1	Unknown	25.18	271.02	23.37	251.60	0.93	23.35	0.02	0.26	1.00
	R2	Unknown	11.14	119.96	6.12	65.83	0.55	3.64	2.48	26.68	0.59
	R3	Unknown	14.85	159.82	7.67	82.60	0.52	4.29	3.38	36.41	0.56
	R4	Unknown	11.29	121.48	4.47	48.15	0.40	3.30	1.17	12.61	0.74
	R5	Unknown	9.12	98.20	3.49	37.53	0.38	3.15	0.33	3.59	0.90
	R6	Unknown	24.62	264.97	8.61	92.62	0.35	6.78	1.82	19.60	0.79
	R7	Unknown	13.53	145.62	4.54	48.86	0.34	4.53	0.01	0.09	1.00
	R8	Unknown	9.13	98.32	3.19	34.31	0.35	3.18	0.01	0.09	1.00
Ninth	R1	Unknown	25.18	271.02	23.40	251.91	0.93	23.38	0.03	0.30	1.00
	R2	Unknown	11.14	119.96	6.37	68.59	0.57	3.97	2.40	25.88	0.62
	R3	Unknown	14.85	159.82	8.18	88.03	0.55	5.09	3.09	33.27	0.62
	R4	Unknown	11.29	121.48	4.82	51.92	0.43	3.74	1.08	11.67	0.78
	R5	Unknown	9.12	98.20	3.80	40.90	0.42	3.51	0.29	3.10	0.92
	R6	Unknown	24.62	264.97	9.03	97.15	0.37	7.37	1.66	17.87	0.82
	R7	Unknown	13.53	145.62	5.29	56.94	0.39	5.28	0.01	0.15	1.00
	R8	Unknown	9.13	98.32	3.64	39.22	0.40	3.64	0.01	0.09	1.00
Tenth	R1	Unknown	25.18	271.02	18.92	203.68	0.75	8.16	10.76	115.81	0.43
	R2	Unknown	11.14	119.96	6.70	72.15	0.60	4.37	2.33	25.09	0.65
	R3	Unknown	14.85	159.82	8.76	94.32	0.59	6.04	2.72	29.31	0.69

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R4	Unknown	11.29	121.48	5.27	56.71	0.47	4.21	1.06	11.44	0.80
	R5	Unknown	9.12	98.20	4.18	45.02	0.46	3.92	0.26	2.82	0.94
	R6	Unknown	24.62	264.97	10.36	111.49	0.42	8.95	1.41	15.18	0.86
Masson Place											
First	R1	Unknown	20.56	221.34	18.80	202.41	0.91	10.29	8.52	91.66	0.55
Second	R1	Unknown	25.18	271.02	21.42	230.55	0.85	12.70	8.72	93.83	0.59
Third	R1	Unknown	25.18	271.02	22.01	236.92	0.87	13.19	8.82	94.95	0.60
Fourth	R1	Unknown	25.18	271.02	22.27	239.74	0.88	13.73	8.54	91.92	0.62
Fifth	R1	Unknown	25.18	271.02	22.48	242.02	0.89	14.78	7.71	82.98	0.66
Sixth	R1	Unknown	25.18	271.02	23.09	248.51	0.92	16.53	6.55	70.55	0.72
Seventh	R1	Unknown	25.18	271.02	23.59	253.91	0.94	19.08	4.51	48.54	0.81
Eighth	R1	Unknown	25.18	271.02	23.60	253.99	0.94	20.99	2.61	28.08	0.89
Ninth	R1	Unknown	25.18	271.02	23.60	253.99	0.94	22.89	0.71	7.61	0.97
Tenth	R1	Unknown	25.18	271.02	23.68	254.93	0.94	23.68	0.00	0.00	1.00
Melia House											
First	R1	Unknown	17.61	189.55	8.47	91.12	0.48	8.43	0.04	0.39	1.00
	R2	Unknown	11.74	126.32	5.88	63.33	0.50	4.36	1.52	16.36	0.74
	R3	Unknown	14.45	155.59	12.85	138.30	0.89	6.02	6.83	73.49	0.47
	R4	Unknown	38.36	412.91	21.54	231.84	0.56	11.23	10.31	110.92	0.52
	R5	Unknown	11.74	126.32	1.34	14.41	0.11	1.34	0.00	0.00	1.00
	R6	Unknown	11.74	126.32	2.03	21.87	0.17	2.03	0.00	0.00	1.00
	R7	Unknown	21.80	234.68	14.49	156.00	0.66	12.94	1.55	16.67	0.89
Second	R1	Unknown	17.61	189.55	8.81	94.81	0.50	8.67	0.14	1.52	0.98
	R2	Unknown	11.74	126.32	5.96	64.14	0.51	4.55	1.40	15.12	0.76
	R3	Unknown	14.45	155.59	12.94	139.28	0.90	6.34	6.60	71.02	0.49
	R4	Unknown	38.36	412.91	22.35	240.63	0.58	12.09	10.27	110.49	0.54
	R5	Unknown	11.74	126.32	1.66	17.91	0.14	1.66	0.00	0.00	1.00
	R6	Unknown	11.74	126.32	2.35	25.26	0.20	2.35	0.00	0.00	1.00
	R7	Unknown	21.80	234.68	15.25	164.18	0.70	13.70	1.55	16.68	0.90
Third	R1	Unknown	17.61	189.55	9.02	97.10	0.51	8.81	0.21	2.26	0.98
	R2	Unknown	11.74	126.32	5.99	64.51	0.51	4.68	1.31	14.13	0.78
	R3	Unknown	14.45	155.59	13.07	140.71	0.90	6.60	6.47	69.69	0.50
	R4	Unknown	38.36	412.91	23.22	249.95	0.61	12.86	10.36	111.51	0.55
	R5	Unknown	11.74	126.32	2.22	23.91	0.19	2.22	0.00	0.00	1.00
	R6	Unknown	11.74	126.32	2.94	31.64	0.25	2.94	0.00	0.00	1.00
	R7	Unknown	21.80	234.68	16.18	174.18	0.74	14.77	1.41	15.18	0.91
Fourth	R1	Unknown	17.61	189.55	9.14	98.42	0.52	8.89	0.25	2.71	0.97
	R2	Unknown	11.74	126.32	6.01	64.71	0.51	4.81	1.20	12.92	0.80
	R3	Unknown	14.45	155.59	13.17	141.71	0.91	7.13	6.04	64.96	0.54
	R4	Unknown	38.36	412.91	23.98	258.16	0.63	13.61	10.37	111.61	0.57
	R5	Unknown	11.74	126.32	3.01	32.41	0.26	2.93	0.08	0.85	0.97
	R6	Unknown	11.74	126.32	3.80	40.95	0.32	3.80	0.00	0.00	1.00
	R7	Unknown	21.80	234.68	16.78	180.64	0.77	15.47	1.32	14.17	0.92
Fifth	R1	Unknown	17.61	189.55	9.30	100.08	0.53	8.95	0.34	3.70	0.96
	R2	Unknown	11.74	126.32	6.01	64.66	0.51	4.93	1.08	11.61	0.82
	R3	Unknown	14.45	155.59	13.25	142.58	0.92	7.59	5.65	60.86	0.57
	R4	Unknown	38.36	412.91	25.37	273.04	0.66	14.75	10.62	114.26	0.58
	R5	Unknown	11.74	126.32	4.50	48.44	0.38	4.14	0.36	3.87	0.92
	R6	Unknown	11.74	126.32	5.72	61.54	0.49	5.40	0.31	3.37	0.95
	R7	Unknown	21.80	234.68	17.65	189.95	0.81	16.45	1.20	12.93	0.93
Sixth	R1	Unknown	17.61	189.55	9.35	100.67	0.53	9.06	0.29	3.13	0.97
	R2	Unknown	11.74	126.32	6.04	64.98	0.51	5.11	0.93	9.99	0.85
	R3	Unknown	14.45	155.59	13.27	142.88	0.92	8.18	5.10	54.87	0.62
	R4	Unknown	38.36	412.91	26.70	287.39	0.70	16.41	10.29	110.79	0.61
	R5	Unknown	11.74	126.32	6.27	67.46	0.53	5.18	1.09	11.70	0.83
	R6	Unknown	11.74	126.32	8.95	96.38	0.76	7.94	1.01	10.92	0.89
	R7	Unknown	21.80	234.68	18.71	201.44	0.86	17.14	1.58	16.98	0.92
Seventh	R1	Unknown	17.61	189.55	6.95	74.82	0.39	5.91	1.04	11.18	0.85
	R2	Unknown	11.74	126.32	6.09	65.59	0.52	4.53	1.57	16.85	0.74
	R3	Unknown	14.45	155.59	12.12	130.42	0.84	5.94	6.18	66.49	0.49
	R4	Unknown	50.02	538.41	50.00	538.18	1.00	39.39	10.61	114.23	0.79
	R5	Unknown	11.74	126.32	6.79	73.03	0.58	5.81	0.98	10.54	0.86

Project Name: One Lord Street BRE
Project No.: 2375
Report Title: Daylight Distribution - Neighbour Analysis - Cumulative Conditon

Floor Ref.	Room Ref.	Room Use.	Room Area m2	Room Area ft2	Lit Area m2 Existing	Lit Area ft2 Existing	Existing % lit	Lit Area m2 Proposed	Area Lost m2	Area Lost ft2	Pr+Cu/Ex
	R6	Unknown	11.74	126.32	9.47	101.96	0.81	8.52	0.95	10.28	0.90
	R7	Unknown	21.80	234.68	18.77	201.99	0.86	16.54	2.23	24.00	0.88
	Eighth										
	R1	Unknown	11.74	126.32	7.24	77.91	0.62	6.38	0.86	9.25	0.88
	R2	Unknown	11.74	126.32	10.29	110.74	0.88	9.44	0.84	9.09	0.92
	R3	Unknown	21.80	234.68	19.72	212.22	0.90	17.58	2.13	22.96	0.89
	Ninth										
	R1	Unknown	11.74	126.32	7.45	80.22	0.64	6.42	1.03	11.10	0.86
	R2	Unknown	11.74	126.32	10.26	110.47	0.87	9.49	0.78	8.36	0.92
	R3	Unknown	21.80	234.68	20.37	219.24	0.93	18.39	1.98	21.34	0.90