



01: Dimensions must not be scaled from this drawing. If in doubt, please ask.
02: All dimensions are in millimetres unless noted otherwise.
03: All dimensions should be verified on site before proceeding with the work.
04: TADW Architects shall be notified in writing of any discrepancies.
05: © TADW Limited (UK) 2015

 Proposed external lighting positions installed at the following locations

- Adjacent to front and rear doors of each dwelling operated by a PIR sensor producing a white light, at a maximum height 2.1m above ground level
- To bin store - 2 bulkhead lights installed within the bin store on the wall as shown with a PIR sensor located outside the bin store to activate the lighting, at a maximum height 2.1m above ground level.
- To illuminate between bin store and gable end of Plot 1/2 operated by PIR sensors, at a maximum height 2.1m above ground level.
- To gable end of Plots 7/8 operated by PIR sensors, at a maximum height 2.1m above ground level.

P3	External light at gable end of Plots 1/2 moved to fence. Height of light fittings clarified.	27.11.25	KM	MH
P2	Additional external lighting provided at gable end of Plots 1/2 and 7/8	24.11.25	KM	MH
P1	Issued for discharge of condition application for Condition 17	12.11.25	KM	MH
Issue	Description	Date	Drawn	Checked

P - Planning | **T** - Tender | **C** - Construction | **R** - As Record

For Approval



Six St. Petersgate Stockport Cheshire SK1 1H
Ph 0161 477 6158 Fx 0161 480 8342 mail@tadw.co.uk www.tadw.co.uk

Client MSV Housing

Job Dalton Avenue
Fallowfield

Title	External Lighting Plan
-------	------------------------

Scale 1:100 @ A1

note - Prints from PDF files may not be to scale, check accuracy against scale



A scale bar consisting of alternating black and white rectangular segments. Above the bar, the number '5' is positioned above the fourth segment, and '10m' is positioned above the eighth segment. Below the bar, the text '1:100' is positioned at the right end.

Job Number 221319	Drawing Number 20	Issue P3
----------------------	----------------------	-------------