

WYTHENSHAW PARK SPORTS HUB

WYTHENSHAW ROAD, MANCHESTER

TRAFFIC PROJECTIONS 08/12/2025

1.1 Introduction

- 1.1.1 This brief note has been prepared in order to outline the methodology and results of traffic distribution forecasting that has been undertaken to inform the Wythenshawe Park Sports Hub project.

1.2 Proposed Traffic Generation

- 1.2.1 The traffic generation of the proposed development is forecast in the Transport Statement (TS) (LTP, 2025), covering both the existing and proposed future uses for the site. The proposals are expected to result in a net increase of +20 two-way vehicle trips during the typical weekday network AM peak hour (08:00-09:00), with +66 expected during the typical weekday network PM peak hour (17:00-18:00).
- 1.2.2 As the PM peak hour impact exceeds 30 two-way trips, the distribution of this traffic has been considered in Section 1.3 below.
- 1.2.3 It is acknowledged that there will be seasonal differences in the peak days throughout the year. The peak times for the different facilities will be spread throughout the year, with the AGPs expected to be at their busiest during the winter months and the athletics, cycling and baseball facilities expected to be busier in the summer. Therefore, it is considered that the peak trips for the different facilities will be offset throughout the year and will not occur at the same time.

1.3 Projected Traffic Distribution & Assignment

- 1.3.1 In the absence of more site-specific data for Wythenshawe Park from the Applicant's team, the distribution of traffic associated with the application site has been predicted utilising a gravity model based upon commuting patterns of the existing workplace population within the 'Manchester 048' MSOA (Middle-layer Super Output Area), within which the site is situated. 'Location of usual residence and place of work by method of travel to work' data from the 2011 National Census (ONS, 2014) shows the proportion of local residents travelling to each workplace destination (MSOAs and local authority districts) by mode of travel. This dataset allows for a sufficiently detailed gravity model, and even though the dataset is based on a journey purpose that does not fully represent the majority of site trips (commuting rather than leisure/sports/health), it is considered to be a reasonable proxy for movements to/from the site, in the absence more site-specific data for Wythenshawe Park.

- 1.3.2 This trip distribution data has been combined with an assessment of route choice (traffic assignment) to determine the likely distribution of development traffic across the highway network. The predicted traffic assignment has been undertaken utilising journey planning tools to help determine the relative attractiveness of alternative routes with consideration of influences such as the location and size of settlements and known existing traffic conditions on the relevant routes. The defines zones utilised within the gravity model calculation are illustrated in Figure 1 below.

Figure 1: Gravity Model Diagram



Map Data: Google, Airbus © 2025

- 1.3.3 It is noted that there are other potential traffic routes to/from the site between the junctions with Princess Parkway (M56) and Moor Road junctions, particularly on the northern side of Wythenshawe Road. However, these are generally residential roads and not more major routes. Development turning traffic levels at each of these smaller junctions is expected to be low, so therefore the gravity model has focused on the more major traffic routes, with routes to/from the residential areas on the northern side of Wythenshawe reflected in the Orton Road zone (Zone C).
- 1.3.4 The detailed calculations of the gravity model are attached as Appendix 1, with the results summarised in Table 1 below, with the predicted distribution of additional peak hour trips generated by the development.

Table 1: Gravity Model Results

Zone	Route	%	Existing	Proposed	Net Change
A	Moor Road	5.7%	4	8	+4
B	Wythenshawe Road (W)	10.4%	7	14	+7
C	Orton Road	7.0%	5	9	+5
D	Princess Parkway (N)	20.5%	14	28	+14
E	Palatine Road	5.5%	4	7	+4
F	Princess Parkway (S)	51.0%	36	69	+34
TOTAL		100.00%	70	136	+66

*The total may not represent the sum of its parts due to rounding.

1.3.5 Based on these estimated, the proposals may increase network PM peak hour flows by over 30 at the following junctions, which are all expected to be coordinated together in terms of the traffic signal timings:

- Wythenshawe Road/Sale Road;
- Wythenshawe Road/Princess Parkway Northbound Slips; and
- Wythenshawe Road/Princess Parkway Southbound Slips/Palatine Road.

2. REFERENCES

LTP (Local Transport Projects Ltd), 2025. Wythenshawe Park Sports Hub, Wythenshawe Road, Manchester – Transport Statement (Final Issue 1A, 02/10/2025).

Appendix I – Gravity Model

Age Group	%
11-13	18.73%
14	9.96%
15	5.82%
16	4.27%
17	4.27%
18	4.69%
19	4.69%
20	4.69%
21	3.82%
22	3.82%
23	3.82%
24	3.23%
25	3.23%
26	3.23%
27	2.81%
28	2.81%
29	2.81%
30	2.40%
31	1.99%
32	1.99%
33	1.99%

Zone	Route	Distribution Split	Existing	Proposed	Net Change
A	Minor Road	5.7%	4	5	4
B	Weyburn Road (W)	10.4%	7	14	7
C	Orton Road	7.0%	5	9	5
D	Princess Parkway (N)	20.5%	14	28	14
E	Palatine Road	5.5%	4	7	4
F	Princess Parkway (S)	51.0%	36	69	34
TOTAL		100.0%	70	136	66

Source: 2011 National Census - Travel to work flows

Table W032EW - Location of usual residence and place of work by method of travel to work (MSOA level)
Based on 2011 Middle-Layer Super Output Areas (MSOA)
Neighbouring local authorities only, other regions
MSOAs with fewer than 10 people travelling by a vehicle trip-generating modes have been excluded

≤10 g per basket