







(*) An independent I-stud lining is proposed as the internal wall where an existing timber screen adjoins an internal partition containing doors between rooms within the apartment (no acoustic requirements), and where construction access from both sides is not feasible.

Sec. Detail 01. Internal partition with doors



1 : 10



(*) A standalone timber screen is proposed in scenarios where the internal partition is located within a studio or one-bedroom apartment.

Sec. Detail 03. Stand Alone Screen



1 : 10



(*) An independent I-stud lining with Acoustic insulation is proposed as the internal wall where an existing timber screen adjoins an internal partition that do NOT containing doors between rooms within the apartment (40dB required), and where construction access from both sides is not feasible.

Sec. Detail 02. Internal partition with no doors

1 : 10



(*) A shaft wall is proposed as the separating wall in cases where an existing timber screen is adjacent to a compartmentation wall between apartments, and construction access from both sides is not feasible.

Sec. Detail 04. Separating Wall (Level 4)

1 : 10

General Notes:

This drawing is the property of Fletcher-Rae (UK) Limited and copyright is reserved by them. The drawing is not to be copied, reproduced or re-distributed either in whole or in part without the prior written consent of Fletcher-Rae (UK) Limited.

The originator shall have no responsibility for any liability, loss, cost, damage or expense arising from or relating to any use of this document other than for its intended purpose on this project.

This drawing shall be read in conjunction with all other relevant drawings, specifications and associated documentation. Any discrepancies, errors or omissions are to be reported to the originator before proceeding with work.

All dimensions are to be checked on site by the contractor prior to proceeding with any work. This drawing shall not be scaled to ascertain any dimensions. Work to stated dimensions only.

DISCLAIMER
When this drawing is issued in CAD, it is an uncontrolled version issued for information only. To enable the recipient to prepare their own documents/drawings for which they are solely responsible.

SOFTWARE INTEROPERABILITY
Fletcher-Rae (UK) Limited prepared this drawing using Autodesk REVIT.

Fletcher-Rae (UK) Limited does not accept liability for any loss or degradation of any information held in the drawing resulting from the translation from the original file format to any other file format or from the recipients reading of it in any other programme.

General Notes:

- These drawings are indicative only and do not represent final construction details. All dimensions, specifications, and installation requirements are subject to confirmation following a detailed survey and input from relevant specialists.

- All junction designs and specifications are subject to review and input from relevant specialists, including conservation and structural consultants.

- All works must comply with heritage and conservation requirements appropriate to the listed status of the building.

- Final wall finishes are subject to client choice and approval.

- Junctions with existing walls, floors, and ceilings must be designed to avoid damage to historic fabric and allow for reversible installation where possible.

- The build up and structural integrity of timber screens vary across different areas of the building. Certain sections may require restoration. The viability of retaining existing screens will be determined following a detailed on-site survey.

P01 First Issue - Additional information for LPA SR 14.11.25 JC

Rev Revision Details Drawn Date Chkd

Project No: **24029**
Suitability: **SO WORK IN PROGRESS**
Status: **Planning**

Client:
Views

Project:
**8 Minshull Street
Manchester**

Sheet Name:
Retained Screens Details

Drawing No: **24029-HFR-V1-XX-DR-A-9091** Rev: **P01**
Drawn By: **SR** Scale: **1 : 10 @ A1**
Created: **27.10.25**

HORIZON
fletcher | rae

Level 12, Tower 12, 18-22 Bridge Street, Manchester, M3 3BZ
t +44 (0) 161 242 1140
w www.fletcher-rae.com
e info@fletcher-rae.com