




Revision 01: Status changed to S4 Construction. Opening width adjusted to 'as built' size. Location of replacement stones to reveals amended to suit opening as formed. New 120mm high threshold stone added. Notes amended with stone sizes added. Title corrected to riser 26

01	13/09/2024	JC	GR	See note in revision cloud
-	27/01/2022	JC	GR	First issue
ISSUE	DATE	DRAWN	APPROVED	DESCRIPTION



OUR
TOWN
HALL
PROJECT



Project Office, Room 308, Town Hall, MANCHESTER M60 2L1
+44 (0) 7970 097 432
www.purcelluk.com

PROJECT STATUS **RIBA Stage 5**

CLIENT **Manchester City Council**

PROJECT **Our Town Hall**

DRAWING TITLE **Chimney CS32 proposed new door to riser 26 in south elevation at level 6**

SIZE & SCALE **A4 As indicated**

DRAWING STATUS **S4 Construction**

JOB NUMBER **236959**

DRAWING NO. REV

OTH-PUR-TH-RF-DWG-A-9027 01

© PURCELL 2019. PURCELL ® IS THE TRADING NAME OF PURCELL ARCHITECTURE LTD.

13/09/2024 16:14:33

Replacement stone above lintel to be cut from reclaimed stone total 9 1/2 inch course 650mm long

New stone lintel 13 inch course 1350mm long - refer to Ramboll details for internal lintel and shelf angle

Replacement facing to be cut from reclaimed stone 6 1/2 inch course 280mm long

Replacement facing to be cut from reclaimed stone 9 1/2 inch course 100mm long

Replacement facing to be cut from reclaimed stone 6 1/2 inch course 130mm long

New threshold 120mm high x 375mm (wall thickness) deep

Course numbers and height in inches

41 - 9 1/2"
42 - 9 1/2"
43 - 13"
44 - 9 1/2"
45 - 6 1/2"
46 - 9 1/2"
47 - 9 1/2"
48 - 9 1/2"
49 - 9 1/2"
50 - 9 1/2"
51 - 6 1/2"
52 - 9 1/2"
53 - 9 1/2"
54 - 9 1/2"
55 - 9 1/2"
56 - 9 1/2"

**Chimney
CS32 south
elevation**

