PROJECT
Manchester Office Relocation - Pall Mall

CLIENT
Sheppard Robson LLP

DESCRIPTION
Ceilings Types Schedule

STAGE
Stage 4

SR NO.	SCALE@A3	DATE
10157	**1 : 200**	**17/04/2026**

ORIGINATOR	CHECKED	AUTHORISED
AB	**ML**	**TB**

REVISIONS

REV.	DATE	AMENDMENT
P01	05/01/2026	First Issue
P02	30/03/2026	Stage 4 Issue
P03	17/04/2026	Updated and issued as part of Listed Building Consent

NOTES
- Ceiling heights subject to further co-ordination with services engineer
- All finishes to be 'equivalent' or approved
- All fire ratings of ceiling finishes to be reviewed with fire strategy to ensure compliance.

CEILING CODES:
- CL01-20 Plasterboard
- CL21-30 Suspended/Tile
- CL41-50 Acoustic
- CL51-60 Joinery/Specialist
- CL61-70 Other
- CL71-80 Not Ceilings
- CL81-90 Basebuild/Existing

ID:SR
A3
E: enquiries@sheppardrobson.com

REV.	STATUS	PURPOSE FOR ISSUE
P03	**S2**	**Planning**

DRAWING NO.
10157-IDSR-XX-ZZ-SH-I-35900

Code	Description	Manufacturer	Range	Finish	Colour	Size	Acoustic Rating	Fire Rating	Notes
40 [Acoustic system(s)]									
CL41A	Wood Wool Acoustic Raft	Troldtekt	Acoustic Panel	Ultrafine, 1.00mm	TBC	Refer to 35200 series	a w: 0.95, NRC: 1.05, Class A	B - s1,d0	Removable installation in suspended, concealed T-profiles.; K5-FN Edge Design; 35mm thick panel. Allow for perimeter metal trim to frame the installation.
CL43A	Acoustic Grid Raft	Autex	Square Frame	PET Felt	Parthenon	595 x 595mm	a w: 0.95, NRC: 1.05, Class A	B - s1, d0	Installation in line with manufacturer guidance. Allow for portion of panels to be removable to allow for maintenance access to services above. Capped head panels to each frame.
CL44A	Existing Acoustic Rafts	Kvadrat	Soft Cell	Wrapped in fabric 'Casa'	TBC	55mm depth	Class A, IS0 1164	TBC	Installation using a suspended system to allow panels to be removable and accessible in line with manufacturer recommendations.
CL45A	New Acoustic Rafts	Kvadrat	Soft Cell	Wrapped in fabric 'Casa'	TBC	55mm depth	Class A, IS0 1164	TBC	Installation using a suspended system to allow panels to be removable and accessible in line with manufacturer recommendations.
CL51A	Linear Slats	Autex	Frontier Beam 100	PET Felt	Parthenon	200mm centres			
70 [Other]									
CL71	Exposed Slab(s)/Structure/Services	n/a	n/a	Exposed slab / painted services.	TBC	Refer to 35200 series	n/a	n/a	All new exposed services to be painted out (RAL 7044 Silk Grey). Allow for making good of soffits and services where required, following construction works.

Code	Description	Track	Manufacturer	Range	Finish	Colour	Notes
00 [Standard]							
CT01	Curtain	Suspended Silent Gliss (or equivalent) Wave Track 80mm White Finish	Kvadrat	Tonight	-	0200	Nom. wave depth 160mm. Allow for a clear handle to assist with curtain operation. Curtain tape to the head to match curtain finish 75mm. Any weights required to the base of the curtain are to match the colour of the fabric. Fabric fullness x2.
CT02	Curtain	Suspended Silent Gliss (or equivalent) Wave Track 60mm White Finish	Kvadrat	Tonight	-	0200	Nom. wave depth 120mm. Allow for a clear handle to assist with curtain operation. Curtain tape to the head to match curtain finish 75mm. Any weights required to the base of the curtain are to match the colour of the fabric. Fabric fullness x2.
CT03	Curtain	Suspended Silent Gliss (or equivalent) Wave Track 80mm White Finish	Kvadrat	Maya	-	TBC	Nom. wave depth 160mm. Allow for a clear handle to assist with curtain operation. Curtain tape to the head to match curtain finish 75mm. Any weights required to the base of the curtain are to match the colour of the fabric. Fabric fullness x2.
CT04	Curtain	Suspended Silent Gliss (or equivalent) Wave Track 60mm White Finish	Kvadrat	Maya	-	TBC	Nom. wave depth 120mm / 2x fullness. Allow for a clear handle to assist with curtain operation. Curtain tape to the head to match curtain finish 75mm. Any weights required to the base of the curtain are to match the colour of the fabric. Fabric fullness x2.

© COPYRIGHT
The copyright in this drawing is vested in ID:SR and no license or assignment of any kind has been, or is, granted to any third party whether by provision of copies or originals or otherwise unless agreed in writing.

DO NOT SCALE FROM THIS DRAWING
The contractor shall check and verify all dimensions on site and report any discrepancies in writing to ID:SR before proceeding work

FOR ELECTRONIC DATA ISSUE
Electronic Data / drawings are issued as "read only" and should not be interrogated for measurement. All dimensions and levels should read, only from those values stated in text on the drawing.