





1 32600 D09.11A (Cleaners Store 09.11)


1 : 20

Solid single-leaf internal frameless door concealed within Library partition
Fire-rated (refer to 29200)
Fire seals specification by glazed partition manufacturer

2 32600 D10.03A (Comms Room 10.03)

1 : 20


Solid single-leaf internal blank door
Fire-rated (refer to 29200)
Fire seals specification by glazed partition manufacturer



5 32600 P09.06A (Focus Room 09.06)

1 : 20


Glazed single-leaf internal door within single glazed screen to Focus Room



6 32600 P09.09A (Focus Room 09.09)

1 : 20


Glazed single-leaf internal door within single glazed screen to Focus Room



7 32600 P10.02A (Small Meeting Room 10.02)

1 : 20


Glazed single-leaf internal door within single glazed screen to Small Meeting Room
Acoustic rated min. 30dBRw



3 32600 P10.08A (Large Meeting Room 10.08)

1 : 20

Double-glazed single-leaf internal door to large meeting room
Acoustic rated min. 35dBRw



4 32600 P10.07A (Large Meeting Room 10.07)

1 : 20

Double-glazed single-leaf internal door to Large Meeting Room
Acoustic rated min. 35dBRw

A1

© COPYRIGHT
The copyright in this drawing is vested in ID:SR and no license or assignment of any kind has been, or is, granted to any third party whether by provision of copies or originals or otherwise unless agreed in writing.

DO NOT SCALE FROM THIS DRAWING
The contractor shall check and verify all dimensions on site and report any discrepancies in writing to ID:SR before proceeding work

FOR ELECTRONIC DATA ISSUE
Electronic Data / drawings are issued as "read only" and should not be interrogated for measurement. All dimensions and levels should read, only from those values stated in text on the drawing.

NOTES

AREAS NOT IN SCOPE

Refer to 20200 for door locations

DOOR NOTES:

- Refer to 324XX series for Door Types Matrix
- Refer to 326XX series for Door Details
- Refer to 329XX series for Door Schedules
- Refer to 422XX series for Internal Wall Finishes Scoping
- Refer to electrical consultants information for extent of electronic doors
- Refer to security consultant drawings for extent of secure doors
- Refer to schedules for specific ironmongery, kickplate and pushplate requirements (Indicative ironmongery shown on door elevations)
- Existing basebuild doors requiring modification are tagged with basebuild door numbers if applicable. All other doors untagged remain part of the basebuild unless otherwise stated.
- All doors to have a minimum clear opening of 825mm unless otherwise stated

To be read in conjunction with:
- NBS Specification
- Ironmongery Schedule
- Fire consultant's report & 292XX series
- Acoustic consultants report

DOOR NO. EXPLANATION:

Level — **Secondary Letter** Multiple doors into one room

DXX.XXA

Door Category:
P = Proprietary
D = Composite
M = Metal
S = Specialist
E = Existing
X = External
Z = Other

Room No./Basebuild Door No.

REVISIONS

REV.	DATE	AMENDMENT
P01	30/03/2026	Stage 4 Issue
P02	17/04/2026	Updated and issued as part of Listed Building Consent

KEYPLAN

CLIENT
Sheppard Robson LLP

ID:SR

77 Parkway Camden Town London NW1 7PU
T: +44 (0)20 7504 1700 E: enquiries@sheppardrobson.com

PROJECT
Manchester Office Relocation - Pall Mall

SCALE@A1	DATE	ORIGINATOR	CHECKED	AUTHORISED
As indicated	**17/04/2026**	**JK**	**ML**	**ML**

DESCRIPTION
Door & Screen Types Proposed

STAGE
Stage 4

STATUS	PURPOSE FOR ISSUE	SR NO.
S2	**Planning**	**10157**

DRAWING NO. **10157-IDSR-ZZ-ZZ-DR-I-32600** REV. **P02**