




NOTE!
THE FIXED SIDE PANELS WILL BE 120mm THK TO MATCH THE PERSONNEL DOOR FRAME




THE OVERHEAD PANEL WILL BE COVERED IN HP COLOUR COAT SHEET. THIS IS A 0.7mm THK ZINC COATED STEEL SHEET WITH A PLASTIC COATED FINISH.

DOOR PANEL COLOUR : TBC


THE DOOR PANELS WILL HAVE SMALL TRIM / FLASHINGS WHICH ALIGN WITH THE BUILDING CLADDING LINES.


THESE FLASHINGS COULD COLOURED TO :
- MATCH THE DOOR PANELS
- CONTRAST THE DOOR PANELS
- OR BRUSHED STAINLESS STEEL FINISH


TRIM / FLASHINGS COLOUR : TBC

RHINO SUSPECT THAT THE CEILING WILL NEED TO BE REMOVED DURING THE PEDESTRIAN DOOR & MAIN PANEL INSTALLATION.

THE HIGH LEVEL FIXINGS THAT SECURE THE MAIN PANEL TO THE BUILDING WILL BE OBSTRUCTED AND UNACHIEVABLE IF THE CEILING REMAINS IN ITS CURRENT POSITION.









INTERCOM, NUMBER PUNCH...ETC TO BE PROVIDED AND CONNECTED BY OTHERS.

RHINO CAN PROVIDE A CABLE ROUTE THROUGH THE DOOR PANELS IF NECESSARY.




THE LARGE 150 X 150 SHS WILL REMAIN IN PLACE. THE NEW DOOR WILL FIX TO THESE VERTICAL POSTS. ALL FIXINGS WILL BE VISIBLE FROM THE INSIDE ONLY. NOW EXTERNAL FIXING.




LOCKING DESCRIPTION

ACTIVE LEAF
SL322-04-A07M7-K2-K4
SURELOCK MCGILL 3 POINT LOCKING SYSTEM.
MOTORISED LOCKING, 24V DC FAIL SECURE
REF : S-PACKAGE +20,HBOLT

MOTORISED LOCKING SYSTEM, WITH EXTERNAL KEY ACCESS FOR OVERRIDE ONLY.
SUPPLIED WITH GSS ULTIMATE CYLINDER GUARD, MEDECO ARX3 CYLINDER,
& 2 KEYS (LV VERSIONS).

AUTO LOCKING & AUTO BOLTING ON CLOSING.

THIS LOCKING SYSTEM IS ACCESS CONTROL TO ENTER AND ACCESS CONTROL TO EXIT.

THERE WILL BE AN INTERNAL THUMBTURN COVERED WITH A PLASTIC BREAKDOME,
THIS PROVIDES EMERGENCY RELEASE IN THE EVENT OF ACCESS CONTROL OR POWER FAILURE.

ALL ACCESS CONTROL EQUIPMENT SUCH AS CARDS, CARD READERS, CALL BUTTONS...ETC
TO BE SUPPLIED AND FITTED BY OTHERS.

LOCK AND BOLT STATUS MONITORING WILL BE PROVIDED AS STANDARD ON THIS
TYPE OF LOCKING SYSTEM

| REV | DESCRIPTION | DATE |
|---|---|---|
| P02 | COMMENT UP-DATE, FOR REVIEW | 04.03.2026 |
| P01 | FOR REVIEW | 04.02.2026 |

DOOR SECURITY CLASSIFICATION
THIS DOOR WILL BE MANUFACTURED TO THE FOLLOWING STANDARD:
SECURITY STANDARD CPNI (MFES), BASE & ENHANCED

**NOTES:**
-THIS DOOR DOES NOT INCORPORATE ANY ALARM,
LOCK OR BOLT MONITORING FUNCTIONS
MONITORING CAN BE PROVIDED AT AN EXTRA COST IF REQUIRED

**COLOUR:**

LEAVES
THE DOOR LEAVES WILL BE COVERED IN HPS 200 COLOURCOAT SHEET.
EXTERNAL: Ardenne RAL 7022
INTERNAL: Ardenne RAL 7022
DOOR FRAME: WET PAINT FINISH. COLOUR TO MATCH DOOR PANEL CLADDING.
2 X COATS OF PRIMER: RUSTOLEUM, COMBI PRIMER, 3380 (GREY), & 3369 (OXIDE RED)
TOP COAT : JOHNSTONE'S, STEEL AND CLADDING RAL 7022

Rhino Doors

Rhino Systems Ltd.
Maritime Road
Llewellyns Quay
Port Talbot, SA13 1RF
T +44 (0)1639 888 119
info@rhinodoors.com
www.rhinodoors.com

| DESIGNED BY | CHECKED BY | APPROVED BY | DATE | SCALE | DATE | SIZE |
|---|---|---|---|---|---|---|
| C.C | O.D | J.H | 04.02.2026 | NTS | 04.02.2026 | A3 |

This design drawing is confidential and the property of Rhino Systems Limited. The contents must not be reproduced or copied without prior permission
© 2025 Rhino Systems Limited

| DWG NUMBER | CLIENT DOOR REF. | CUSTOMER | | |
|---|---|---|---|---|
| MAG-RDG-26-GF-Y-21-0008 | MAG LOADING BAY - PEDESTRIAN DOOR | ROBERTSON | | |
| JOB NO | LOADING BAY DOOR G.A PEDESTRIAN DOOR | | ISSUE | SHEET |
| 9110 - MAG | | | P02 | 1/1 |