
Suspended plasterboard ceiling (CLG-001) (CLG-002)



SUSPENSION
gypframe MF12 soffit cleat
gypframe FEA1 steel angle
MF11 but and bolt
BG wafer head Jack point screws 13mm
suspension centres 1200mm

FRAMEWORK
gypframe MF7 primary channel (1200 centres)
gypframe MF5 ceiling section (450 centres)
gypframe MF6 perimeter channel
BG wafer head Jack point screws 13mm

revision:	date:	note:
P01	2026.02.09	preliminary first issue
P02	2026.02.12	preliminary second issue
P03	2026.02.16	preliminary third issue
P04	2026.02.17	preliminary fourth issue

key
ceiling type 1 (CLG-001)
ceiling type 2 (CLG-001) moisture resistant board

2475 ceiling height mm above finished floor level

key
extract vent
extract duct
extract valve

project
Paragon Mill, Manchester

job no.
7710

title
proposed ceiling finishes

scale
1:50 @ A3

drawing no.
7710-al(45)0001

stephenson hamilton risley
STUDIO
3 riverside mews
4 commercial street
manchester, M15 4RQ
www.shr.studio
email@shr.studio
0161 832 0244

© stephenson hamilton risley STUDIO ltd. do not scale from this drawing