master bedroom
study
bedroom 2
bedroom 3
kitchen and living
corridor
ensuite
utility room
existing bathroom to remain
2643
3323
2560
3262
2699
2940
2280
2177
703
1029
897
1065
597
Liner wall set 70mm from existing wall to allow for shower niche
D-004
D-005
D-006
D-007
D-008
D-009
D-010 as existing
D-001 as existing
D-002
D-003
203
5925
3092
536
1586
1833
2162
471
2252
1482
1116
1593
449
465
470
2954
1518
1500
1050
728
1809
2600
284
1414
600
985
332
2480
473
381
370
373
556
3069
1586

revision:	date:	note:
P01	2026.02.12	preliminary first issue
P02	2026.02.16	preliminary second issue
P03	2026.02.17	preliminary third issue

key

- IWS-500
- IWS-501
- IWS-502
- IWS-503
- IWS-504
- IWL-500
- IWL-501
- IWL-502

moisture resistant board required

pocket door locations - any fixings to be the correct depth

SWP's to be lagged appropriately
- 25mm unfaced mineral wool insulation around pipework
- 10mm exclusion zone

NOTES
- deflection head required to all partitions (fire rated where required)
- stud centres and board interfaces to manufacturers reccommendations
- 2.5mm skim to all boards
- moisture resistant boards where noted; ensuite, utility and to the kitchen

* wall pattress, refer to individual room elevation drawings

© stephenson hamilton risley STUDIO ltd. do not scale from this drawing

project
Paragon Mill, Manchester

job no.
7710

title
proposed wall types

scale
1:50 @ A3

drawing no.
7710-al(22)0002

stephenson hamilton risley
STUDIO

3 riverside mews
4 commercial street
manchester, M15 4RQ
www.shr.studio
email@shr.studio
0161 832 0244