KEY FEATURES:



3x profiles
1, 2 & 3 compartments


Material
Steel material to BS EN 10346: 2015

Finish
Galvanised sheet steel available self-coloured or to any RAL colours on request

Standard colours

White:	Add suffix /W
Black:	Add suffix /B
Galvanised:	Add suffix /G

Supplied
As standard in 2 metre lengths



1. Cover Straps
Cover straps are only required for length-to-length joins

2. Bend & Tees
All bends and tee lids overlap the trunking to prevent the need for additional joint couplers

3. Internal bend
A generous internal 50mm bend radius for Cat6a compliance

4. Trunking profile
Chamfered skirting or Square dado profiles available

FEATURES:


Design with durability and ease of installation in mind. An ideal solution with superior mechanical strength for high traffic environments such as hospitals, offices, schools, colleges, laboratories, hotels and public buildings whilst offering excellent screening capability and first-class fire protection.

All bends and tee covers overlap the trunking to prevent the need for additional joint couplers plus increasing ingress protection for an aesthetically pleasing and cleaner design.

The cover can be powder coated to an RAL colour which not only offers an attractive finish but is also highly resilient to damage during use and installation.

Optional security tamper-proof fixings are available to use in a variety of projects to safeguard against vandalism and prevent access.





5. 90° Flat Bend
Orientation is determined by the top compartment

6. Trunking Base
All metal construction - for maximum strength and durability

7. Accessories
Accepts standard 35mm or 47mm back box if required for complete segregation

8. Knockouts
The dividers have 25mm knockouts every 100mm for easy access to all compartments

Galvanised Finish to match conduit drpos

Measurements:
Millimetres (mm) unless stated otherwise

 # Lid Colour Suffix:
White: Add /W
Black: Add /B
Galvanised: Add /G

Cat6a Compliant:
Accessories are Cat6a compliant

Orientation is determined by the top compartment

SQUARE DADO TRUNKING

This range combines excellent screening capability and clean design with superior mechanical strength. Ideal for hospitals, laboratories or universities whilst also offering first class fire protection.

- Perimeter trunking system offers the end user a quick and easy to fit system
- All metal construction - for maximum strength and durability
- Partitions have 25mm knockouts between compartments for easier installation
- Powder coating is low smoke zero halogen
- Available in any RAL colour
- Full range of Cat6a compliant accessories available




TDA62

DESCRIPTION	CAT. NO.	H	D	L (m)
2 Compartment	TDA62/#	150	60	2
2 Compartment	TDA82/#	200	60	2
3 Compartment	TDA83/#	200	60	2



TDA62FBD




90° FLAT BENDS - DOWNWARDS

DESCRIPTION	CAT. NO.	H	D
2 Compartment	TDA62FBD/#	150	60
2 Compartment	TDA82FBD/#	200	60
3 Compartment	TDA83FBD/#	200	60




TDA62FBU




90° FLAT BENDS - UPWARDS

DESCRIPTION	CAT. NO.	H	D
2 Compartment	TDA62FBU/#	150	60
2 Compartment	TDA82FBU/#	200	60
3 Compartment	TDA83FBU/#	200	60






TDA62IB




45° & 90° INTERNAL BENDS

DESCRIPTION	CAT. NO.	H	D
2 Compartment	TDA62IB/#	150	60
2 Compartment	TDA82IB/#	200	60
3 Compartment	TDA83IB/#	200	60
2 Compartment	TDA62IB45/#	150	60
2 Compartment	TDA82IB45/#	200	60
3 Compartment	TDA83IB45/#	200	60





TDA62EB




45° & 90° EXTERNAL BENDS

DESCRIPTION	CAT. NO.	H	D
2 Compartment	TDA62EB/#	150	60
2 Compartment	TDA82EB/#	200	60
3 Compartment	TDA83EB/#	200	60
2 Compartment	TDA62EB45/#	150	60
2 Compartment	TDA82EB45/#	200	60
3 Compartment	TDA83EB45/#	200	60



TDA62TDL




FLAT TEE DOWNWARDS LEFT

DESCRIPTION	CAT. NO.	H	D
2 Compartment	**TDA62TDL/#**	150	60
2 Compartment	**TDA82TDL/#**	200	60
3 Compartment	**TDA83TDL/#**	200	60



TDA62TDR




FLAT TEE DOWNWARDS RIGHT

DESCRIPTION	CAT. NO.	H	D
2 Compartment	**TDA62TDR/#**	150	60
2 Compartment	**TDA82TDR/#**	200	60
3 Compartment	**TDA83TDR/#**	200	60



TDA62TUL




FLAT TEE UPWARDS LEFT

DESCRIPTION	CAT. NO.	H	D
2 Compartment	**TDA62TUL/#**	150	60
2 Compartment	**TDA82TUL/#**	200	60
3 Compartment	**TDA83TUL/#**	200	60




TDA62TUR




FLAT TEE UPWARDS RIGHT

DESCRIPTION	CAT. NO.	H	D
2 Compartment	**TDA62TUR/#**	150	60
2 Compartment	**TDA82TUR/#**	200	60
3 Compartment	**TDA83TUR/#**	200	60




TDA6SSP




SINGLE SOCKET PLATES

DESCRIPTION	CAT. NO.	H	D
150 mm Dado	**TDA6SSP/#**	150	60
200 mm Dado	**TDA8SSP/#**	200	60



TDA62DSP



DOUBLE SOCKET PLATES

DESCRIPTION	CAT. NO.	H	D
150 mm Dado	**TDA6DSP/#**	150	60
200 mm Dado	**TDA8DSP/#**	200	60

Measurements:
Millimetres (mm) unless stated otherwise

 # Lid Colour Suffix:
White: Add /W
Black: Add /B
Galvanised: Add /G

Cat6a Compliant:
Accessories are Cat6a compliant

Orientation is determined by the top compartment

Measurements:
Millimetres (mm) unless stated otherwise


 # Lid Colour Suffix:
White: Add /W
Black: Add /B
Galvanised: Add /G

Cat6a Compliant:
Accessories are Cat6a compliant

Orientation is determined by the top compartment




TDA6TSS




2 GANG SWITCHED SOCKET PLATES

DESCRIPTION	CAT. NO.	H	D
150mm Dado	**TDA6TSS/#**	150	60
200mm Dado	**TDA8TSS/#**	200	60



TDA6E4M




2 GANG EURO 4 MODULE PLATES

DESCRIPTION	CAT. NO.	H	D
150mm Dado	**TDA6E4M/#**	150	60
200mm Dado	**TDA8E4M/#**	200	60



TDA6EC




END CAPS

DESCRIPTION	CAT. NO.	H	D
150mm End cap	**TDA6EC/#**	150	60
200mm End cap	**TDA8EC/#**	200	60

Supplied in pairs.



TDA6C



JOINT COVERS

DESCRIPTION	CAT. NO.	H	D
150mm Cover	**TDA6C/#**	150	60
200mm Cover	**TDA8C/#**	200	60

