TRINITY WAY FOUL WATER & COMBINED MANHOLE SCHEDULE

MH REF.	CO-ORDINATES	COVER LEVEL (m AOD)	INVERT LEVEL (m AOD)	DEPTH TO INVERT (m)	DEPTH TO SOFFIT (m)	PIPES IN SIZE (mm)	PIPES IN INVERT LEVEL (m AOD)	PIPE OUT (mm)	INTERNAL SIZE (mm)	MANHOLE TYPE	COVER SIZE	COVER RATING	COMMENTS
FT1.00	E: 383889628 N: 399243105	40.100	39.480	0.620	0.470	100 Ø	39.530	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED
FT1.01	E: 383896449 N: 399229900	40.100	39.294	0.806	0.656	150 Ø 100 Ø	39.294 39.344	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED
FT1.02	E: 383899142 N: 399224695	40.100	39.221	0.879	0.729	150 Ø 100 Ø 100 Ø	39.221 39.271 39.271	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED
FT1.03	E: 383899015 N: 399216811	40.100	38.050	2.050	1.900	150 Ø 100 Ø 100 Ø	39.122(BD) 38.100 38.100	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT2.00	E: 383907089 N: 399221085	40.100	38.800	1.300	1.150	100 Ø 100 Ø	38.850	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT3.00	E: 383910257 N: 399214951	40.100	38.490	1.610	1.460	100 Ø 100 Ø 100 Ø	38.540 38.540 38.540	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT2.01	E: 383909749 N: 399215941	40.100	38.414	1.686	1.536	150 Ø 150 Ø 100 Ø	38.414 38.414 38.464	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT1.04	E: 383901634 N: 399211745	40.100	37.979	2.121	1.971	150 Ø 150 Ø	37.979 37.979	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT4.00	E: 383923621 N: 399211634	39.924	38.800	1.124	0.974			150 Ø	450 Ø	PPIC TYPE D	450 x 450	B125	RESTRICTOR CAP
FT4.01	E: 383914831 N: 399207090	40.100	38.676	1.424	1.274	150 Ø 100 Ø 100 Ø 100 Ø	38.676 38.726 38.726 38.726	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT1.05	E: 383906314 N: 399202660	40.100	37.851	2.249	2.099	150 Ø 150 Ø	37.851 37.851	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT5.00	E: 383916491 N: 399202899	40.100	38.800	1.300	1.150	100 Ø 100 Ø	38.850 38.850	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT5.01	E: 383917992 N: 399199998	40.100	38.759	1.341	1.191	150 Ø 100 Ø 100 Ø 100 Ø	38.759 38.809 38.809 38.809	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT1.06	E: 383909877 N: 399195802	40.100	37.754	2.346	2.196	150 Ø 150 Ø	37.754 37.754	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT6.00	E: 383929729 N: 399191868	38.835	37.000	1.835	1.685	100 Ø 100 Ø 100 Ø	37.050 37.050 37.050	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT1.07	E: 383915538 N: 399184531	40.100	36.800	3.300	3.150	150 Ø 150 Ø	36.800 36.800	150 Ø	1200 Ø	PCC TYPE A	600 x 600	FACTA A	RECESSED TRIPLE SEALED
FT1.08	E: 383917759 N: 399180124	40.100	36.327	3.773	3.548	150 Ø 100 Ø 100 Ø	36.402 36.452 36.452	225 Ø	1200 Ø	PCC TYPE A	600 x 600	FACTA A	RECESSED TRIPLE SEALED
FT1.09	E: 383919458 N: 399176775	36.836	36.200	0.636	0.411	225 Ø	36.200	225 Ø	600 Ø	PPIC TYPE D	600 x 600	B125	
FT7.00	E: 383875302 N: 399244908	35.600	34.700	0.900	0.750	100 Ø	34.750	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED
FT7.01	E: 383889872 N: 399216729	35.600	34.291	1.309	1.159	150 Ø	34.291	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP

TRINITY WAY FOUL WATER & COMBINED MANHOLE SCHEDULE

MH REF.	CO-ORDINATES	COVER LEVEL (m AOD)	INVERT LEVEL (m AOD)	DEPTH TO INVERT (m)	DEPTH TO SOFFIT (m)	PIPES IN SIZE (mm)	PIPES IN INVERT LEVEL (m AOD)	PIPE OUT (mm)	INTERNAL SIZE (mm)	MANHOLE TYPE	COVER SIZE	COVER RATING	COMMENTS
FT7.02	E: 383889725 N: 399210853	35.600	34.222	1.378	1.228	150 Ø	34.222	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT7.03	E: 383898369 N: 399194136	35.600	33.986	1.614	1.464	150 Ø	33.986	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT7.04	E: 383900395 N: 399190992	35.600	33.940	1.660	1.510	150 Ø	33.940	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT1.10	E: 383909923 N: 383909923	36.900	33.605	3.295	3.070	225 Ø 150 Ø	35.321(BD) 33.680	225 Ø	1200 Ø	PCC TYPE A	600 x 600	B125	
FT1.11	E: 383901932 N: 399168392	35.588	33.515	2.073	1.848	225 Ø	33.515	225 Ø	600 Ø	PPIC TYPE D	600 x 600	B125	
FT9.00	E: 383888061 N: 399185439	36.195	33.518	2.677	2.527			150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT10.00	E: 383897646 N: 399181302	35.600	34.400	1.200	1.050	100 Ø	34.450	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT10.01	E: 383900125 N: 399176508	35.600	34.333	1.267	1.117	150 Ø 100 Ø	34.333 34.383	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT9.01	E: 383894249 N: 399173470	35.600	33.942	1.658	1.508	150 Ø 150 Ø	33.942 33.942	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT9.02	E: 383895827 N: 399170419	35.600	33.824	1.776	1.626	150 Ø 100 Ø	33.824 33.874	150 Ø	450 Ø	PPIC TYPE D	450 x 450	FACTA A	RECESSED TRIPLE SEALED RESTRICTOR CAP
FT1.12	E: 383896345 N: 399167503	35.589	33.452	2.137	1.912	225 Ø 150 Ø	33.452 33.527	225 Ø	600 Ø	PPIC TYPE D	600 x 600	B125	RESTRICTOR CAP
FT1.13	E: 383891819 N: 399166698	35.595	33.210	2.385	2.160	225 Ø	33.210	225 Ø	600 Ø	PPIC TYPE D	600 x 600	B125	RESTRICTOR CAP
CT1.00	E: 383891030 N: 399162605	35.635	32.931	2.704	2.479	150 Ø 225 Ø	33.006 32.931	225 Ø	1200 Ø	PCC TYPE B	600 x 600	B125	

NOTES:

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE BELOW GROUND DRAINAGE SPECIFICATION, BELOW GROUND DRAINAGE PLAN ON DRAWING BRW-REN-ZZ-FN-DR-C-01100 AND DETAILS SHOWN ON DRAWINGS C-03101 TO 03104.
2. REFER TO DRAWING BRW-REN-ZZ-FN-DR-C-01100 FOR GENERAL NOTES
3. LANDSCAPE ARCHITECT TO VALIDATE COVER LEVELS IN ALL EXTERNAL AREAS. ARCHITECT TO VALIDATE COVER LEVELS IN ALL INTERNAL AREAS.
4. ALL SETTING OUT INFORMATION RELATES TO ORDNANCE SURVEY GRID OF CO-ORDINATES
5. COORDINATES INDICATE CENTRE OF MANHOLE, MANHOLE COVERS ARE TO BE SITUATED TO SUIT TYPICAL DETAILS.

Rev:	Description:	Date:	By:	Chkd:
C02	UPDATED TO SUIT TRINITY WAY LAY-BY	07.04.26	JB	BH
C01	STAGE 5 ISSUE	13.06.24	SA	BH

renaissance
Renaissance Associates Ltd
Carvers Warehouse
77 Dale Street
Manchester
M1 2HG

Project:
BODDINGTONS BREWERY, MANCHESTER

Drawing Title:
FW DRAINAGE MANHOLE SCHEDULE - TRINITY WAY

Status:
STAGE 5

Size:	Date:	Drawn by:	Designed by:	Checked by:
A1	JUN 24	SA	SA	BH

Scale: N/A
Project No: 2211-11

Project – Originator – Volume – Level – Type – Role – Number: BRW-REN-ZZ-FN-SH-C-03103
Revision: C02

This drawing has been prepared for the sole benefit, use and information of the client for the purpose set out in the instructions commissioning it. The liability of **renaissance** in the respect of the information contained in this drawing will not extend to any third party. This document should not be used in whole or part by any third parties without the express written permission of **renaissance**