

CONDITIONS TO BE DISCHARGED:


3) Notwithstanding the details as set out in condition 2 above, prior to the work being carried out, full and final details of the proposed containment unit's fixings and a sample of the finish colour shall be submitted and approved by the City Council as Local Planning Authority. The approved details shall be implemented as part of the development.
Reason - In the interests of visual amenity and because the proposed works affect a building which is included in the Statutory List of Buildings of Special Architectural or Historic Interest and careful attention to building work is required to protect the character and appearance of this building and to ensure consistency in accordance with policy and EN3 of the Core Strategy and saved policy DC19.1 of the Unitary Development Plan for the City of Manchester.



GROUND FLOOR PLAN


Cabling trunking fixingmethod and detail





Detail & Finishes


The proposed security trunking will measure 50 × 50 mm and will be installed adjacent to the glazing frames, without projecting beyond the frame itself. It will be powder-coated in RAL 9006 to closely match the finish of the glazing frames, as shown below.
Screw fixings (approximately three points required to the historic wall) will be aligned with the mortar joints to minimize damage to the glazed bricks.



TRUNKING DETAIL



PROPOSED TRUNKING FINISH AGAINST EXISTING GLASS FRAME



1 HANOVER ST - ELECTRICAL TRUNKING DETAIL
1 : 2

AMAZON

MAN11

Hanover St., Manchester
Hanover Building

ISSUE	DESCRIPTION	DATE
1	TRUNKING DETAIL	18.05.26

INTERIOR ARCHITECTS

LONDON
HARELLA HOUSE, 4TH FLOOR,
90-98 GOSWELL ROAD, LONDON, EC1V 7DF
P+44(0)20.7979.8100

©2025 INTERIOR ARCHITECTS INC. (U.K) BRANCH.
ALL DRAWINGS AND WRITTEN MATERIAL HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT, AND THE SAME MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT.

Owner Approval

Job No.	Scale
08AMZU.410.001	1 : 2

Details

A10.81 - DETAILS

18/05/2026 09:43:39