Key:

Adoptable Macadam Footway

Surface Course - 20mm of AC 6 dense surf 100/150 to Cl 912 SHW - Warm Mix
Base Course - 50mm of AC20 dense bin 100/150 . to Cl 906 SHW - Warm Mix
Sub Base - 225mm of Type 1 Sub Base to SHW Cl 803.

Kerb Types

Precast Concrete Edging - 150 x 50 to BS EN 1340

Vehicle crossover for emergency / maintenance access to the sports pitch from Carisbrook Street

6000

2500

Grass

Tarmac

Parked vehicle

Carisbrook Street

GY UTS
Silted

66.22
CL Seized

MH
CL 66.78

Security fence Ht 2.4mc

As outlined in section 2.3 of the CITB Industry Guidance to Designers, insignificant risks can usually be ignored, as can risks arising from routine construction activities, unless the design compounds or significantly alters these risks. In accordance with CDM Regulations 8, 9 and 11, any significant risks relating to the design features shown on this drawing have been identified and are annotated thus: !

☒ No significant risks have been identified.

☐ Significant risks have been identified - refer to notes on drawing for information on residual risks and any control measures to be employed.

Refer to the current Designer's Risk Assessment sheets for further details.

| Designer's Signature | SE | Date | 03/26 |
|---|---|---|---|

| Project | Manchester Comms Academy, 236 - 158 Lathbury Rd, Manchester, M9 5GW | | | Title | S184 Site Entrance GA | | |
|---|---|---|---|---|---|---|---|
| Client | McARDLE SPORT TEC | | | Drawing Status | APPROVAL | | |
| Rev. | Description | Vf'd | Date | Drawn | Date | Scale | |
| P1 | Initial Issue for Approval | [redacted] | 30/03/26 | SE | 31/03/26 | 1:200 | @ A3 |
| | | | | Drawing/Document Reference Project Originator Zone Level Type Role Number Status Rev. | 12805-WMS-ZZ-XX-D-C-39520-S8-P1 | | |


williamsaunders
architecture: engineering: building consultancy

The Beacon
Cafferata Way
Newark-on-Trent
Nottinghamshire. NG24 2TN

Tel: 01636 704361
W: wm-saunders.co.uk

Also at Leeds, Lincoln, Wirksworth



William Saunders is the trading name of Wm Saunders Partnership LLP. Wm Saunders Partnership Limited Liability Partnership is registered in England and Wales with the Registration number OC 308323. The Registered Office is Ossington Chambers, 6-8 Castle Gate, Newark on Trent, Notts. NG24 1AX.
This drawing & any design thereon is the copyright of Wm Saunders Partnership LLP and must not be reproduced without their written consent. Contractors must verify all dimensions, levels and co-ordinates at the site before commencing any work or making any shop drawings: no dimensions to be taken from drawing.