

NOTES


1. TO BE READ IN CONJUNCTION WITH ALL RELEVANT KENNEDY REDFORD DRAWINGS AND SPECIFICATION.
2. TO BE READ IN CONJUNCTION WITH EXTERNAL ARCHITECTURAL, MEP, AND LANDSCAPE DESIGN DRAWINGS.
3. ALL DIMENSIONS ARE IN mm UNLESS STATED OTHERWISE.
4. ANY DISCREPANCIES IN THE DESIGN INFORMATION OR CONDITIONS FOUND ON SITE SHOULD BE RAISED TO THE ENGINEER IMMEDIATELY.
5. PRIVATE DRAINS TO BE CONSTRUCTED IN ACCORDANCE WITH BUILDING REGULATIONS.
6. NO CONNECTION TO BE MADE TO THE PUBLIC SEWER UNTIL APPROVAL HAS BEEN RECEIVED FROM THE UNITED UTILITIES AND MANCHESTER CITY COUNCIL.
7. REFER TO THE MANUFACTURER'S INSTALLATION GUIDANCE FOR ALL SPECIFIED PRODUCTS.




TANK 1 DIMENSIONS
(1:100)



PLAN
(N.T.S)



SECTION A-A
(N.T.S)



SECTION B-B
(N.T.S)

SECTION A-A
(N.T.S)


GRAF ECOBLOC MAXX SURFACE WATER ATTENUATION TANK 1 DETAIL
N.T.S

NOTE


TANK PRODUCT USED MUST BE SUITABLE FOR THE LOADING CONDITIONS EXPECTED TO BE ENCOUNTERED DURING THE LIFETIME OF THE SCHEME FOR BOTH LONG-TERM AND SHORT-TERM VERTICAL AND LATERAL LOADING CAPABILITY. TANK PRODUCT TO BE REVIEWED WITH DESIGN ENGINEER BEFORE FINAL SELECTION.

TABLE 1: TANK 2 DIMENSIONS


TANK	LENGTH	WIDTH	DEPTH	VOLUME OF VOIDS
2	10.40m	5.6m	1.09m	60.94m³



PLAN
(N.T.S)



SECTION A-A
(N.T.S)



SECTION B-B
(N.T.S)

GRAF ECOBLOC MAXX SURFACE WATER ATTENUATION TANK 2 DETAIL
N.T.S

REV	DATE	DESCRIPTION	DRN	CHK	APP
C03	26.03.26	DETAILS UPDATED TO ALIGN WITH PRODUCT SPECIFICATIONS	N.R	J.H	P.V
C02	20.02.26	DETAILS UPDATED	N.R	J.H	P.V
C01	03.02.26	CONSTRUCTION ISSUE	N.R	J.H	P.V
P01	23.05.25	FIRST ISSUE	N.R	J.H	P.V

© This drawing is the property of Kennedy Redford Limited and the information can only be reproduced with their prior permission.

Kennedy Redford MANAGING VISION

CLIENT
GRAHAM

PROJECT NAME
UoM RESIDENCES DBFO

DRAWING TITLE
TANK DETAILS
SHEET 1

DATE	SCALE	SHEET SIZE	REV
23.05.25	AS SHOWN	A0	C03

DRAWING STATUS
FOR CONSTRUCTION

DRAWING NUMBER
UMRF - KRD - XX - XX - DR - C - 00545