

Pall Mall | Level 09 & 10 Partition Locations

Level 09



Level 10



KEY:

- Solid Partition
- Glazed Partition
- Folding Partition
- Uninterrupted Views
- Core/ areas not glazed

SUMMARY:

- Minimal solid partitions proposed


- Majority of views across the floor-plate maintained

- Partitions generally proposed away from glazing against cores & risers

- Partitions proposed to meet the functional requirement of a work-space environment

Level 10, Client Arrival & Meeting, Plan

The plan below illustrates the challenges in locating the AV wall required to support meeting functions. This is due to the extent of perimeter glazing, riser doors, and the folding partition required to provide flexibility when holding larger meetings.




KEY:

1. Glazed door
2. AV wall
3. Folding partition
4. Solid partition
5. Riser doors / curtain

Location not suitable for AV wall due to external glazing, riser doors and folding partition


Only location available for meeting room AV

KEY PLAN:




Pall Mall | L10 Meeting & Seminar Requirements


Due to the floor plate arrangement and the requirement to incorporate two 14-person meeting rooms within the new Sheppard Robson workspace, it is not possible to position both rooms with audiovisual equipment without the need for solid partitions. The diagrams below illustrate the different meeting arrangements to be accommodated



Typical Meeting Layout



Combined Meeting Layout




Seminar Layout

KEY:

- Av wall
- Direction of viewing

Level 10 - Client Meeting Room Visual

The below visual illustrates the requirement for the AV wall to be located at the end of the meeting room / table and due to the external glazing, riser location and folding partition, there is no alternative feasible location. The glazed timber door provides visual connection from the meeting room across the floor plate.



Level 10 - Client Arrival Overview Visual

The below visual illustrates the location of the glazed doors to the meeting room, providing visual connection across the floor plate.
It is not possible to increase the extent of glazing due to the AV screen location to the rear of this partition.

