

1 Two layers 12.5mm SoundBloc Gyproc plasterboard with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
2 Gypframe 'C' studs at specified centres
3 Isover insulation where required
4 Gypframe 'C' stud fixed through board to studs with suitable British Gypsum screws at 600mm centres in two lines staggered by 300mm
5 Additional Gypframe 'C' stud at junction (two for 92mm and 146mm studs in adjacent partition)
6 Short lengths of Gypframe RB1 Resilient Bar between horizontal lengths fixed to studs with suitable British Gypsum wafer head screws
7 Pattressing to areas indciated on wall finsihes plan to be Gypframe service support 18mm with 18mm plwood between metal frame
8 Proposed skirting to match existing





WALL TO GLAZED PARITITION DETAIL 1:2

⚠ DETAIL TAKEN FROM RIBA STAGE 3 APPROVED DRAWINGS SUBMITTED AS PART OF LISTED BUILDING CONSENT - CONTRACTOR TO STRICTLY ADHERE TO THE SAME DETAIL

Wall to Glazed Parition Detail | L03 | 30279810-EVK-MAN-XX-DR-AR-05211-01

Scale
1:2

A1

Scale Bars

1:1000 0 5 10 15 20 30 40 50
1:500 0 1 2 3 4 5 10 15 20 25
1:200 0 1 2 3 4 5 10
1:100 0 1 2 3 4 5
1:50 0 1 2 2.5

Rev	Date	Description	Produced	Approved
L03	08/07/2026	Conditions Discharge Planning Application	SM	SM

Revision Status
STAGE 3 CONDITIONS

Notes:
Responsibility is not accepted for others scaling directly from this drawing. Do not scale from this drawing. Use written dimensions only. Where scaling is unavoidable, check the scale bar and confirm the drawing is printed to scale. Any errors, omissions, or discrepancies must be reported to Evoke Architecture prior to commencement of works. Work to figured dimensions only and verify all dimensions on site. This drawing is produced for use in this project only and for the purpose for which it was issued, as recorded in the title block under 'Project Stage'. It may not be used for any other purpose. Evoke Architecture accepts no liability for use of this drawing beyond its intended purpose. Copyright remains with Evoke Architecture. This drawing must not be copied, reproduced, or used by any third party without the express written permission of Evoke Architecture.

Stage
RIBA STAGE 3

Site Address
SUNLIGHT HOUSE
LITTLE QUAY STREET
MANCHESTER
M3 3HP

Project No. 30279810
Date 08/07/2026
Drawn By SM
Checked By SM
Drawing Name Wall to Glazed Parition Detail
Drawing No. 30279810-EVK-MAN-XX-DR-AR-05211
Revision No. L03
Reference Code 26-001

evoke
Evoke Architecture Limited
16 Bridge Street Row West
Chester | United Kingdom
CH1 1NN | 0151 315 1112
evokearchitecture.com
RIBA