














IES-03 Glazed Parititon Schedule 08.11-15

Element ID	Room Number	Door Type	Manufacturer	Opening Type	W x H Size	Leaf Size	Security Features	Acoustic Rating	Finish	Fire Rating (mins)	Accessories	Manifestation	Door Signage	Elevation	2D Plan Preview	Qty.
Level 08																
D.08.N12	8.13	B	Komfort Polar (To Manufacturer Specification)	Door with 2 Sidelights	5,005×2,290	990×2,253	Access Control - Proximity and PIN Entry / Push Button Exit	R: 48dBR	Matt White PPC Framed Glazed Door within Glazed System	N/A	WB-002 Glazed screen sytem with internal blinds	Gradient Tint. See NBS specification L40 Clause 96.				1
D.08.N12A	8.00		Komfort Polar (To Manufacturer Specification)	Window	4,250×2,290	---		R: 48dBR	Matt White PPC Framed Glazed Door within Glazed System	N/A	WB-002 Glazed screen sytem with internal blinds	Gradient Tint. See NBS specification L40 Clause 96.				1
D.08.N12B	8.13		Komfort Polar (To Manufacturer Specification)	Window	4,980×2,290	---		R: 48dBR	Matt White PPC Framed Glazed Door within Glazed System	N/A	WB-002 Glazed screen sytem with internal blinds	Gradient Tint. See NBS specification L40 Clause 96.				1
D.08.N13	8.04	B	Komfort Polar (To Manufacturer Specification)	Door with Sidelight on Side 2	3,329×2,290	990×2,253	Access Control - Proximity and PIN Entry / Push Button Exit	R: 48dBR	Matt White PPC Framed Glazed Door within Glazed System	N/A	WB-002 Glazed screen sytem with internal blinds	Gradient Tint. See NBS specification L40 Clause 96.				1
D.08.N13A	8.04		Komfort Polar (To Manufacturer Specification)	Window	5,005×2,290	---		R: 48dBR	Matt White PPC Framed Glazed Door within Glazed System	N/A	WB-002 Glazed screen sytem with internal blinds	Gradient Tint. See NBS specification L40 Clause 96.				1
D.08.N14	8.01		Komfort Defence (To Manufacturer Specification)	Double Door with Sidelight	2,340.5×2,290	1,684×2,253	Access Control - Proximity Entry / Push Button Exit	N/A	Matt White PPC Framed Glazed Door within Glazed System	60		Gradient Tint. See NBS specification L40 Clause 96.	Metal: Fire Door Keep Shut			1
D.08.N14A	8.03		Komfort Defence (To Manufacturer Specification)	Double Window	1,900×2,290	---		R: 48dBR	Matt White PPC Framed Glazed Door within Glazed System	60		Gradient Tint. See NBS specification L40 Clause 96.				1
D.08.N14B	8.01		Komfort Defence (To Manufacturer Specification)	Double Window	2,580×2,290	---		N/A	Matt White PPC Framed Glazed Door within Glazed System	60		Gradient Tint. See NBS specification L40 Clause 96.				1
D.08.N15	8.00		Komfort Defence (To Manufacturer Specification)	Door with Sidelight on Side 2	1,562.3×2,290	990×2,253	Hold Open Device.	N/A	Matt White PPC Framed Glazed Door within Glazed System	30		Gradient Tint. See NBS specification L40 Clause 96.	Fire Door Keep Clear			1

Scale A1

Scale Bars



Rev	Date	Description	Produced	Approved
L03	09/07/2026	Conditions Discharge Planning Application	SM	SM

Revision Status
STAGE 3 CONDITIONS

Notes:
Responsibility is not accepted for others scaling directly from this drawing. Do not scale from this drawing. Use written dimensions only. Where scaling is unavoidable, check the scale bar and confirm the drawing is printed to scale. Any errors, omissions, or discrepancies must be reported to Evoke Architecture prior to commencement of works. Work to figured dimensions only and verify all dimensions on site. This drawing is produced for use in this project only and for the purpose for which it was issued, as recorded in the title block under 'Project Stage'. It may not be used for any other purpose. Evoke Architecture accepts no liability for use of this drawing beyond its intended purpose. Copyright remains with Evoke Architecture. This drawing must not be copied, reproduced, or used by any third party without the express written permission of Evoke Architecture.

Stage
RIBA STAGE 3

Site Address
SUNLIGHT HOUSE
LITTLE QUAY STREET
MANCHESTER
M3 3HP

Project No. 30279810
Date 09/07/2026
Drawn By SM
Checked By SM
Drawing Name Interior Glazing Schedule Sheet 4 of 4
Drawing No. 30279810-EVK-MAN-08-SH-AR-06022
Revision No. L03
Reference Code 26-001

Evoke Architecture Limited
16 Bridge Street Row West
Chester | United Kingdom
CH1 1NN | 0151 315 1112
evokearchitecture.com