

MANHOLE	SW05
MANHOLE TYPE	MANHOLE TYPE 2
MANHOLE DIAMETER	3000
COVER LEVEL	45.915
INVERT LEVEL	42.023
DEPTH TO SOFFIT	2.392
DEPTH TO CUT-OUT RECESS	3.742
COVER SIZE	600X600
COVER DEPTH	150MM
COVER SPEC	D400
LADDER OR DOUBLE STEPS?	DOUBLE STEP
SAFETY CHAIN	YES
SAFETY RAILS	YES
INVERT ACCESS STEPS	YES
HOLE SIZE IN COVER SLAB	750X600 E.O.




MANHOLE SW05
1:20 @ A1
1:40 @ A3




MANHOLE SW06
1:20 @ A1
1:40 @ A3

MANHOLE	SW06
MANHOLE TYPE	MANHOLE TYPE 2
MANHOLE DIAMETER	3000
COVER LEVEL	45.939
INVERT LEVEL	41.981
DEPTH TO SOFFIT	2.458
DEPTH TO CUT-OUT RECESS	3.808
COVER SIZE	600X600
COVER DEPTH	150MM
COVER SPEC	D400
LADDER OR DOUBLE STEPS?	DOUBLE STEP
SAFETY CHAIN	YES
SAFETY RAILS	YES
INVERT ACCESS STEPS	YES
HOLE SIZE IN COVER SLAB	750X600 E.O.



MANHOLE SW07
1:20 @ A1
1:40 @ A3

MANHOLE	SW07
MANHOLE TYPE	MANHOLE TYPE 2
MANHOLE DIAMETER	3600
COVER LEVEL	45.995
INVERT LEVEL	41.921
DEPTH TO SOFFIT	2.574
DEPTH TO CUT-OUT RECESS	3.924
COVER SIZE	600X600
COVER DEPTH	150MM
COVER SPEC	D400
LADDER OR DOUBLE STEPS?	DOUBLE STEP
SAFETY CHAIN	YES
SAFETY RAILS	YES
INVERT ACCESS STEPS	YES
HOLE SIZE IN COVER SLAB	750X600 E.O.



MANHOLE SW08
1:20 @ A1
1:40 @ A3

MANHOLE	SW08
MANHOLE TYPE	MANHOLE TYPE 2
MANHOLE DIAMETER	3000
COVER LEVEL	45.845
INVERT LEVEL	41.866
DEPTH TO SOFFIT	2.479
DEPTH TO CUT-OUT RECESS	3.829
COVER SIZE	600X600
COVER DEPTH	150MM
COVER SPEC	D400
LADDER OR DOUBLE STEPS?	DOUBLE STEP
SAFETY CHAIN	YES
SAFETY RAILS	YES
INVERT ACCESS STEPS	YES
HOLE SIZE IN COVER SLAB	750X600 E.O.

ALL LEVELS PROVIDED ARE TO CENTRE OF MANHOLE RING

ALL PIPE CONNECTIONS TO BE SOFFIT TO SOFFIT

ROCKER PIPES TO BE INSTALLED IN ACCORDANCE WITH UU STANDARD DETAIL STND/19/010

FOR TECHNICAL REVIEW

REV	COMMENTS	DATE	BY
-	INITIAL ISSUE	16/04/26	CR

BMC

BELL MUNRO CONSULTING LTD

CONSULTING CIVIL & STRUCTURAL ENGINEERS
TURING HOUSE
5 ARCHWAY
MANCHESTER
M15 5RL
TEL: 0161 2098032
FAX: 0161 2098033
EMAIL: CONSULTING@BELLMUNRO.CO.UK
WWW.BELLMUNRO.CO.UK

CLIENT: VIEWS

PROJECT: BURNAGE CRICKET CLUB

TITLE: BESPOKE MANHOLE DETAILS (3/5)

DRAWN BY:	CHECKED BY:	SCALE:	DATE:
CR	AM	1:20	04/26

DRAWING NUMBER: J8929/SI04-DI0

REVISION: -