# Project Schedule of Materials

| PROJECT No: | 1226 | PROJECT NAME: | Jurby Avenue, Blackley |
|---|---|---|---|

| Planning App Ref: | 139261/FO/2024 | Author | NS |
|---|---|---|---|
| Condition No: | 4 | Version | 3.0 |

| Material Reference | Material | Image |
|---|---|---|
| Z1.MAT.01 | Standing Seam Colour Coated Aluminium Cladding<br>Manufacturer: Prefa<br>Style: Standing Seam Façade Prefalz<br>Colour: Bronze<br>Colour Code: 45<br>Nearest RAL: 7048 |  |
| Z1.MAT.02 | Projecting Facing Brickwork<br>Manufacturer: Marshalls<br>Style: Wilton White<br>Bond: Stretcher<br>Mortar: Light Grey Mortar with Bucket Handle Joints |  |
| Z1.MAT.03 | Recessed Facing Brickwork<br>Manufacturer: Marshalls<br>Style: Glencoe Vintage<br>Bond: Stretcher<br>Mortar: Light Grey Mortar with Bucket Handle Joints |  |

| | | |
|---|---|---|
| Z1.MAT.04 | Recessed Facing Brickwork<br>Manufacturer: Marshalls<br>Style: Wilton White<br>Bond: Soldier<br>Mortar: Light Grey Mortar with Bucket Handle Joints |  |
| Z1.MAT.05 | Ground Floor uPVC Framed Glazed Windows<br>Manufacturer: TBC<br>Colour: RAL 7048 (Best Match Cladding Z1.MAT.01)<br>Glazing: Toughened where applicable in accordance with Approved Document Part K, Q and PAS24:2022.<br>Manifestation: To be provided in accordance with Approved Document Part K. Appearance to be confirmed by client.<br>Security Rating: PAS24: 2022 and AD Part Q |  |
| Z1.MAT.06 | First Floor uPVC Framed Glazed Windows<br>Manufacturer: TBC<br>Colour: RAL 7048 (Best Match Cladding Z1.MAT.01)<br>Glazing: Toughened where applicable in accordance with Approved Document Part K, Q and PAS24:2022.<br>Manifestation: To be provided in accordance with Approved Document Part K. Appearance to be confirmed by client.<br>Security Rating: PAS24: 2022 and AD Part Q in easily accessible locations. |  |
| Z1.MAT.07 | Polyester Power Coated Thermally Broken Aluminium Framed Glazed Curtain Walling and integral doorset.<br>Manufacturer: TBC<br>Colour: RAL 7048 (Best Match Cladding Z1.MAT.01)<br>Glazing: Toughened where applicable in accordance with Approved Document Part K, Q and PAS24:2022.<br>Manifestation: To be provided in accordance with Approved Document Part K. Appearance to be confirmed by client.<br>Security Rating: PAS24: 2022 and AD Part Q |  |
| Z1.MAT.08 | Polyester Powder Coated Galvanised Steel Lourved Doors<br>Manufacturer: TBC<br>Colour: RAL 7048 (Best Match Cladding Z1.MAT.01)<br>Ventilation: Louvres to incorporate integral insect mesh. Manufacturer to provided ventilation rates for approval by the MEP Designer.<br>Security Rating: min. PAS24:2022 or LPS 1175 SR2 |  |
| Z1.MAT.09 | Polyester Powder Coated Aluminium Coping<br>Manufacturer: TBC<br>Colour: RAL 7048 (Best Match Cladding Z1.MAT.01) |  |

| | | |
|---|---|---|
| Z1.MAT.10 | Aluminium Roof Access Hatch and Roof Mounted AOVs<br>Manufacturer: TBC<br>Colour: Mill Finish<br>Comment: AOV to achieve min. $1m^2$ free area of ventilation. Where used as an access hatch, AOV to incorporate integral guard railings |  |
| Z1.MAT.11 | Single Ply Roof Waterproof Membrane<br>Manufacturer: TBC<br>Colour: Dark Grey<br>Comment: Roof system to achieve $B_{ROOF}(t4)$ | |
| Z1.MAT.12 | Polyester Powder Coated Aluminium Hooper and Downpipe<br>Manufacturer: TBC<br>Colour: RAL 7048 (Best Match Cladding Z1.MAT.01) |  |
| Z1.MAT.13 | Polyester Power Coated Thermally Broken Aluminium Framed Glazed Doorset.<br>Manufacturer: TBC<br>Colour: RAL 7048 (Best Match Cladding Z1.MAT.01)<br>Glazing: Toughened in accordance with Approved Document Part K, Q and PAS24:2022.<br>Manifestation: To be provided in accordance with Approved Document Part K. Appearance to be confirmed by client.<br>Security Rating: PAS24: 2022 and AD Part Q |  |
| Z1.MAT.14 | U-PVC Frame Double Door & Fixed Glazed Side Windows<br>Manufacturer: TBC<br>Colour: RAL 7048 (Best Match Cladding Z1.MAT.01)<br>Glazing: Toughened in accordance with Approved Document Part K, Q and PAS24:2022.<br>Manifestation: To be provided in accordance with Approved Document Part K. Appearance to be confirmed by client.<br>Security Rating: PAS24: 2022 and AD Part Q |  |