

## 137226 & 137227 Wind review of Deansgate Square

Poole, Rachel J [REDACTED]

Tue 13/08/2024 17:21

To: Lucy Harrison [REDACTED]

Cc:

[REDACTED] Dave Roscoe [REDACTED]

[REDACTED] Britton, Ed [REDACTED]

[REDACTED] Cooper, John

[REDACTED] Jennifer Atkinson

**ALERT** This message originated outside of the Manchester City Council network. **BE CAUTIOUS** before clicking any links or opening any attachments. Please remember your Cyber Training and report anything suspicious.

Hi Lucy

As requested, WSP has reviewed the impact of the proposals on the Deansgate Square roof terrace. WSP has quantitatively assessed: i) the ground level wind conditions for the 'Baseline'; ii) the ground level wind conditions with the Proposed Development in place; and iii) the wind conditions across the elevated levels at the top of the podium of 'Crown Street Phase 3' (which is adjacent to the roof terrace at Deansgate Square). WSP have also sourced the original 'wind microclimate' study performed in support of the Planning Application of "Deansgate Square", which quantitatively assessed the wind conditions across its roof terrace: this study concluded that, during the summer months, the wind conditions across the roof terrace at Deansgate Square were suitable - at best - for 'standing' / 'short periods of sitting'.

The Proposed Development is likely to 'shield' the roof terrace at Deansgate Square as well as to increase the level of gustiness across this space, particularly under the prevailing southerly and westerly wind directions: these two effects are expected to compensate each other.

Taking the above into consideration, we expect the wind conditions across the roof terrace at Deansgate Square to remain similar to the ones predicted at the time of the Planning Application of Deansgate Square.

I trust this is helpful.

Many thanks

Rachel

**Rachel Poole**

Pronouns: she / her / hers

Assistant Director | Deloitte LLP

*Please note Thursday is my non-work day*

### IMPORTANT NOTICE

This communication is from Deloitte LLP, a limited liability partnership registered in England and Wales with registered number OC303675. Its registered office is 1 New Street Square, London EC4A 3HQ, United Kingdom. Deloitte LLP is the United Kingdom affiliate of Deloitte NSE LLP, a member firm of Deloitte Touche Tohmatsu Limited, a UK private company limited by guarantee ("DTTL"). DTTL and each of its member firms are legally separate and independent entities. DTTL and Deloitte NSE LLP do not provide services to clients. Please see [www.deloitte.co.uk/about](http://www.deloitte.co.uk/about) to learn more about our global network of member firms. For details of our professional regulation please see [Regulators](#). A list of members of Deloitte LLP is available at [Companies House](#).

This communication contains information which is confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not the intended recipient(s), please notify [datasecurityreport@deloitte.co.uk](mailto:datasecurityreport@deloitte.co.uk) and destroy this message immediately. Email communications cannot be guaranteed to be secure or free from error or viruses. All emails sent to or from a @deloitte.co.uk email account are securely archived and stored by an external supplier within the European Union.

You can understand more about how we collect and use (process) your personal information in our [Privacy Notice](#).

Deloitte LLP does not accept any liability for use of or reliance on the contents of this email by any person save by the intended recipient(s) to the extent agreed in a Deloitte LLP engagement contract.

Opinions, conclusions and other information in this email which have not been delivered by way of the business of Deloitte LLP are neither given nor endorsed by it.