OUR TOWN HALL
N10 NBS SPECIFICATION
GENERAL FIXTURES/ FURNISHINGS/ EQUIPMENT

Document reference: OTH-PUR-TH-ZZ-SPE-A-5920

Date: 20/08/2025
Status: For Construction
Issue:19

CLAUSE SUFFIX LETTERS

This Purcell Specification is based upon the National Building Specification (NBS). The Contractor's attention is drawn to the suffix letters **A**, **B** and ***** that occur after some of the clause numbers in the work sections.

These suffix letters are used as follows:

- ***** is used for a new clause, not found in the NBS
- **A** is used for an NBS clause which has been altered in the Purcell Standard Specification.
- B is used for a new clause in this particular Job Specification or against an existing clause from the Purcell Standard Specification amended for this project.

No liability is accepted for the incorrect application of this convention in this Specification.

Rev	By	Description	Date	Authorised
-	**NM**	FOR TENDER	15/11/19	DH
01	**VT**	FOR TENDER List of Changes: - Addition of clause N10 300A – Entrance Matting	14/02/2020	NM
02	**VT**	FOR TENDER List of Changes: - Revised **125A** Wall/Door Protection Sheet – Type D - **235A** Curtains to RES-01 Areas - **236A** Curtains to UPR-01 Areas - **240A** Blinds Translucent - **241A** Blinds Blackout - **355** Miscellaneous Fittings Picture Rail - **356** Bespoke Acoustic Wall Panels to VHS Rooms	27/03/2020	NM
03	**NM**	FOR TENDER List of Changes: - **235A** Curtains to RES-01 Areas - **236A** Curtains to UPR-01 Areas	**22/05/2020**	**NM**
04	**MJBS**	FOR TENDER List of Changes: - **235A** Replica Curtains (minor amendment to name of RSN Embroidery Studio)	**06/12/2021**	**MJBS**
05	**AH**	Issued for Construction	**07/04/2022**	**AB**
06	**AH**	FOR CONSTRUCTION List of Changes: - **240A Translucent Blinds - amended colour and mechanism** - 241A Blackout Blinds - **amended colour and mechanism**	**10/06/2022**	**NH**
07	**AH**	UPDATED TO COMMENTS List of Changes: - 236**A added**	**12/08/2022**	**AB**

08	**AH**	Clause 237 and 238 amended, clause 242 added	**21/11/2022**	**AB**
09	**AH**	Clause 236A amended Minor amendments to following clauses: 23/02/2023 AB 235A 236A 236B 237 238 240A 355	**19/07/2023**	**AB**
10	**AH**	Clause 236A added	**26/07/2023**	**AH**
11	**AH**	Clause 930A added	**14/08/2023**	**AH**
12	**MJBS**	Clause 243A added for black obscure film	**14/05/2024**	**AD**
13	**AH**	RSN Curtain Clause amended	**05/07/2024**	**AD**
14	**AH**	Clause 356A,B,C,D added	**18/10/2024**	**AD**
15	**AH**	Clause 930A amended to include anti static floor finish.	**07/03/2025**	**AD**
16	**AH**	Clause 242A (Anti shatter window film) added	**23/04/2025**	**AD**
17	**AH**	Missing clauses reinstated from Revision 13: Reinstatement of Reference to curtain drop in clauses 235A and 236A from revision 13 Reinstatement of clause and References to off-the-shelf curtain pole – 239B from revision 13 Reinstatement of clause and References to theatre curtain mechanisms – 239A from revision 13 Reinstatement of Subcontractor to take dimensions from revision 13	**29/05/2025**	**AD**

		Reinstatement of acoustic panel detail drawings references in spec, from revision 13. Please note that this information has been coordinated in drawings and is not a change, these items have already been coordinated (see revision 13 of OTH-PUR-TH-ZZ-SPE-A-5920) however have been missed off subsequent revisions. This revision (Revision 17) is merely reinstating the information. New information includes: Additional information included in clause 235A following RSN visit:235A.11: Reference to report OTH-PUR-TH-01-RPT-A-0260 Inclusion of blackout lining on curtains to coordinate with Waverley tender information. Lining specification updated.		
18	**AH**	Updated to Bovis comments following rejection of previous revision. MER rom grommets added (Clause 930B) to close out Arup1-EWN-000352	**12/06/2025**	**AD**
19	**AH**	Clause 239A updated due to product discontinuation	**20/08/2025**	**RS**

N10
General fixtures/ furnishings/ equipment

Products

125A WALL/ DOOR PROTECTION SHEET - TYPE D

1. 1200mm high wall protection to catering spaces
2. Manufacturer: Gradus Wall Protection, Park Green, Macclesfield, Cheshire, SK11 7LZ.
   2.1. Tel: 01625 428922 Fax: 01625 433939
   2.2. Website: www.gradusworld.com Email: sales@gradusworld.com
3. Reference: Aluminium Chequer Plate
   Material: Aluminium
   Thickness: 2mm
   Dimensions: 2500mm x 1250mm
   Additional options: Custom cutting, drilling and fabrications
   Fixing: Mechanical (stainless steel screw) fix – as per manufacturer's instructions
   Product reference: CPA2
   Refer to OTH-PUR-TH-ZZ-DWG-A-5102 for location.

235A CURTAINS

Description: new replica bespoke cloth and silk curtains to banqueting room

Supplier: Royal College of Needlework Commercial Studio

Royal School of Needlework

Apartment 12a

Hampton Court Palace

Surrey KT8 9AU

United Kingdom

+44 (0)20 3166 6932

enquiries@royal-needlework.org.uk

1. Requirements: New curtains to be reproductions of the original 1870s curtains within the Banqueting Room. Supplier to provide design drawings for approval and submit proposals for method, materials, and techniques for approval prior to fabrication. Colour and material samples and approach to be agreed prior to fabrication. RSN to send material samples to Purcell for initial approval. Purcell to inspect all fabric and thread samples together and against original curtains at RSN studio prior to fabrication.
2. Original curtains are in the possession of the RSN, for inspection for purposes of research and pattern making to be agreed with the architect and client prior to fabrication.
3. Original Banqueting curtains description:
4. The main body of each curtain is deep red cotton twill, plain woven with close nap raised on each side. The embroidered decoration consists of narrow side borders which run the full length of each curtain and a deep lower border panel. The top edge of each curtain is pleated onto Hessian tape, to which are sewn brass hooks. The lower border features applied brown cotton velvet over plain woven linen as the main ground.
5. The main lower border panel depicts sunflowers, bull rushes and buds and on the smaller sized curtains is approximately 1430 mm deep. All applied parts of the embroidery are worked through stabilising layers and fixed in position by laid and couched wool thread. The full panel of velvet is lined with plain woven linen. Through this velvet and linen are secured the sunflowers, comprising leaves and petals over fine plain weave cotton. The sunflower centers are of brown velvet embroidered to represent the seeds, whilst the leaves are placed over at least two layers of linen. The pomegranates, foliage, bulrushes and buds are worked over plain fine weave cotton. All applied motifs are secured with wool self-couching. Some decorative stitching on the sunflowers and buds is most probably silk.
    5.1. Fire Rating: BS5867 Part 2
6. Dimensions: Refer to Curtains and blinds schedule OTH-PUR-TH-ZZ-SCH-A-5237. Dimensions shown are the total dimension (h x w) of each individual original curtain. From current evidence it is unclear which original curtains formed a pair and their original hanging location, the sizes also vary between curtains due to historic wear and stretching etc. Exact size and location of new replicas to be determined through research and opening size dimensions.
    6.1. Material: [To match existing]. See NBS N10 235A.1 for details of sampling process.
    6.2. Finish/ Colour: To match existing. Samples to be developed by RSN for approval. See NBS N10 235A.1 for details of sampling process.
7. Integral accessories: Hook and eye fixings to match existing with heading tape to match style of existing.
8. Curtains are to be hung by Waverley and supervised by RSN. Refer to N10 NBS 239A
9. Allowance for dropping over time to be calculated to manufacturers recommendation. Curtains on initial install will be slightly shorter than required, with an allowance to drop to their regular position over the course of 1-2 years.
10. Blackout lining to be Bancroft furnishings blackout lining in Colour – Ivory.
11. Finish/ Colour: Refer to OTH-PUR-TH-01-RPT-A-0260 for fabric and thread selection

236A CURTAINS - OTHER STATE ROOMS

1. Description: Curtains to Tower room, Ante room, Parlour, Conference Hall, Reception room and Banqueting room.

   Manufacturer: British Velvets Ltd

   Standard: To BS 5867-1 and -2.

   Type: Colorado range

   Fire Rating: BS5867 Part 2

2. Dimensions: [as Schedule OTH-PUR-ZZ-ZZ-SCH-A-5237]. Dimensions in schedule show approx window dimension to be covered. Supplier to also allow for 150% fullness to dimensions.
3. Material: Velvet. Blackout lining to be Bancroft furnishings blackout lining in Colour – Ivory.

   Finish/ Colour: Refer to OTH-PUR-TH-ZZ-RPT-A-0116 for colours.

   Refer to OTH-PUR-TH-LG-DWG-A-5203-5232 for locations of curtains
4. Integral accessories: Theatre style curtain tracks to match existing. Refer to clause 239A
5. Allowance for dropping over time to be calculated to manufacturers recommendation. Curtains on initial install will be slightly shorter than required, with an allowance to drop to their regular position over the course of 1-2 years.

236B CURTAINS

1. Description: To unique purpose rooms and other areas of curtains.

   Manufacturer: Waverley

   Rowan House

   Guildford Road Trading Estate

   Farnham

   GU9 9PZ

   Product reference: Waverley Tundra

   Standard: To BS 5867-1 and -2.

   Type: [Curtain].

   Fire Rating: BS5867 Part 2

   Dimensions: [as schedule OTH-PUR-ZZ-ZZ-SCH-A-5237]. Dimensions in schedule show approx window dimension to be covered. Supplier to also allow for 150% fullness to dimensions.

   Material: 100% Inherent FR Polyester - Blackout lining to be Bancroft furnishings blackout lining in Colour – Ivory. Finish/ Colour: Refer to OTH-PUR-TH-ZZ-RPT-A-0116 for colours

   Refer to OTH-PUR-TH-LG-DWG-A-5203-5232 for locations of curtains

   Integral accessories: Waverly curtain pole. Refer to N10 239A

   Allowance for dropping over time to be calculated to manufacturers recommendation. Curtains on initial install will be slightly shorter than required, with an allowance to drop to their regular position over the course of 1-2 years.

237 CURTAINS -

1. Description: To Lord Mayor's rooms

   Manufacturer: Waverley

   Rowan House

   Guildford Road Trading Estate

Farnham

GU9 9PZ

Product reference: ILIV Hampton velvet

Standard: To BS 5867-1 and -2.

Type: [Curtain].

Fire Rating: BS5867 Part 2

Dimensions: [as schedule OTH-PUR-ZZ-ZZ-SCH-A-5237]. Dimensions in schedule show approx window dimension to be covered. Supplier to also allow for 150% fullness to dimensions.

Material: 100% Inherent FR Polyester - Blackout lining to be Bancroft furnishings blackout lining in Colour – Ivory.

Finish/ Colour: Refer to OTH-PUR-TH-ZZ-RPT-A-0116 for colours

Refer to OTH-PUR-TH-LG-DWG-A-5203-5232 for locations of curtains

2. Integral accessories: Waverly curtain pole. Refer to N10 239B
3. Allowance for dropping over time to be calculated to manufacturers recommendation. Curtains on initial install will be slightly shorter than required, with an allowance to drop to their regular position over the course of 1-2 years.

238 CURTAINS - (D)

1. Description: To Lord Mayor's rooms

   Manufacturer: Waverley

   Rowan House

   Guildford Road Trading Estate

   Farnham

   GU9 9PZ

   Product reference: Edmund Bell regency velvet

1. Standard: To BS 5867-1 and -2.
2. Type: [Curtain].
3. Fire Rating: BS5867 Part 2
4. Dimensions: [as schedule OTH-PUR-ZZ-ZZ-SCH-A-5237]. Dimensions in schedule show approx window dimension to be covered. Supplier to also allow for 150% fullness to dimensions.
5. Material: 100% Inherent FR Polyester - Blackout lining to be Bancroft furnishings blackout lining in Colour – Ivory.
6. Finish/ Colour: Refer to OTH-PUR-TH-ZZ-RPT-A-0116 for colours
7. Refer to OTH-PUR-TH-LG-DWG-A-5203-5232 for locations of curtains
8. Integral accessories: Waverly curtain pole. Refer to N10 239B
9. Allowance for dropping over time to be calculated to manufacturers recommendation. Curtains on initial install will be slightly shorter than required, with an allowance to drop to their regular position over the course of 1-2 years.

239A CURTAIN MECHANISMS NEW – TO STATE ROOM WINDOWS (CUR 02)

Triple E – Erail

Curtains to pull from both sides

To include heavy duty cotton style plaited pulley as existing

To include straight as well as curved sections in Bay windows at approximately 135 degrees (sub contractor to produce own measurements)

Manufacturer to take measurements prior to manufacture.

Pulleys to hang on right hand side of window (looking from interior of room) and slot into existing pulley fixing where pulley is present. Where metal clip is not present, the pulley is to hang loose.

Black or dark finish to be approved by architect prior to installation

Track to be fixed to the under side of reveal. Carefully remove any existing timber pattresses.

Opening sizes present on schedule. Sub contractor to produce own dimensions and allow for tolerance etc.

Refer to curtains and blinds schedule for curtains

Counters on track to be forward facing to accommodate hook fixings on bespoke curtains

To be top fixed using Fischer FIS V Resin mortar + RG 10×75 (M6) fixings

239B CURTAIN POLE NEW (CUR)

Waverley Silent Gliss pulley mechanism.

Matt black main body, antique brass finial as per sample.

Pole to project 150mm past window opening to allow curtains to sit at either side of window

Opening sizes from model in schedule, Sub contractor to produce own dimensions prior to order.

Based upon original design on OTH-PUR-TH-ZZ-DWG-A-5641

240A BLINDS

1. Description: Translucent
   Standard: To BS EN 13120.
   Manufacturer: Waverley
   Rowan House
   Guildford Road Trading Estate
   Farnham
   GU9 9PZ
2. Product reference: Waverley mechanism with AlphaShade 20 fabric
3. Type: Roller blinds
4. Fire Rating: BS5867 Part 2
5. Dimensions: As per Architects drawings
6. Material: 100% polyester with white reflective backing

a. Finish/ Colour: Cream

b. Refer to OTH-PUR-TH-LG-DWG-A-5205-5232 FF&E Plans for locations and OTH-PUR-TH-ZZ-SCH-A-5237 for quantities

241A BLINDS

1. Description: Blackout
2. Standard: To BS EN 13120.
   Manufacturer: Waverley

Rowan House

Guildford Road Trading Estate

Farnham

GU9 9PZ

3. Product reference: Waverley mechanism with Thetablock 60 material
4. Type: Roller blinds
5. Fire Rating: BS5867 Part 2
6. Dimensions: As per Architects drawings
7. Material: 100% polyester with white reflective backing
8. Finish/ Colour: Cream
9. Refer to OTH-PUR-TH-LG-DWG-A-5205-5232 FF&E Plans for locations and OTH-PUR-TH-ZZ-SCH-A-5237 for quantities

242 PLASTICS WINDOW FILMS (C)

1. Manufacturer: Glass Films Europe
2. Contact details

   Address: The Lockey Suite
   Nostell Estate Yard
   Wakefield
   West Yorkshire
   United Kingdom
   WF4 1AB

   Telephone: +44 (0)800 970 6366

   Web: www.glassfilms.eu

   Email: sales@glassfilms.eu
3. Product reference: Solyx decorative films
4. Dimensions: Refer to OTH-PUR-TH-ZZ-SCH-A-5237 for quantities and window sizes
5. Design: SX-1000 Fine Cast Sandblast
6. Colour: Frosted
7. Material: 100% polyester with white reflective backing

   Refer to OTH-PUR-TH-LG-DWG-A-5205-5232 FF&E Plans for locations and OTH-PUR-TH-ZZ-SCH-A-5237 for quantities

242A ANTI SHATTER WINDOW FILM

8. Manufacturer: Tintfit window films
9. Contact details

   26 Harvey Close
   Crowther Industrial Estate
   Washington
   Tyne & Wear
   NE38 0AB
   United Kingdom

   Telephone: 0191 419 4558

   Web: https://www.tintfit.com/

   Email: info@tintfit.com

10. Product reference: Clear 100 Micron Safety Window Film
11. Dimensions: Refer to OTH-PUR-TH-ZZ-SCH-A-5237 for quantities and window sizes
12. Colour: Clear

    Refer to OTH-PUR-TH-LG-DWG-A-5205-5232 FF&E Plans for locations and OTH-PUR-TH-ZZ-SCH-A-5237 for quantities

Must comply with BS EN 12600 Class 2B2. Film to be applied to the internal face of glazing and ensure full edge-to-edge coverage.

243A PLASTICS WINDOW FILMS (C)

1. Manufacturer: Glass Films Europe

   Contact details

   Address: The Lockey Suite Nostell Estate Yard Wakefield

   West Yorkshire

   United Kingdom

   WF4 1AB

   Telephone: +44 (0)800 970 6366

   Web: www.glassfilms.eu

   Email: sales@glassfilms.eu
2. Product reference: Solyx decorative films
3. Dimensions: Refer to OTH-PUR-TH-ZZ-SCH-A-5237 for quantities and window sizes
4. Design: SXP-006UV Midnight Black
5. Colour: Midnight Black
6. Material: 100% polyester
7. Refer to OTH-PUR-TH-LG-DWG-A-5205-5232 FF&E Plans for locations and OTH-PUR-TH-ZZ- SCH-A-5237 for quantities.

300A ENTRANCE MATTING

1. To albert square, lloyd street and cooper street entrances
2. Manufacturer: Forbo Flooring Systems UK Ltd.

   Web: www.forbo-flooring.co.uk.

   Email: info.flooring.uk@forbo.com.

   Product reference: Tuftiguard Classic HD
3. Construction: Closed

   Thickness: 17 mm

   Size: Refer to OTH-PUR-TH-ZZ-DWG-A-8146
4. Wiper:
   - 4.1. Configuration: Double wiper
   - 4.2. Colour: Refer to OTH-PUR-TH-ZZ-RPT-A-0116 Room Types Decorations and Colour document
5. Scraper bars: AH, non-reflective heavy duty aluminium
6. Mat well frame: AMF 216
   - 6.1. Installation: Forbo Flooring recommends that Nuway Entrance systems are installed by a member of the FESSI (Forbo Entrance Systems Specialist Installer) network, details of which can found at the following link www.forbo-flooring.co.uk/FESSI

355 MISCELLANEOUS FITTINGS

1. Picture rail

   Item: New antique brass picture rails - Please refer to OTH-PUR-TH-ZZ-SCH-A-5818 for Acoustic panel schedule and OTH-PUR-TH-ZZ-DWG-A-5240-5254 for locations

   Manufacturer: Collier Webb Foundry or similar approved

   Product reference: Bespoke - Please refer to OTH-PUR-TH-ZZ-DWG-A-5639 for details

   Size/ Capacity: Installed to perimeter of room if new or to head of restored acoustic panels if in VHS rooms

2. Material: Brass
3. Finish: Antique
4. Fixing: Hook fixing at 600mm centres
5. Other requirements: New antique brass and steel picture rail installed to perimeter of room, with hook
6. fixings at 600mm centres. Refer to drawings for locations.

   Workshop drawings to be submitted by fabricator and approved by architect prior to fabrication for all purpose made fixtures.

356A BESPOKE ACOUSTIC WALL PANELS – VHS ROOMS

1. To room 01-003 – Lord Mayors parlour.
2. Item: Fabric to custom size acoustic panel (see OTH-PUR-TH-ZZ-SPE-A-5200 clause 6.02.05 for product but NOT SIZE. Refer to appendix of OTH-PUR-TH-ZZ-SCH-A-5818 for individual sizes)
3. Manufacturer: Renaissance textiles
   - 3.1. New textile acoustic wall panels on softwood timber frame to replace existing. Pre selected Bespoke pattern based on historic findings by Renaissance textiles.
   - 3.2. Refer to Acoustic panels schedule for approximate sizes and quantities. Sub contractor to take own measurements. Fabric to be centralized to wooden frame. Samples to be provided prior to purchase. Sample assumed to be representative of quality and colour. Panels to be fixed back to wall by magnets. See drawing OTH-PUR-TH-01-DWG-A-8614 and OTH-PUR-TH-01-DWG-A-8615
   - 3.3. Workshop drawings to be submitted by fabricator and approved by architect prior to fabrication.
   - 3.4. Colour and pattern: Heraldic Beasts with fully handed and repeated design in Red and gold as per sample. Refer to OTH-PUR-TH-ZZ-RPT-A-0116 for image.

356B BESPOKE ACOUSTIC WALL PANELS – VHS ROOMS

1. To room 01-004 – Tower room
2. Item: Item: Fabric to custom size acoustic panel (see OTH-PUR-TH-ZZ-SPE-A-5200 clause 6.02.05 for product but NOT SIZE. Refer to appendix of OTH-PUR-TH-ZZ-SCH-A-5818 for individual sizes)
3. Manufacturer: Renaissance textiles
   - 3.1. New textile acoustic wall panels on softwood timber frame to replace existing. Pre selected Bespoke pattern based on historic findings by Renaissance textiles.
   - 3.2. Refer to Acoustic panels schedule for approximate sizes and quantities. Sub contractor to take own measurements. Fabric to be centralized to wooden frame. Samples to be provided prior to purchase. Sample assumed to be representative of quality and colour. See drawing OTH-PUR-TH-01-DWG-A-8614 and OTH-PUR-TH-01-DWG-A-8615
   - 3.3. Workshop drawings to be submitted by fabricator and approved by architect prior to fabrication.
   - 3.4. Colour and pattern: Foliate design in Red and Gold. Refer to OTH-PUR-TH-ZZ-RPT-A-0116 for image (Tower room fabric option 2)

356C BESPOKE ACOUSTIC WALL PANELS – VHS ROOMS

1. To room 01-005 – Reception
2. Item: Fabric to custom size acoustic panel (see OTH-PUR-TH-ZZ-SPE-A-5200 clause 6.02.05 for product but NOT SIZE. Refer to appendix of OTH-PUR-TH-ZZ-SCH-A-5818 for individual sizes)
3. Manufacturer: Renaissance textiles
    3.1. New textile acoustic wall panels on softwood timber frame to replace existing. Pre selected Bespoke pattern based on historic findings by Renaissance textiles.
    3.2. Refer to Acoustic panels schedule for approximate sizes and quantities. Sub contractor to take own measurements. Fabric to be centralized to wooden frame. Samples to be provided prior to purchase. Sample assumed to be representative of quality and colour. See drawing OTH-PUR-TH-01-DWG-A-8614 and OTH-PUR-TH-01-DWG-A-8615
    3.3. Workshop drawings to be submitted by fabricator and approved by architect prior to fabrication.
    3.4. Colour and pattern: Christopher Damask in Dark maroon and white Refer to OTH-PUR-TH-ZZ-RPT-A-0116 for image.

356D BESPOKE ACOUSTIC WALL PANELS – VHS ROOMS

1. To room 01-006 – Banqueting room
2. Item: Fabric to custom size acoustic panel (see OTH-PUR-TH-ZZ-SPE-A-5200 clause 6.02.05 for product but NOT SIZE. Refer to appendix of OTH-PUR-TH-ZZ-SCH-A-5818 for individual sizes)
3. Manufacturer: Renaissance textiles
    3.1. New textile acoustic wall panels on softwood timber frame to replace existing. Pre selected Bespoke pattern based on historic findings by Renaissance textiles.
    3.2. Refer to Acoustic panels schedule for approximate sizes and quantities. Sub contractor to take own measurements. Fabric to be centralized to wooden frame. Samples to be provided prior to purchase. Sample assumed to be representative of quality and colour. See drawing OTH-PUR-TH-01-DWG-A-8614 and OTH-PUR-TH-01-DWG-A-8615
    3.3. Workshop drawings to be submitted by fabricator and approved by architect prior to fabrication.
    3.4. Colour and pattern: Heraldic Beasts with fully handed and repeated design in Dark Red and cream. Refer to OTH-PUR-TH-ZZ-RPT-A-0116 for image.

Execution

770 TRIMS

1. Lengths: Wherever possible, unjointed between angles or ends of runs.
2. Running joints: Where unavoidable, obtain approval of location and method of jointing.
3. Angle joints: Mitred.

Completion

910 GENERAL

1. Doors and drawers: Accurately aligned, not binding. Adjusted to ensure smooth operation.
2. Ironmongery: Checked, adjusted and lubricated to ensure correct functioning.

920 APPLIANCES

3. Test: Ensure that all functions and features work correctly.
4. Documentation: Submit guarantees, instruction manuals, etc

930A RAISED ACCESS FLOOR

1. Description: Raised access floor to room 02-023
2. Standard: to BS476-6 & BS476-7 Class 0
3. Manufacturer: Kingspan
4. Product reference: RMG600+ raised access floor

   With Nickel coated Kingspan Alpha V pedestal

   Fixed to timber floor using VOC and solvent free polyurethane Kingspan pedestal adhesive

   Include simploc fixings
5. Dimensions: 600x600 modules

   300mm x 300mm BWICS to be cut below servers with Grommets as per N10 930B

   Floor overlay:

   Teknis Interlocking Dissipative ESD Tiles 635 x 635mm x 6mm,

   Flooring to be cut around servers. Flooring to grounded by Teknis grounding kit connected to a 3 pin plug. Anti static test to be undertaken following installation and prior to handover by Teknis.

   Refer to drawing OTH-PUR-TH-02-DWG-A-5927 for setting out and further information.

930B MER ROOM FLOOR GROMMETS

1. Description: Grommets to BWICs within raised access floow (Room 02-023) Koldlock raised floor brush strip grommet to be inserted into 162mm x 228mm holes cut into tiles.
2. Manufacturer: KoldLok
3. Product reference: KoldLok® SplitLok™ Integral Raised Floor Grommet – Product code 4040
4. Dimensions: 279 mm x 212 mm x 41.66 mm overall size. 162mm x 228mm opening size.