Way Above

John Dalton Building Entrance

Existing Sandra Burslem Building Entrance

Service Road

Sandra Burslem Building (Law School)

Retained Library Refurbishment

Man Met Library

7.2m Counter Jib

Min Radius R5400

15m Out of Service

14.0te to 27m

12.2te to 30m

9.8te to 35m

8.1te to 40m

6.7te to 45m

5.6te to 50m

4.7te to 55m

4.0te to 60m

SPECIFIC NOTES
ALL AOD LEVELS TO BE CONFIRMED.

TC1 DETAILS	
CRANE MODEL	WOLFF 355 B
JIB LENGTH (m)	60
TOWER HEIGHT (m)	40.5
ROPE FALL OPERATION	2
OUT OF SERVICE RADIUS (m)	15
WINDSAIL	NO
BASE TYPE	FOUNDATION ANCHORS
BASE LEVEL (AOD)	+/- TBC

Area zoned using CC90 when crane is in service

INDICATIVE ONLY
NOT FOR CONSTRUCTION

Rev	DD/MM/YY	Notes	drawn	checked

Client:	Kier Construction
Project:	MMU, Manchester
Title:	Tower Crane Zoning Layout

GENERAL NOTES

THE TECHNICAL DETAILS, ILLUSTRATIONS & DIMENSIONS SHOWN ON THIS DRAWING ARE WITHOUT LIABILITY. NO CLAIMS CAN BE DERIVED FROM THESE DETAILS. THIS DRAWING IS THE PROPERTY OF WOLFFKRAN LTD AND IT MUST NOT BE COPIED OR USED WITHOUT CONSENT.

WOLFFKRAN

WOLFFKRAN LTD
Grange Mill Lane, Sheffield S9 1HW
Tel: +44 (0)1709 559 668
Fax: +44 (0)1709 557 326
Email: D.Holmes@wolffkran.com
www.wolffkran.com

Drawn by:	Date:
D Holmes	04/06/26
Scale:	**Checked by:**
1 : 400 AT A3	
Job No:	**Status:**
-----	Quote
Drawing No:	**Revision:**
6720 - 03	--