Project: Atlas Park

Project No: BSD 15710

LUMINAIRE SCHEDULE - EXTERNAL LIGHTING

15710-WAT-XX-XX-SH-E-0001

Revision P01

SCHEDULE OF AMENDMENTS



DOCUMENT	REVISION	PREPARED BY	APPROVED BY	DATE	COMMENTS
Lighting Schedule	A01	SS	MP	14.07.2026	P01 - Preliminary Issue



Primary Contacts



LPS	D. Nettle	01623 855 320

External Lighting

The following are the preliminary external lighting types used for the Planning submission drawings:

<table>
<tr><th>Ref</th><th>Image</th><th>Type / Description</th><th>Other comment</th></tr>
<tr>
<td>A
(8m Column)</td>
<td></td>
<td>
<table>
<tr><td>Manufacturer</td><td>Vizulo Lighting
UK Supplier Lighting Project Solutions 01623 855320</td></tr>
<tr><td>Product Name</td><td>Stork Little Brother</td></tr>
<tr><td>Product Description</td><td>Post Top</td></tr>
<tr><td>Mounting Type</td><td>Column Mounted (8M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 230W
Lumen output: 27195lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
<tr>
<td>A
(10m Column)</td>
<td></td>
<td>
<table>
<tr><td>Manufacturer</td><td>Vizulo Lighting
UK Supplier Lighting Project Solutions 01623 855320</td></tr>
<tr><td>Product Name</td><td>Stork Little Brother</td></tr>
<tr><td>Product Description</td><td>Post Top</td></tr>
<tr><td>Mounting Type</td><td>Column Mounted (10M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 230W
Lumen output: 27195lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
</table>

<table>
<tr>
<td>AW</td>
<td></td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo Lighting
UK Supplier Lighting Project Solutions 01623 855320</th></tr>
<tr><td>Product Name</td><td>Stork Little Brother</td></tr>
<tr><td>Product Description</td><td>Floodlight</td></tr>
<tr><td>Mounting Type</td><td>Building Mounted (10M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 230W
Lumen output: 25331lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
<tr>
<td>B</td>
<td></td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo Lighting
UK Supplier Lighting Project Solutions 01623 855320</th></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Post Top Lantern</td></tr>
<tr><td>Mounting Type</td><td>Column Mounted (8M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 140W
Lumen output: 15990lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
</table>


<table>
<tr>
<td>BW
(6m Mount)</td>
<td></td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo By Lighting Project Solutions</th></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Floodlight</td></tr>
<tr><td>Mounting Type</td><td>Building Mounted (6M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 140W
Lumen output: 15990lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
<tr>
<td>BW
(8m Mount)</td>
<td></td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo By Lighting Project Solutions</th></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Floodlight</td></tr>
<tr><td>Mounting Type</td><td>Building Mounted (8M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 140W
Lumen output: 15990lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
</table>

C



Manufacturer	Vizulo Lighting UK Supplier Lighting Project Solutions 01623 855320
Product Name	Stork Little Brother
Product Description	Post Top
Mounting Type	Building Mounted (10M)
Lamp type	LED, 2700K, 70CRI
Optic	L35 Optic
Luminaire performance	Connected Load: 180W Lumen output: 21513lm
Finish	DB703 Graphite Grey
Control Gear	Dali Driver
IP/IK	IP66 / IK08

L35 Optic






CW
(8m mount)





Manufacturer	Vizulo By Lighting Project Solutions
Product Name	Stork Little Brother
Product Description	Floodlight
Mounting Type	Building Mounted (8M)
Lamp type	LED, 2700K, 70CRI
Optic	L35 Optic
Luminaire performance	Connected Load: 180W Lumen output: 21513lm
Finish	DB703 Graphite Grey
Control Gear	Dali Driver
IP/IK	IP66 / IK08

L35 Optic







<table>
<tr>
<td>CW
(10m mount)</td>
<td></td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo Lighting
UK Supplier Lighting Project Solutions 01623 855320</th></tr>
<tr><td>Product Name</td><td>Stork Little Brother</td></tr>
<tr><td>Product Description</td><td>Floodlight</td></tr>
<tr><td>Mounting Type</td><td>Building Mounted (10M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 180W
Lumen output: 21513lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
<tr>
<td>D</td>
<td></td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo Lighting
UK Supplier Lighting Project Solutions 01623 855320</th></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Post Top Lantern</td></tr>
<tr><td>Mounting Type</td><td>Column Mounted (8M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 60W
Lumen output: 7605lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
</table>

<table>
<tr>
<td>D BLC</td>
<td>
with back light 'cutter' accessory</td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo By Lighting Project Solutions</th></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Post Top Lantern</td></tr>
<tr><td>Mounting Type</td><td>Column Mounted (8M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 80W
Lumen output: 9105lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
with back light 'cutter' accessory
</td>
<td>L35 Optic


</td>
</tr>
<tr>
<td>D2</td>
<td>Twin
</td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo Lighting
UK Supplier Lighting Project Solutions 01623 855320</th></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Post Top Lantern</td></tr>
<tr><td>Mounting Type</td><td>Twin Column Mounted (8M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 60W
Lumen output: 15210lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic


</td>
</tr>
</table>

<table>
<tr>
<td>DW</td>
<td></td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo By Lighting Project Solutions</th></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Floodlight</td></tr>
<tr><td>Mounting Type</td><td>Building Mounted (8M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 60W
Lumen output: 7332lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
<tr>
<td>E</td>
<td></td>
<td>
<table>
<tr><th>Manufacturer</th><th>Vizulo Lighting
UK Supplier Lighting Project Solutions 01623 855320</th></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Post top</td></tr>
<tr><td>Mounting Type</td><td>Column mounted (8M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L22 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 30W
Lumen output: 4309lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L22 Optic

</td>
</tr>
</table>

<table>
<tr>
<td>FW</td>
<td></td>
<td>
<table>
<tr><td>Manufacturer</td><td>Vizulo By Lighting Project Solutions</td></tr>
<tr><td>Product Name</td><td>Mini Martin</td></tr>
<tr><td>Product Description</td><td>Floodlight</td></tr>
<tr><td>Mounting Type</td><td>Building Mounted (6M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>L35 Optic</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 60W
Lumen output: 7332lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>Dali Driver</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>L35 Optic

</td>
</tr>
<tr>
<td>GW</td>
<td></td>
<td>
<table>
<tr><td>Manufacturer</td><td>HEPER by Lighting
Project Solutions 01623 855320</td></tr>
<tr><td>Product Name</td><td>Hera Side</td></tr>
<tr><td>Product Description</td><td>Wall Mount</td></tr>
<tr><td>Mounting Type</td><td>Wall Mounted (4M)</td></tr>
<tr><td>Lamp type</td><td>LED, 2700K, 70CRI</td></tr>
<tr><td>Optic</td><td>Side Throw</td></tr>
<tr><td>Luminaire performance</td><td>Connected Load: 5W
Lumen output: 488lm</td></tr>
<tr><td>Finish</td><td>DB703 Graphite Grey</td></tr>
<tr><td>Control Gear</td><td>DALI</td></tr>
<tr><td>IP/IK</td><td>IP66 / IK08</td></tr>
</table>
</td>
<td>Side throw Optic
</td>
</tr>
</table>