







TYPICAL MANHOLE DETAIL


DEPTH FROM COVER TO SOFFIT OF PIPE 1.5m TO 3m
ALTERNATIVE RIGID MATERIAL CONSTRUCTION WITH CONCRETE SURROUND
(TO SEWER SECTOR GUIDANCE APPENDIX C)




PRECAST CONCRETE CATCHPIT DETAIL




SECTIONAL PLAN




TYPICAL 45° PIPE JUNCTION CONNECTION DETAIL




NON-RETURN SEWER VALVE



FRENCH DRAIN BETWEEN FOOTPATH AND PLAY AREA



YARD GULLY



SUMP UNIT CHANNEL/SLOT DRAIN DETAILS

ACO MULTIDRAIN SUMP UNIT OR SIMILAR APPROVED

STANDARD NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S AND ENGINEER'S DRAWINGS AND THE SPECIFICATIONS.
2. THIS DRAWING SHOULD NOT BE SCALED.
3. ALL DIMENSIONS ARE TO BE VERIFIED BY THE CONTRACTOR ON SITE.
4. ALL DISCREPANCIES SHOULD BE REPORTED TO C.A./E.A. PRIOR TO THE COMMENCEMENT OF WORKS.

© CIVIC ENGINEERS LIMITED

NOTES:

1. ALL DRAINAGE SHALL BE CONSTRUCTED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND IN COMPLIANCE WITH BS EN 852 AND BUILDING REGULATIONS APPROVED DOCUMENT H
2. ALL MATERIALS INCLUDING PIPES, CHAMBERS AND ALL ACCESSORIES SHALL CONFORM TO SECTION E2 OF THE SEWER SECTOR GUIDANCE APPENDIX C DCG.
3. MANHOLE COVERS TO BE ORIENTED PARALLEL TO ALIGN WITH PAVING, KERB LINES AND/OR BUILDINGS
4. ALL INTERNAL MANHOLE COVERS ARE TO BE DOUBLE SEALED AND LOCKABLE
5. PIPE CONNECTIONS NOT IN INSPECTION CHAMBERS OR MANHOLES SHALL BE MADE VIA PREFORMED OBLIQUE JUNCTIONS SWEPT IN THE DIRECTION OF FLOW

DATE	REV	DESCRIPTION	DRAWN	CHKD
09.10.26	P02	FOR DISCHARGE CONDITIONS	AH	JDL
10.08.26	P01	FOR INFORMATION	MM	JDL

CIVIC ENGINEERS
civicengineers.com

PROJECT
PICADILLY GARDENS

TITLE
DRAINAGE STANDARD DETAILS
SHEET 1 OF 2

DRAWING STATUS				STATUS CODE
INFORMATION				-
CE PROJECT No.	SCALE @ A1	DATE CREATED	DRAWN	CHECKED
4475	NTS	AUG'26	MM	JDL
DRAWING No.				REV
4475-CIV-XX-XX-D-C-31001				P02

FILE LOCATION PATH: P:\PROJECTS HOT\4475 PICCADILLY GARDENS\004 BIM\CIVIL\SIDRAWINGS\4475-CIV-XX-XX-D-C-31001 - DRAINAGE STANDARD DETAILS.DWG