

DESIGN & ACCESS STATEMENT FOR NOTEMACHINE UK LTD.

The Local,
141 Great Ancoats Street,
Manchester,
M4 6DH

Introduction

This design and access statement has been produced in support for Planning Consent for NoteMachine Ltd ATM applications.

The purpose of the installation; is to provide banking facilities for the local area.

As this statement is for an A.T.M installation within the existing external façade, some aspects such as “layout” and “Access” are of limited applicability.

Design Principles and Concepts

Amount

The site is within a retail / commercial area which would benefit from the provision of banking facilities.

The proposed A.T.M will provide direct and unobstructed access.

The A.T.M is to be installed flush with the existing external façade.

Scale

The dimensions of the proposal are:-

A.T.M external dimensions 1338mm x 870mm set at a height of 900mm from the pavement level.

The display screen is carefully shielded from ambient lighting to prevent glare and reflection, ensuring a clear and sharp image is visual by both standing and seated users.

Layout

The A.T.M is to be installed at a suitable height in order that the cash dispenser can be easily accessed, in accordance with DDA regulations.

Landscaping

Due to the nature of the proposed installation, we feel the application will not benefit from any future landscaping.

Appearance

The A.T.M is a modern design with a green bezel surround with illuminated Cash signage. White internally illuminated lettering out of a green background. ATM surround with LED halo illumination.

Access

The A.T.M will have good access for the public. Due to the flat level surface to the frontage and its position within the frontage.

Secondary Access

The proposed installation has been designed to anticipate and overcome the restriction that would prevent disabled persons from making full use of the service to be provided together with the needs of more vulnerable people from protection of attack and intimidation.

Thus, providing an accessible and safe cash withdrawal service for all to use.

Notemachine have developed a security plinth and methods of anchoring our ATMs in place through concrete and through Timber floors by forming a sandwich with the joist to prevent removal.

Notemachine have also developed additional security with secondary locking of the safe door with a tell-tale visual deterrent planted on to the safe door. This also acts as an anti-grind plate above the lock, this rectangular red triangle, this immediately identifies the machine as having increased security and acts as a deterrent to active criminals.

Notemachine also have a solution when required to use side armour for additional protection within the ATM but because of the security survey this was not deployed at this site.

Lighting to this site offers illumination overspill to the outside of the premises and the ATM.

Actions taken and Design considerations to supplement existing security at the Site prior to and during installation.

Existing Security information.

All our ATMs are alarmed.

The ATM is fitted with Mirrors.

The ATM is fitted with a Jar Tracker.

The ATM is installed through a Secure composite panel.

ALARM:

Fully monitored police response

CCTV

The premises have a 5 camera CCTV system with digital recording.

LIGHTING

There is sufficient street lighting along with the ambient lighting of our ATM will avoid any shadowing or pooling.

At the time of the installation survey all our surveyors have one thought as they approach a perspective site "would I use this machine" This approach in selection has led to a minimal number of crimes taking place at our sites throughout the country.

The surveyor will have looked for good natural surveillance and avoided general obstructions like bus shelters, sun blinds, advertising boards and large planters all of which are considered in the site selection process.

The surveyor will also have reviewed the location in respect to the installation of an ATM room, to remove from view all operations in or around the ATM.

If a room is not possible, due to site restrictions / space.

The Store owner will be requested to secure the shop preventing ingress or exit to the premises at the time of the replenishment / Engineering functions involving access to the safe.

Notemachine carry out an end-to-end solution using our own Cash in Transit (CIT) and engineering staff, our security managers consider the following for every installation, Deliveries, Parking outside the unit and line of sight of the replenishment for the staff. And the duty of care to our staff means this process is paramount to the security of our operatives.

Notemachine in their overall duty of care to the public have at this site installed a NCR - ATM these machines can have a Pin Shields added to prevent Pin Fraud

Notemachine will install a defensible space (Ground Markings) in front of the ATM to indicate only one ATM user at a time, subject to pavement width, council recommendation and seek retrospective local authority approval.

Notemachine will in their design consider additional anchoring systems i.e., anti-ram bollards subject to Local authority planning consent – conditioning.

As a company we operate a cassette exchange one out one in, to minimise the time on site. Notemachine operate covert deliveries, with unmarked vans, and plain clothed staff who all have personal protection equipment.

As a company we also attend the ATM steering group where all FI's and IAD's share knowledge on best practice for security and provide statistics on their estate updating the forum with valuable information from the various Police forces which enables Notemachine to formulate our deployment strategy.

Notemachine UK Ltd believe that their standard working practices and the implementation of the above crime prevention measures help to provide a safe and sustainable development.

Conclusion

The A.T.M has the principal benefit to the community of providing cash on demand. Which will also encourage people to visit and use Local shops, benefiting the local area shop keepers.